

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Clair Engelbert The Andersons Lawn Fertilizer Division Inc. d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

DEC 1 2 2008

Subject: Label Notifications for Pesticide Registration Notice 98-10 and 2007-4 Added EPA Establishment Number

Dear Mr. Engelbert:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2008-1 dated October 31, 2008 for:

EPA Registration 9198-210

Andersons Golf Products Fungicide X

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2008-1 and finds that the label changes requested falls within the scope of PRN-2008-1. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

_Please read instructions on reverse before completing form.	Form A		-10 10 = -2.28-95		
United Star Environmental Prote Washington, DC	ction Agency	Registration Amendmer	n OPP Identifier Number		
Applic	ation for Pesticide - Se	ction I			
Company/Product Number 2. EPA Product Manager 3. Proposed Classification 9198-210 Waller			3. Proposed Classification		
4. Company/Product (Name) Andersons Golf Products Fungic	ide X PM# 21	X PM#			
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 Check if this is a new address	to:	EPA Reg. No DEC 1 2 2008			
	Section - II				
Amendment - Explain below. Final printed labels in repsonse to Resubmission in response to Agency letter dated "Me Too" Application. Image: Me Too" Application. Other - Explain below. Image: Me Too" Application. Other - Explain below. Image: Method State Stat					
	Section - III				
1. Material This Product Will Be Packaged In:		1			
Child-Resistant Packaging Yes √ No * Certification must be submitted ↓ Unit Packaging Yes No ↓ No ↓ No		✓ Pi GI ✓ Pa	tainer etal astic ass aper ther (Specify)		
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions					
Image: Container 1-100 lbs. 6. Manner in Which Label is Affixed to Product Image: Lithograph Paper glued Stenciled Image: Container Image: Container Image: Containe					
Section - IV					
1. Contact Point <i>(Complete items directly below for identifi</i>	cation of individual to be contacte	d, if necessary, to proces	ss this application.)		
Name Title Telephone Mr Clair Richard Engelbert Product Development Technician 419-891-27		aphone Nč. (ໄກຼຣູບປຣ Area Code) 9-891-2780			
Certification د د د د د د د د د د د د د د د د د د د					
2. Signature Clein might	3. Title Product Development Technic				
4. Typed Name Mr Clair Richard Engelbert	5. Date 10/31/08	,			

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

•

΄.

Yellow - Applicant Copy

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

3/8

Andersons[™] Golf Products Fungicide X

Optional Front Panel Claims

Prevents and controls brown patch, leaf spot, red leaf spot, pink snow mold, gNOTHICATION

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, Harmful if absorbed through skin or inhaled. Avoid contact with eye, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt and long pants, socks and shoes and chemical-resistant gloves (such as Barrier Laminate, Butyl rubber, Nitrile rubber and Viton).

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.

Environmental Hazards: This chemical can contaminate surface water through aerial and ground applications. Under some conditions, it may also have a high potential for runoff into surface water application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain surface water. This pesticide is toxic to invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate, or clean up spills. Do not contaminate water when disposing of equipment washwater to areas the surface water water when disposing of equipment washwater to areas the surface water water when disposing of equipment washwater to areas the surface water water when disposing of equipment washwater to areas the surface water when disposing of equipment washwater to areas the surface water when disposing of equipment washwater to areas the surface water when disposing of equipment washwater to areas the surface water when disposing of equipment washwater to areas the surface water wash areas the surface water wash areas to an advect the surface water water when disposing of equipment washwater to areas the surface water water when disposing of equipment washwater to areas the surface water water when disposing of equipment washwater to areas the surface water water when the surface water water washwater to areas the surface water water when disposing of equipment washwater to an advect the surface water washwater to areas the surface water washwater to an advect to advec

9198-210 Page 1 of 5

DEC 1 2 2008

. . . .

coç

ccē

ACTIVE INGREDIENTS:		
lprodione*		 1.30%
INERT INGREDIENTS:		98.70%
	Total	00.00%

*CAS #36734-19-7

EPA Reg. No. 9198-210 EPA Est. 538-OH-1<u>S</u>, 9198-OH-1<u>M</u>, <u>51036-GA-001</u> Underlined letter is first letter used in run code on bag

SGN 100 Treats Up To 22,000 Square Feet

Recommended for Use By Professional Turfgrass Managers Net Weight XX.XX lbs. (XX.XX kg)

GUSSETS:

[Note: gusset information is optional, depending on bag type]

RIGHT GUSSET Andersons Golf Products Fungicide X

LEFT GUSSET Andersons Golf Products Fungicide X

TOP GUSSET Andersons Golf Products Fungicide X

BOTTOM GUSSET Andersons Golf Products Fungicide X

{product code}

{product code}

{product code}

{product code}

BACK PANEL:

ANDERSONSTM GOLF PRODUCTS FUNGICIDE X {product code}

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use of this product at residential sites is prohibited.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Entry Restrictions

Do not enter or allow others to enter the treated area until dusts have settled.

cecie

This fungicide product prevents and controls the following turfgrass diseases.

Brown patch Leaf spot (*Helminthosporium spp.*) Red leaf spot Pink snow mold / Fusarium patch (*microdochium nivale*) Gray snow mold (*Typhula spp.*)

For use on fairways, putting greens and other turf areas consisting of Kentucky bluegrass, bentgrass, perennial ryegrass, fine fescue and bermudagrass, or where these mixtures predominate. Product may also be applied to St. Augustinegrass turf areas.

WHEN TO USE

Brown Patch and Red Leaf Spot

To prevent, apply at the NORMAL or HEAVY RATE (1.0 to 1.5 oz ai/1,000 sq ft) to moist or dry foliage when disease activity is anticipated and repeat at 2-week intervals. If heavy disease pressures are encountered, apply at the HEAVY RATE to moist or dry foliage. When diseases are brought under control, revert back to bi-weekly NORMAL RATE application intervals.

To control, apply to moist or dry foliage at the HEAVY RATE (1.5 oz ai/1000 sq ft) as soon as disease activity is noticed. Repeat at bi-weekly until disease in under control, then revert back to NORMAL or HEAVY RATE applications at bi-weekly.

Pink and Gray Snow Mold

To prevent, apply at the LIGHT or NORMAL RATE (0.5 to 1.0 oz ai/1000 sq ft) to moist or dry foliage when disease activity is anticipated. Repeat at 2 to 3 week intervals.

To control, apply to dry foliage at the NORMAL or HEAVY RATE (1.0 to 1.5 oz ai/1000 sq ft) when disease activity is first noticed. Repeat as needed at this rate at 2 to 3 week intervals. When disease activity is under control, revert to the LIGHT or NORMAL RATE (0.5 to 1.0 oz ai/1000 sq. ft) at 2 to 3 week intervals.

For suppression, apply to dry foliage at the NORMAL or HEAVY RATE (1.0 TO 1.5 oz ai/1000 sq ft) prior to the first snow. Repeat in mid-winter when turf is free of snow and again immediately after the final snow melts in the spring.

Not a season long (all winter) control for snow molds unless applied on a 2 to 3 week application program.

Leaf Spot

To prevent, apply to moist or dry foliage at the LIGHT RATE (0.5 oz ai/1000 sq ft) when disease activity is anticipated. Repeat if needed after 3 to 4 weeks.

To control, apply to moist foliage at the NORMAL to HEAVY RATE (1.0 to 1.5 oz ai/1000 sq ft) when disease activity is first noticed. Repeat as needed at intervals not closer than 2 weeks.

HOW TO USE

For LIGHT, NORMAL or HEAVY RATE applications (0.5, 1.0 or 1.5 oz ai/1000 sq ft), apply to moist or dry foliage for summer diseases. Applications need not be watered in. Apply to foliage for snow mold prevention/control.

Delay mowing for 24 hours after application to prevent particle pickup by mowers.

Expected time disease activity:

Spring – leaf spot, pink snow mold (Fusarium patch), gray snow mold Summer – leaf spot and brown patch Fall – leaf spot and pink snow mold (Fusarium patch)

Winter - pink snow mold (Fusarium patch), and gray snow mold

Allow one week between the application of this and other control products. This guideline may be relaxed where a severe disease attack requires immediate treatment.

NOTE TO USER

Do not apply this product in a way that will contact workers or other persons, either directly or indirectly or through drift. Only protected handlers may be in the area during application.

Except for use on golf courses, if applying this product adjacent to a water body such as a lake, estuary, reservoir, river, permanent stream, marsh or natural pond, or commercial fish pond there must be at least a 25 foot vegetative buffer strip between the water body and the point of application.

For golf courses only, do not apply to turf cut higher than 1" on golf holes where water bodies are present.

Do not apply this product when the wind direction is toward aquatic areas.

May apply up to but no more than 24 pounds active ingredient (ai) annually. Do no apply more than 6 times per year.

Do not apply this product using a "belly grinder" or other handheld application equipment.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: <u>Nonrefillable container</u>. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application.

52.86 lbs. (23.97 kg) treats 22,000 ft² at the LIGHT RATE 52.86 lbs. treats 11,000 ft² at the NORMAL RATE 52.86 lbs. treats 7,330 ft² at the HEAVY RATE

SPREADER	GROUND OR		LIGHT	
	PTO SPEAD	COVERAGE	RATE	
Scotts Drop Type	X mph	Overlap wheels	Х	X °°°°°° X
Scotts Rotaries	X mph	XX feet	Х	X (ČX
Lely Models (see below)	X mph	XX feet	X	X LOUIS X U U
Lely models WTR, WFR, HF	R and 1250. PTO a 1	t 450 rpm.		

SPREADER SETTING

0

Note to EPA: actual spreader models may vary depending on market demand and availability

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. to the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot031908)

Visit us at our website at: andersonsgolfproducts.com

Manufactured for:

The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

{product code} ©2002 T.A.I.

Andersons Golf Products is a trademark of The Andersons Agriservices, Inc.

Product of U.S.A.

Date Printed	10/23/08
Date Approved	Transfer
Supersedes	
Label Changes	Notification - Warrandy New EPA EST. Nonter added for BASE
Filename	9198-210
Label Code	RVnot031908

NOTIFICATION

DEC 1 2 2008