8 27 20



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Debbie Ziehr Regulatory Administrator The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537 AUG 27 2009

RE: Notification of a revision to the labeling regarding PR Notice 2008-1 EPA Registration Number: 9198-120 Date of Submission: July 21, 2009

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 21, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" received but not reviewed and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions	on reverse before completing form.	Form Ap	proved, OMB No. 2070-00	20fl
United States Environmental Protection Age Washington, DC 20460		Agency	Registration Amendment V Other	OPP Identifier Number
	Application	for Pesticide - Sec	tion I	
1. Company/Product Number 9198-120		2. EPA Product Mar Miller PM#	None Restricte	
Company/Product (Na The Andersons Dimensi		23		
The Andersons Law 1/b/a Free Flow Fer PO Box 119 Maumee, OH 4353		•	veiw. In accordance wit is similar or identical in c NOTIFICATION AUG 27 2009	omposition and labeling
		Section - II		
Amendment - Ex Resubmission in Notification - Exp	response to Agency letter dated	Agency let	d labels in repsonse to ter dated Application. Ilain below.	
Notification of Label change This notification is consisten been made to the labeling o EPA. I further understand th	itional page(s) if necessary. (For section I per PR Notice 2008-1 See cover letter for details. It with the guidance of PR Notice 2008-1 and the req r the confidential statement of formula of this produc nat if this notification is not consistent with the guidan I may be subject to enforcement action and penaltie	uirements of EPA's regulations at t. I understand that it is a violation nce of PR Notice 98-10 and the req	of 18 U.S.C. Sec. 1001 to willfully uirements of 40 CFR 156.10 and	make any false statement to
		Section - III		
. Material This Product	Will Be Packaged In:			
Child-Resistant Packagir Yes ✓ No Certification must be submitted	Yes Vo	Water Soluble Packaging Yes Vo No If "Yes" No. per Package wgt containe	2. Type of Containe Metal Plastic Glass Paper Other	
. Location of Net Conte	Ints Information 4. Size(s) Retail	Container	5. Location of Label Direct	ions

		Section - I	<u>lt</u>		
1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging Yes Ves No Certification must be submitted Contents Information	No. per wgt. container 4. Size(s) Ret	Water Soluble P Yes V No If "Yes" Package wgt	No. per container	2. Type of Containe Metal Plastic Glass Paper Other	(Specify)
Label Container		1-100 lbs.	[On Label	
	6. Manner in Which Label is Affixed to Product Image: State of the				
		Section - I	V		
1. Contact Point (Complete items directly be	low for identificatio	n of individual to b	e contacted, if r	necessary, to process thi	is application.)
Name Debbie Ziehr		Title Regulatory Admir	nistrator	Telepho 419-891	ne No. (Include Area Code) -6671
l certify that the statements have mad I acknowledge that any knowlinglly fals both under applicable law.	Certifica le on this form and e or misleading sta	all attachments the	ereto are true, a nishable by fine	د در دور پی accurate and cor or imprisonment or پی در	
2. Signature Riebbie Zieh		3. Title Regulatory Administrator		ې د د د د د د و د د د د د د د د د د د د	
4. Typed Name U Debbie Ziehr		5. Date 7/21/	/09		0000 1 1 2 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1



۰,

The Andersons, Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

July 21, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE: Notification of Minor Label Change

SUBJECT: The Andersons Dimension Herbicide II EPA Reg. No. 9198-120

Per PR Notice 2008-1 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed with deletions in red strikeout.

Deleted the following text from the Environmental Hazards section:

Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

Replaced with the following:

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

ιιιι

נ נוננ

> ر ز ر ر د ر ر ر ر د ز

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

elebre

Debbie Ziehr Regulatory Administrator Phone: 419-891-6671 Fax: 419-891-2745 Email: debbie_ziehr@andersonsinc.com

Enclosures

9198-120H Page 1of 14

(FRONT PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

The Andersons Dimension Herbicide II

Optional marketing claims:

, ,

- A Herbicide Plus Fertilizer Combination Product that Provides Control of Crabgrass and Other Weeds in Established Lawns and Ornamental Turfgrasses.
- Premium Granular Fertilizer that Feeds Your Lawn Providing The Nutrients Needed for A Beautiful, Green and Vigorous Lawn.
- Contains Dimension® Herbicide A Herbicide for Crabgrass Control!
- Can Be Applied Up to 4 Weeks Later Than Other Crabgrass Preventers and Controls Crabgrass All Season Long.
- Controls Crabgrass & weed grasses listed on this label before & crabgrass after* they germinate *see back panel
- Prevents Spurge & Oxalis
- Clean & easy to apply no yellow stains on clothing, walks or driveways
- This product is a herbicide that provides control of listed annual grasses and broadleaf weeds in established lawns and ornamental turfs.
- 100% satisfaction or your money back! Unconditional guarantee {optional for subregistrant}
- When used as directed, this product controls Smooth & Large Crabgrass, Goosegrass, Barnyardgrass, Yellow & Green Foxtail
- Preemergence and early post-emergence control of crabgrass
- Promotes long-lasting feeding
- Prevents crabgrass
- PERFORMANCE GUARANTEE: If, for any reason you are not satisfied with the results of this quality product, return the bag with proof of purchase for a full refund.
- For thick, green, beautiful lawns
- Formulated for Midwestern lawns
- Controls crabgrass and other listed weeds for up to 4 months*
- *when used as directed
- Extended greening from controlled-release nitrogen
- Contains iron for extra greening
- Stops crabgrass before it germinates in established lawns
- Controls crabgrass all season long
- Controls other weed grasses as listed on the back label

ACTIVE INGREDIENTS:

*Dithiopyr, 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)	
-6-(trifluoromethyl)-S,S- dimethyl ester	0.103%
INERT INGREDIENTS	
TOTAL	100.000%

Dimension is a registered trademark of Dow AgroSciences LLC

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT LBS. Covers <i>{over</i> } X,XXX square feet	000000 000000 000000000000000000000000	ر دور دو دو
EPA Reg. No. 9198-120 EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A Underlined letter is first letter used in run code on bag	د د زرد و ل و د د د و د د د د و د د د و د د د	ز زز ز ز ز زنان زرزز زرزز
		ر د د د ر ن ن ر ن ن ن ر ن ن ن ن ن ن ن ن ن ن ن



NET WEIGHT _____ LBS.

The Andersons Dimension Herbicide II

GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	
Primary Plant Food derived from: Urea, Muriate of Potash, Ammoniated Phospha	

Optional fertilizer information:

XX% Nitrogen – Gives your lawn a deep green color. Stimulates plant growth and greens lawns quicker XX% Phosphate – Promotes normal root development. Strong, vigorous roots are essential for absorbing water and plant nutrients

XX% Potash – Potash helps improve your lawn's hardiness to protect against disease and tolerate drought. Information regarding the contents and levels of metals in this product is available on the internet at http://www.wa.gov/agr/

When applied as directed, this product meets the minimum standards for non-nutritive metals established by the Association of American Plant Food Control Officials.

For information on this product or other premium quality {brand name} product, please call us at 1-800-231-4595.

For best results, this product should be used in conjunction with {product name} to correct {nutrient} deficiency.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


KEEP OUT OF REACH OF CHILDREN

CAUTION

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.		
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.		
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control center or doctor for treatment advice.		
clothing Have the prod			



יני ייני ייני

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

New York Use Restrictions: Do not apply more than 5.6 pounds of this product per 1,000 square feet of turfgrass area per year. Do not make more than one application per year.

Use only according to label instructions.

GENERAL INFORMATION


This product is a combination product that provides both crabgrass control and [the required nutrients] or [a required nutrient] for [optimum] turfgrass growth all in a single product.

This product contains Dimension, a crabgrass preventer that can be applied up to 4 weeks later than other crabgrass preventers and provide up to 4 months control of crabgrass and other grass and broadleaf weeds prior to their establishment in lawns and ornamental turfgrasses. This product should be applied to lawns and ornamental turfgrasses that are well established (See "Use Precautions" section below for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to label directions.

USE PRECAUTIONS

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury.

The Andersons Dimens can be applied to the following turfgrass		აან ა ა
Cool-Season Turfgrasses	Warm-Season Turfgrasses	ز ز زرن ز ز
Creeping Bentgrass Fine Fescues Kentucky Bluegrass	• Bahiagrass 5,5 • Bermudagrass 5,55 • Buffalograss 5,55	زر ر برزز زرزر
		נגננ , נננ



Perennial Ryegrass	Carpetgrass	
Tall Fescues	Centipedegrass	I
	 St. Augustinegrass 	
	 Zoysiagrass 	

This product should be applied in the spring or fall prior to the weed seed germination in established lawns and ornamental turfgrasses.

This product can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control of crabgrass. Dimension herbicide provides preemergence control of crabgrass and other weeds when applied prior to their germination, and it also provides postemergence control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preemergent treatment. Only crabgrass can be controlled with delayed applications after germination.

Tips for Improved Weed Control: For best results, apply this product within a few days after mowing and delay further mowings after the application of this product until the lawn or ornamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

Reseeding, Overseeding, or Sprigging of turfgrasses into areas that have been previously treated with this product should be delayed until 16 weeks after application. Reseeding, overseeding, or sprigging upto 16 weeks after application may preven<u>t</u> the establishment of the newly reseeded, overseeded or sprigged turfgrasses.

•DO NOT apply more than 11 pounds of this product per 1,000 square feet of turfgrass area during the year (1,000 square feet area = 100 feet x 10 feet).

•DO NOT apply to flowers, vegetables, or fruit trees.

•DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees.

•Keep people and pets off treated areas until dust has settled.

APPLICATION DIRECTIONS

The Andersons Dimension Herbicide II will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied prior to weed seed germination in established lawns and ornamental turfgrasses.

Weeds Controlled and/or Suppressed by The Andersons Dimension Herbicide

Grass Weeds:

Annual Bluegrass Annual Ryegrass Barnyardgrass Crabgrass Crowfootgrass Gooesegrass

- Green Foxtail Kikuyugrass (seedling) Perennial Ryegrass Smutgrass (seedling) Yellow Foxtail
- Broadleaf Weeds:

Bittercress Buttercup Oxalis Carolina Geranium Chickweed Common Lespedeza Common Purslane Corn Speedwell Construction of the second sec



ι**ιι** ιιιι υφ

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

Application Timings:

.

.

This product may be applied either in the spring or in the fall for the control of weeds.

When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds.

Length of Control:

This product will provide up to 4 months of weed control if applied according to label directions.

The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that product is being applied.

Please check the map below to determine which "Region" of the U.S. that applies to your particular use area.


Use "Regions" within the United States:





Recommended Use Rates:

	Recommended Use Rates for The Andersons Dimension Herbic	ide
(Pounds o	f this product to apply per 1,000 square	feet of turfgrass)
	Length of V	Veed Control
Region of U.S.	2-3 Months Control	3-4 Months Control
North	2.8	4.0
South	4.3	5.6
		600 G
SUGGESTED SPREADER SET (Available at Final Printing)	TINGS	
Broadcast Spreaders: For best center. A little overlap of product	results, apply in a circular path starting will ensure complete coverage.	on the outside and ພູດັ່ ເ king towarູຢູ່ໃຫ້ອ



°°° 0 C

LUCU

Ċ. c(LLC)
c(LLC)

0 00 0 C C CCCC

0400

2

сe

ειιι

cccco

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as overapplication may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies. **DISPOSAL:**

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If party filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION - LANDSCAPE ORNAMENTALS

This product provides preemergence control of listed annual grass and broadleaf weeds in landscape ornamentals. It may be applied to soil surfaces where ornamental plants are grown for aesthetic purposes in ornamental gardens, and residential properties.

Ornamental plants on this label have shown tolerance to this product when applied as directed. It is impossible, however, to evaluate tolerance for all ornamental plant species or varieties or under all possible growing conditions. Under your growing conditions, a limited area involving only a few plants should be treated for tolerance evaluation prior to large-scale applications.

USE RATES

Apply this product with a properly calibrated spreader which will assure accurate, even particle distribution. This product may be applied as a single application or as a split application. Refer to the following table for product recommendations when treating a small area.

DO NOT apply more than 16 pounds per 1,000 square feet per year. Do not apply in Nassau and Suffolk Counties of New York.


Pounds of Product	Ounces of Product
per 1,000 square feet	per 100 Square Feet
11	17.6

APPLICATION TIMING AND RECOMMENDATIONS

This product is a preemergence herbicide that will not control established weeds. Make applications prior to weed seed germination or to bare ground. The best weed control is obtained when applied to soil that is free of clods, weeds and debris such as leaves. Prior to making an application, control existing vegetation by fland weeding, cultivation or with a postemergence herbicide. Once an application of this product has been made, do not disturb the soil surface as the herbicide barrier will be broken. ecceço

PRECAUTIONS

Only apply this product to established ornamentals.



(BACK PANEL)

HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

- Do not apply this product directly to bare root of ornamental plants as injury may result.
- Do not incorporate this product into soil. Dilution of active ingredient and possible injury to plant roots may occur.
- Do not apply to soil around ornamental plants that are under stress due to drought, flooding, excessive fertilizer or soil salts, wind injury, hail, frost damage, winter injury, injury from previously applied pesticides or injury due to insects, nematodes or disease.
- To avoid foliar damage to ornamentals, irrigate immediately after application to remove herbicide particles from the foliage.
- Do not apply under conditions that would affect product distribution. Wind could affect distribution and • move product onto sensitive species. Uneven product distribution will result in uneven weed control.
- Do not apply this product on grasses grown for seed.
- Do not graze livestock or feed forage cut from areas treated with this product. •


TOLERANT ORNAMENTALS

.

When applied as directed under the conditions described on this label, ornamentals listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing condition. Follow directions given above to determine plant tolerance under your growing conditions prior to large scale use.

COMMON NAME	BOTANICAL NAME	TOLERANT CULTIVARS
Abelia, Dwarf	Abelia X Grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajunga genevensis	Bronze Beauty
Almond, Flowering	Prunus gladulosa	
Apple*	Malus pumila	
Arbovitae	Thuja occidentalis	Nigra Pyramidalis Smaragh Techny Woodwardii
Arborvitae, Golden	Thuja orientalis	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash, Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus acucparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brillant Buccaneer Carror Chimes (Belgian) Exbury Fashion Hardijzer Beauty Hershey Red Higasa Hinocrimson Holland (Hybrid) Marion & eee e Marion & eee e Snow occcc Southern Charm
Azalea, Flame	Rhododendron calendulaceum	






• •


Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thumbergii	Aurea Dwarf Pigmy Green Kobold Pygmy Red Rose Glow
Barberry, Purple		Atropurpurea
Bearberry (common)	Arctostaphylos uva-ursti	Massasschusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecorp Blue Jay Jersey North Blue Northland
Bottlebrush	Callistemon citrinum	
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus sempervirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Carex, Variegated	Carex	
Camellia	Camellia japonica	Debutante Mathotiana Supreme Chansonette
· · · · · · · · · · · · · · · · · · ·	Camellia sasangua	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotonester apiculatus	
Cycads	Cycads revoluta Baccharis pelularis	
Coyotebrush	Taxodium distichum	
Cyrpress, Bald	Cupressus sempervirens	Glauca
Cypress, Italian Cypress, Leyland	Cupressocyparis leylandii	Giauca
Cypress, Japanese False	Chamaecyparis obtusa	Gracilis
Daffodil	Narcissus spp.	King Alfred
Daylilly	Hemerocallis spp.	Aztec Gold Bright Yellow (Hybrid) Single Gold (Evergreen) Wilson's Yellow
Dogwood	Cornus florida	
Dogwood, American	Cornus sericea	
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	0 0 0
Euonymus	Euonymus fotunei	Argenteo-gafiegata 200 0000 Auereo-marginata Colorata 2000 0000 Emerald Gaiety Emerald Gaiety Emerald Sold 2000

^{0 00} 0 0 0 0 0 0



• • •

	······································	
		Gold Edge
		Gold Princess
		Silver King
		Tricolor
		Vegetus
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	· · · · · · · · · · · · · · · · · · ·
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbox
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia	Arnold Dwarf
		Bronxensis Dwarf
		Lynwood Gold
		Meadowlark
	Spring Glory	Weeping
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery
		Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataequs spp.	Cockspur White
		Crimson Cloud
		Enchantress
		Jack Evans
		Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibscus spp.	Brilliant
		Hula Girl
		Blue Bird
Hemlock, Canada	Tsuga canadensis	
Holly	llex spp.	Blue Boy
		Blue Girl
	llex X meserveae	Burfodii
		China Girl
		Ciompacta
		Forsteri
		Hellerie
		Japanese Northern Beauty
		Needlepoint
		Nellie R. Stevens
		Savanah
	llex X attenuata	
Holly, Chinese	llex cornuta	
Holly, Japanese	llex crenata	
Holly, Yaupon	llex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf
		Halliana Tatarian?Cafradian White
		Tatarian Canarlian White
		l Zaballi Bad Hesta
Hosta	Hosta spp.	Algo Marginata co
nuəla	Hosta spp. Hosta lancifolia	1 0 0
loo Plant	Carpobrotus edulis	00 CCCU 00000 CCCU
Ice Plant		
Impatiens	Impatiens wallerana	CUČCO



۰ ۰


Iris	Iris spp.	Wedgewood Dwarf blue
Ivy, English	Hedera helix	Bulgaria
ivy, English		Thorndale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia
·		Armstrong
		Bar Harbor
	Juniperus horizontalis	Blue Chip
		Blue Pacific
		Blue Rug
	Juniperus horizontalis	Blue Star
		Broadmoor
		Buffalo
		Calgary Carpet
		Emerald Sea
		Emerald Spreader
		Endora Compacta
		Fuitlandi
		Green
		Gold Tip
		Hetzi
		Hughes Manhatten Blue
		Parsoni
		Pfitzeriana
		Plumosa
		Prince of Wales
		Procumbens Dwarf
		San Jose
		Sargent Blude
		Sargent Green
		Scandia
		Scopulorum Moonglow
		Scopulorum Skyrocket
		Spartan
	Juniperus chinesis	Tamariscifolia
	Juniperus sabina	Weberi
		Youngstown
		Yukon Belle
King Palm	Archontophoenix	
· · · · · · · · · · · · · · · · · · ·	cunninghamiana	
Laurel, Australian	Pittosporum tobira	
Laurel, Mountain	Kalmia latifolia	
Leucothoe	Leucothoe fontanesiana	
Lily, Africian	Agapanthus africanus	Albus
· · · · · · · · · · · · · · · · · · ·		Peter Pan oco o
Lily, African Blue		
Lily of the Valley	Pieris japonica	Mt. Fires c s
Lilyturf	Liriope muscari	Evergreen Giant
		Majestic Monroe White
		Monroe White
		Variegaໂລຍັຍ ຍັ້ງ

(LLCC

140f17 9198-120H Page 11 of 14


6. 6.

Ligustrum, Japanese	Ligustrum japonicum	······································
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	······
Maple, Sivler	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb Wheeler's Dwarf Variegata
Mock Orange*	Philadelphus spp	Golden Snowflake Double White
Mopndo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei Langer Muskogee Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta Nana
Oleander	Nerium oleander	Hardy Red Petite Pink Sister Agnes
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oteospermum	Osteospermum fruitcosum	Wirligig
Paim, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus teada	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus eliottii	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	00 000C
Pittosporum, Japan		
Potentilla	Potentiall fruticosa	Abbotswood



۰ ۰

Privet	Ligustrum japanicum	Golden Vicary
FIVEL	Ligustrum japamoum	Regal
		Texanum
		Yellow Tipped
		Wax
Privet, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	
Queen Pam	Arecastrum rammanzoffianum	
Quince, Japanese*		
Rhododendron	Rododendron spp	Album
		Cunningham White
		Fashion
		Hardy
		PJM
		Purple Gem
		Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinum officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedumm spurium	Dragon Blood Red
		Red Carpet
Colora o	Astilbe X arendsii	Yellow
Spiraea		Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red Dolchica
		Froebeli Pink
		Goldenflame Red
		Snowmound White
		Van Houttee White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Hlue	Picea pungens	
Spruce, Norway	Picea abies	
Spruce, White	Picea glauca	
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassyy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Platanus occidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, Evening	Gelsemiun sempervirens	
Tulip	Tulip, spp	Apeldoorn
Verbana, Shrub	Lantana sellowiana	666 e
Vervain	Verbena spp.	St. Paulo co
Viburnum	Viburnum spp.	American Crasberry Bush
		Arrowood
		Common Snovvball
		European Cranberry Bush
	L	Mohican



		Wright	
Windmill Palm	Trachycarpus fortunei		
Xylosma	Xylosma congestum		
Yaupon	Ilex vomitoria	Dwarf	
Yew	Taxus cuspidatra	Denisiformis	
	Taxus X media		

*Ornamental species only: DO NOT USE ON FOOD PRODUCING TREES AND ORNAMENTALS

WEEDS CONTROLLED

When used as directed, this product will control or suppress the following annual grass and broadleaf weeds when applied prior to their emergence. This product will not control established grasses except for crabgrass in early stages of development, and broadleaf weeds, therefore, the area to be treated should be free of weeds prior to application.


GRASSES


•

barley (Hordeum spp.) barnyardgrass (Echinochloa crus-galli) bluegrass, annual (Poa annua) brome (Bromus spp.) crabgrass, large (Digitaria sanguinalis) crabgrass, smooth (Digitaria ischaemum) crabgrass, Southern (Digitaria ciliaris) crowfootgrass (Dactyloctenium aegyptium) dallisgrass (seedling) (Paspalum dilatatum) goosegrass (Eleusine indica) foxtail, green (Setaria verdi) fotxtail, yellow (Setaria faberi) kikuyugrass (Pennisetum clandestinum) oats, wild (Avena fatua) ryegrass (annual & pernnial) (Lolium spp.) smutgrass (Sporobolus poireti)

BROADLEAF WEEDS

bittercress (Cardamine spp.) carpetweed (Mollugo verticillata) chickweed (Stellaria spp.) geranium, Carolina (Geranium carolinianum) henbit (Lamium spp.) knotweed, prostrate (Polygonum saviculare) lespedeza, common (Lespedeza striata) marestail (Hippuris vulgaris) medic, black (Medicago lupulina) mustard (Brassica spp.) oxalis, buttercup (Oxalis pes-caprae) pineappleweed (Matricaria matricarioides) pigweed, redroot (Amaranthus retroflexus) parsley-piert (Alchemilla avrensis) purslane, common (Portulaca oleracea) rocker, London (Sisymbrium irio) shepherdspurse (Capsella bursa-pastoris) speedwell, corn (Veronica arvensis) spurge, garden (Euphorbia hirta) spurge, prostrate (Euphorbia humistrata) spurge, spotted (Euphorbia maculata) woodsorrel, creeping (Oxalis corniculata) woodsorrel, yellow (Oxalis stricta)





IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

ц **і** •

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot040308)

Manufactured by: The Andersons, Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

Optional marketing information for subregistrant:

{brand name} Premium 4-step Program

- 1 {brand name Crabgrass Preventer}
 - March Early May
 - Prevents Crabgrass, Foxtail, Goosegrass, Poa annua and other Annual Weed Grasses.
 - Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening
 - {brand name Weed & Feed}
 - May June

2

- Kills Dandelions, Clover, Plantains, and over 200 other weeds
- Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening
- 3 {brand name Lawn Food}
 - June August
 - Nourishes your lawn throughout the summer months with extended feeding of Nitrogen
 - Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening
 - {brand name Winterizer & Weed Control}
 - Late August Mid October
 - Kills Dandelions, Clover, Plantains, and over 200 other weeds
 - Maximizes root building and winter hardiness
 - Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening

OR

- {brand name Winterizer}
- Late August November
- Maximizes root building and prepares your lawn for winter dormancy
- Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening

Date Printed	6/8/09	cccocc cc
Date Approved	5/8/03	e e e c
Supersedes	5/26/98	00 00 0
Label Changes	Notification – FL language PR Notice 2008-1	یں آپ سر میں
Filename	9198-120h	00 UCUL
Label Code	RVnot06/08/09	
		υ ο τιςτου τοιτου τοιτου τοιτου τοιτου τοιτου
		ι ιι ι τι ι τι ι τι