9178-120

2/2014

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Debbie Ziehr The Anderson's Lawn Fertilizer Division, Inc. P.O. Box 119 Maumee, OH 43537

JUN - 2 2014

Subject: Notification; PR-Notice 98-10 The Andersons Dimension Herbicide II EPA Reg. No. 9198-120 Date Submitted: May 21, 2014

Dear-Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 21, 2014 for the product referenced above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Kable Bo Davis at (703) 306-0415 or <u>davis.kable@epa.gov</u>.

Sincerely,

Katheryn Montague Product Manager 23 Herbicide Branch Registration Division (7505P)

, , ,		Ċ				(~~.					_ 1
		`` .• •									4
	ر Environmenta	Inited States	• •	Form Ap		Registra Amendi Other	atior)		vel expires 2- ntifier Numb	
·		Applicatio	on for Pesti	cide - Sec	tion	1	·		••••••••••••••••••••••••••••••••••••••		
1. Company/Product Number 9198-120			Mor	A Product Man Itague	ager			3. Pro	posed Cl	assification Restric	sted
4. Company/Product (Name) The Andersons Dimension He		,	PM# 23								
5. Name and Address of App The Andersons Lawn Fo PO Box 119 Maumee, OH 43537			(b)(i) to:	xpedited Rev , my product i A Reg. No	is simi						
Check if this	is a new address		Pro	duct Name							
			Section	- 11							
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition Notification of Minor Label chang This notification is consistent with	onse to Agency letter below. al page(s) if necessar e per PR Notice 98-10: A	'y. (For sectio added optional ma	arketing progam. Se	Agency lett "Me Too" / Other - Exp	ter date Applica Iain be	stion. Now.]	<u>UN - 2</u>		
been made to the labeling or the EPA. I further understand that if t be in violation of FIFRA and I ma	his notification is not consi	stent with the gui	dance of PR Notice	98-10 and the request 12 and 14 of FIFE	uiremen						
1. Material This Product Will	Be Packaged In:			•		T					
Child-Resistant Packaging Yes Vo * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Solubi Yes No If "Yes" Package wgt	No. per	 г	2. Type of	Me Plat Gla Pap	tal stic ss ier	pecify)		
3. Location of Net Contents	Information ontainer	4. Size(s) Re	tail Container 17 - 45 lbs.	I.	5. Lo	Cation of Lat	bel Dir	ectio	((¢c	
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenc	glued iled	Othe	٢				((,⁄	¢ 5	
			Section -					_	<u> </u>		
1. Contact Point (Complete	items directly below i	for identificatio	ſ	be contacted,	if nec	essary, to pr			<u> </u>		
ame Title Debbie Ziehr Regula			y Administrator 419-891-6671		પુંચું ું 						
l certify that the stater l acknowledge that an both under applicable i	y knowlinglly false or	Certifica this form and misleading sta	I all attachments	thereto are true punishable by fi	e, accu ine or i	urate and comprisonmen	mplete it or		Receiv	Application /ed tamped)	
2. Signature Deblie	Ziehr		3. Title Regulatory Adm	ninistrator							
4. Typed Name Debbie Ziehr		Ţ	5. Date 5/21/14								

PA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.



The Andersons Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

May 21, 2014

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

NOTIFICATION

JUN - 2 2014

 $\mathbf{c} \in \mathbf{C} \mathbf{C}$

с с **с с**

cicie

. . . .

RE: Notification of Minor Label Changes

SUBJECT: The Andersons Dimension Herbicide II EPA Reg. No. 9198-120

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the homeowner version of the labeling for the above subject registration. One copy of the revised labeling is enclosed with the change as follows.

We have added the following:

1.) Added optional marketing program for subregistrant on page 15.

No other changes were made.

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr Regulatory Administrator Phone: 419-891-6671 Fax: 419-891-2745 Email: debbie_ziehr@andersonsinc.com

Enclosures

NOTIFICATION

JUN - 2 2014

9198-120H Page 1of 15

(FRONT PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

The Andersons Dimension Herbicide II

Optional marketing claims:

- A Herbicide Plus Fertilizer Combination Product that Provides Control of Crabgrass and Other Weeds in Established Lawns and Ornamental Turfgrasses.
- Premium Granular Fertilizer that Feeds Your Lawn Providing The Nutrients Needed for A Beautiful, Green and Vigorous Lawn.
- Contains Dimension® Herbicide A Herbicide for Crabgrass Control!
- Can Be Applied Up to 4 Weeks Later Than Other Crabgrass Preventers and Controls Crabgrass All Season Long.
- Controls Crabgrass & weed grasses listed on this label before & crabgrass after* they germinate *see back panel
- Prevents Spurge & Oxalis
- Clean & easy to apply no yellow stains on clothing, walks or driveways
- This product is a herbicide that provides control of listed annual grasses and broadleaf weeds in established lawns and ornamental turfs.
- 100% satisfaction or your money back! Unconditional guarantee {optional for subregistrant}
- When used as directed, this product controls Smooth & Large Crabgrass, Goosegrass, Barnyardgrass, Yellow & Green Foxtail
- Preemergence and early post-emergence control of crabgrass
- Promotes long-lasting feeding
- Prevents crabgrass
- PERFORMANCE GUARANTEE: If, for any reason you are not satisfied with the results of this quality product, return the bag with proof of purchase for a full refund.
- For thick, green, beautiful lawns
- Formulated for Midwestern lawns
- Controls crabgrass and other listed weeds for up to 4 months* *when used as directed
- Extended greening from controlled-release nitrogen
- Contains iron for extra greening
- Stops crabgrass before it germinates in established lawns
- Controls crabgrass all season long
- Controls other weed grasses as listed on the back label

ACTIVE INGREDIENTS:

*Dithiopyr, 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl) -6-(trifluoromethyl)-S,S- dimethyl ester INERT INGREDIENTS		
TOTAL	100.000%	
[®] Dimension is a registered trademark of Dow AgroSciences LLC	τας. ες ζ ες ζ	
KEEP OUT OF REACH OF CHILDREN	C.	1 C C C C C C
CAUTION		(((((((((((((((((((
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS	(), () (), () (), (), (), (), (), (), (), (), (), (),	ιι ιιιι (ιτιι (
NET WEIGHT LBS. Covers {over} X,XXX square feet		
EPA Reg. No. 9198-120 EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A Underlined letter is first letter used in run code on bag		

9198-120H Page 2 of 15

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

NET WEIGHT _____ LBS.

The Andersons Dimension Herbicide II

GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	
Primary Plant Food derived from: Urea, Muriate of Potash, Ammoniated Phospha	tes.

Optional fertilizer information:

XX% Nitrogen – Gives your lawn a deep green color. Stimulates plant growth and greens lawns quicker XX% Phosphate – Promotes normal root development. Strong, vigorous roots are essential for absorbing water and plant nutrients

XX% Potash – Potash helps improve your lawn's hardiness to protect against disease and tolerate drought. Information regarding the contents and levels of metals in this product is available on the internet at http://www.wa.gov/agr/

When applied as directed, this product meets the minimum standards for non-nutritive metals established by the Association of American Plant Food Control Officials.

For information on this product or other premium quality {brand name} product, please call us at 1-800-231-4595.

For best results, this product should be used in conjunction with {product name} to correct {nutrient} deficiency.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN

CAUTION

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.	, LCG4
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.	ີ φοία (υεο (ο τ (ο τ ς
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	ι ιτο ιι ο ιτις
	uct container or label with you when calling a poison control center or doctor or going You may also contact 1-800-757-8951 for emergency medical treatment information.	

9198-120H Page 3 of 15

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply when weather conditions favor drift from treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

New York Use Restrictions: Do not apply more than 5.6 pounds of this product per 1,000 square feet of turfgrass area per year. Do not make more than one application per year.

-Use-only-according to label instructions.

GENERAL INFORMATION

This product is a combination product that provides both crabgrass control and [the required nutrients] or [a required nutrient] for [optimum] turfgrass growth all in a single product.

This product contains Dimension, a crabgrass preventer that can be applied up to 4 weeks later than other crabgrass preventers and provide up to 4 months control of crabgrass and other grass and broadleaf weeds prior to their establishment in lawns and ornamental turfgrasses. This product should be applied to lawns and ornamental turfgrasses that are well established (See "Use Precautions" section below for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to label directions.

USE PRECAUTIONS

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this c product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress to due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury.

The Andersons Dimens can be applied to the following turfgrass		
Cool-Season Turfgrasses	Warm-Season Turfgrasses	
Creeping Bentgrass	Bahiagrass	ιιι
Fine Fescues	Bermudagrass	
 Kentucky Bluegrass 	Buffalograss	
 Perennial Ryegrass 	Carpetgrass	
Tall Fescues	Centipedegrass	

9198-120H Page 4 of 15

• St. Augustinegrass		
	• St. Augustinggrass	
• Zovejograes	• St. Augustinegrass	
	Zoysiagrass	

This product should be applied in the spring or fall prior to the weed seed germination in established lawns and ornamental turfgrasses.

This product can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control of crabgrass. Dimension herbicide provides preemergence control of crabgrass and other weeds when applied prior to their germination, and it also provides postemergence control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preemergent treatment. Only crabgrass can be controlled with delayed applications after germination.

Tips for Improved Weed Control: For best results, apply this product within a few days after mowing and delay further mowings after the application of this product until the lawn or ornamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

Reseeding, Overseeding, or Sprigging of turfgrasses into areas that have been previously treated with this product-should-be-delayed-until-16-weeks after-application. Reseeding, overseeding, or sprigging upto 16 weeks after application may prevent the establishment of the newly reseeded, overseeded or sprigged turfgrasses.

•DO NOT apply more than 11 pounds of this product per 1,000 square feet of turfgrass area during the year (1,000 square feet area = 100 feet x 10 feet).

•DO NOT apply to flowers, vegetables, or fruit trees.

•DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees.

•Keep people and pets off treated areas until dust has settled.

APPLICATION DIRECTIONS

The Andersons Dimension Herbicide II will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied prior to weed seed germination in established lawns and ornamental turfgrasses.

Weeds Controlled and/or Suppressed by The Andersons Dimension Herbicide

Grass Weeds:

Annual Bluegrass Annual Ryegrass Barnyardgrass Crabgrass Crowfootgrass Gooesegrass Green Foxtail Kikuyugrass (seedling) Perennial Ryegrass Smutgrass (seedling) Yellow Foxtail

Broadleaf Weeds:

Bittercress Buttercup Oxalis Carolina Geranium Chickweed Common Lespedeza Common Purslane Corn Speedwell Creeping Oxalis Henbit Parsley-piert Pineapplev ccc cc Spotted Spurge Yellow Woodcorrel

9198-120H Page 5 of 15

/(8

ιιι

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

Application Timings:

This product may be applied either in the spring or in the fall for the control of weeds.

When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds.

Length of Control:

This product will provide up to 4 months of weed control if applied according to label directions.

The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that this product is being applied.

Please check the map below to determine which "Region" of the U.S. that applies to your particular use area.

Use "Regions" within the United States:



Recommended Use Rates:

	Recommended Use Rates	
ν.	for The Andersons Dimension Herbid	
		с. с
(Pounds o	of this product to apply per 1,000 square	feet of turfgrass)
		c
	Length of V	Need Control
Region of U.S.	2-3 Months Control	3-4 Months Control 🥬
North	2.8	4.0
South	4.3	5.6 · · ·
		τ. τ

SUGGESTED SPREADER SETTINGS

(Available at Final Printing)

Broadcast Spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

9198-120H Page 6 of 15

cccc

. . . .

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as overapplication may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies. DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If party filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION - LANDSCAPE ORNAMENTALS

This product provides preemergence control of listed annual grass and broadleaf weeds in landscape ornamentals. It may be applied to soil surfaces where ornamental plants are grown for aesthetic purposes in ornamental gardens, and residential properties.

Ornamental plants on this label have shown tolerance to this product when applied as directed. It is impossible, however, to evaluate tolerance for all ornamental plant species or varieties or under all possible growing conditions. Under your growing conditions, a limited area involving only a few plants should be treated for tolerance evaluation prior to large-scale applications.

USE RATES

Apply this product with a properly calibrated spreader which will assure accurate, even particle distribution. This product may be applied as a single application or as a split application. Refer to the following table for product recommendations when treating a small area.

DO NOT apply more than 16 pounds per 1,000 square feet per year. Do not apply in Nassau and Suffolk Counties of New York.

Pounds of Product	Ounces of Product	ccrc
per 1,000 square feet	per 100 Square Feet	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
11	17.6	ι. ί

APPLICATION TIMING AND RECOMMENDATIONS

This product is a preemergence herbicide that will not control established weeds. Make applications prior to bare ground. The best weed control is obtained when applied to soil that is free of clods, weeds and debris such as leaves. Prior to making an application, control existing vegetation by hand weeding, cultivation or with a postemergence herbicide. Once an application of this product has been made, for do not disturb the soil surface as the herbicide barrier will be broken.

PRECAUTIONS

• Only apply this product to established ornamentals.

9198-120H Page 7 of 15

- Do not apply this product directly to bare root of ornamental plants as injury may result.
- Do not incorporate this product into soil. Dilution of active ingredient and possible injury to plant roots may occur.
- Do not apply to soil around ornamental plants that are under stress due to drought, flooding, excessive fertilizer or soil salts, wind injury, hail, frost damage, winter injury, injury from previously applied pesticides or injury due to insects, nematodes or disease.
- To avoid foliar damage to ornamentals, irrigate immediately after application to remove herbicide particles from the foliage.
- Do not apply under conditions that would affect product distribution. Wind could affect distribution and move product onto sensitive species. Uneven product distribution will result in uneven weed control.
- Do not apply this product on grasses grown for seed.
- Do not graze livestock or feed forage cut from areas treated with this product.

TOLERANT ORNAMENTALS

When applied as directed under the conditions described on this label, ornamentals listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing condition. Follow directions given above to determine plant tolerance under your growing conditions prior to large scale use.

Abelia, Dwarf Abelia X Grandi Ajuga Ajuga reptans Ajunga genever Ajunga genever Almond, Flowering Prunus gladulos Apple* Malus pumila	sis Bronze Beauty a
Ajuga Ajuga reptans Ajunga genever Ajunga genever Almond, Flowering Prunus gladulos Apple* Malus pumila	sis Bronze Beauty a Nigra
Almond, Flowering Prunus gladulos Apple* Malus pumila	a Nigra
Apple* Malus pumila	is Nigra
Arbovitae Thuja occidenta	Smaragh Techny Woodwardii
Arborvitae, Golden Thuja orientalis	
Aster, Chinese Callistephus chi	nensis Dwarf Queen
Ash, Green Fraxinus penns	Ivanica
Ash, Mountain Sorbus acucpar	
Ash, Purple Fraxinus americ	ana
Azalea Rhododendron s	pp. Brillant Buccaneer Corror Carror Corro Chimes (Belgian) Corro Exbury Corro Fashion Corro Hardijzer Beauty Corro Hershey Red Corro Hinocrimson Corro Holland (Hybrid) Corrange Cup Marion Lee Corro Corronge Cup Corro Orchid Lights Corro Snow Southern Charm
Azalea, Flame Rhododendron	

11/18

9198-120H Page 8 of 15

.

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

1

Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thumbergii	Aurea Dwarf Pigmy
		Green Kobold
		Pygmy Red
		Rose Glow
Barberry, Purple	· · · · · · · · · · · · · · · · · · ·	Atropurpurea
Bearberry (common)	Arctostaphylos uva-ursti	Massasschusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecorp Blue Jay Jersey
		North Blue Northland
Bottlebrush	Callistemon citrinum	· · · · · · · · · · · · · · · · · · ·
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus sempervirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Carex, Variegated	Carex	
Camellia	Camellia japonica	Debutante Mathotiana Supreme Chansonette
	Camellia sasangua	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotonester apiculatus	
Cycads	Cycads revoluta	
Coyotebrush -	Baccharis pelularis	
Cyrpress, Bald	Taxodium distichum	
Cypress, Italian	Cupressus sempervirens	Glauca
Cypress, Leyland	Cupressocyparis leylandii	
Cypress, Japanese False	Chamaecyparis obtusa	Gracilis conce
Daffodil	Narcissus spp.	King Alfred
Daylilly	`Hemerocallis spp.	Aztec Gold Control Con
Dogwood	Cornus florida	
Dogwood, American	Cornus sericea	
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	<u> </u>
Euonymus	Euonymus fotunei	Argenteo-variegata Auereo-marginata Colorata Emerald Gaiety
		Emerald 'N Gold

12/18

.

9198-120H Page 9 of 15

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

•

.

		· · · · · · · · · · · · · · · · · · ·
		Gold Edge
		Gold Princess
		Silver King
		Tricolor
		Vegetus
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbox
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia	Arnold Dwarf
		Bronxensis Dwarf
		Lynwood Gold
		Meadowlark
	Spring Glory	Weeping
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery
		Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataequs spp.	Cockspur White
		Crimson Cloud
		Enchantress
		Jack Evans
		Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibscus spp.	Brilliant
		Hula Girl
		Blue Bird
Hemlock, Canada	Tsuga canadensis	
Holly	llex spp.	Blue Boy
		Blue Girl
	llex X meserveae	Burfodii
		China Girl
		Ciompacta
		Forsteri
		Hellerie
		Japanese Northern Beauty
		Needlepoint ° c c c c °
		Nellie R. Stevens
		Savanah c c c
	llex X attenuata	
Holly, Chinese	llex cornuta	<u> </u>
Holly, Japanese	llex crenata	
Holly, Yaupon	llex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf
		Halliana
		Tatarian Canadian White Sc
		Zebelli Red Hosta
Hosta	Hosta spp.	Algo Marginata
	Hosta lancifolia	
Ice Plant	Carpobrotus edulis	
1 w w + 10016	Impatiens wallerana	

13/18

9198-120H Page 10 of 15

(BACK PANEL)
HOMEOWNER USE ONLY
(The above is for internal use only and will not appear on the final label copy)

Iris	lrís spp.	Wedgewood		
her Freekel	Hedera helix	Dwarf blue		
Ivy, English		Bulgaria Thorndale		
Jasmine, Asian	Trachelopermum asiaticum			
Juniper	Juniperus spp.	Arcadia		
		Armstrong		
		Bar Harbor		
	Juniperus horizontalis	Blue Chip		
`		Blue Pacific		
		Blue Rug		
	Juniperus horizontalis	Blue Star		
,		Broadmoor		
	· ·	Buffalo		
		Calgary Carpet		
	· · · · ·	Emerald Sea		
		Emerald Spreader		
		Endora Compacta Fuitlandi		
		Green		
		Gold Tip		
		Hetzi		
		Hughes		
	_	Manhatten Blue		
		Parsoni		
		Pfitzeriana		
		Plumosa		
		Prince of Wales		
		Procumbens Dwarf		
		San Jose		
		Sargent Blude		
		Sargent Green		
		Scandia		
		Scopulorum Moonglow		
		Scopulorum Skyrocket		
		Spartan		
	Juniperus chinesis	Tamariscifolia		
	Juniperus sabina	Weberi		
		Youngstown		
		Yukon Belle ເດເເ		
King Palm	Archontophoenix			
	cunninghamiana			
Laurel, Australian	Pittosporum tobira	c		
Laurel, Mountain	Kalmia latifolia			
Leucothoe	Leucothoe fontanesiana			
Lily, Africian	Agapanthus africanus	Albus Contraction		
Lily, African Blue				
Lily of the Valley	Pieris japonica	Mt. Fire		
Lilyturf	Liriope muscari	Evergreen Giant		
,,,		Lilac Beauty		
		Majestic		
		Monroe White		
	· · · ·	Variegata		

.14/(8

.

Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Sivler	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb Wheeler's Dwarf Variegata
Mock Orange*	Philadelphus spp	Golden Snowflake Double White
Mopndo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei Langer Muskogee Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta Nana
Oleander	Nerium oleander	Hardy Red Petite Pink Sister Agnes
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oteospermum	Osteospermum fruitcosum	Wirligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	0.000
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus teada	с с с
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	с (
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus eliottii	<u></u>
Pine, Swiss Mt.	Pinus mugo	ί ι ιςιιί
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	······
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentiall fruticosa	Abbotswood

-/18 1.5 9198-120H Page 12 of 15

.

(BACK PANEL)				
HOMEOWNER USE ONLY				
(The above is for internal use only and will not appear on the final label copy)				

(

(

.

•

.

Privet	Ligustrum japanicum	Golden Vicary Regal Texanum Yellow Tipped Wax
Privet, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	
Queen Pam	Arecastrum rammanzoffianum	
Quince, Japanese*		
Rhododendron	Rododendron spp	Album Cunningham White Fashion Hardy PJM Purple Gem Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinum officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedumm spurium	Dragon Blood Red Red Carpet Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red Dolchica Froebeli Pink Goldenflame Red Snowmound White Van Houttee White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Hlue	Picea pungens	
Spruce, Norway	Picea abies	
Spruce, White	Picea glauca	cccc
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassyy-Le		сссс
Sweetgum	Liquidambar styraciflua	
Sycamore	Platanus occidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, Evening	Gelsemiun sempervirens	U.L
Tulip	Tulip, spp	Apeldoorn ເປັນໃນ ແມ່ນເ
Verbana, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St. Paul
Viburnum	Viburnum spp.	American Cranberry, Bush Arrowood Common Snowball

rel18

9198-120H Page 13 of 15

iccie

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

		Wright	
Windmill Palm	Trachycarpus fortunei		
Xylosma	Xylosma congestum		
Yaupon	llex vomitoria	Dwarf	
Yew	Taxus cuspidatra	Denisiformis	
· .	Taxus X media		

*Ornamental species only: DO NOT USE ON FOOD PRODUCING TREES AND ORNAMENTALS

WEEDS CONTROLLED

When used as directed, this product will control or suppress the following annual grass and broadleaf weeds when applied prior to their emergence. This product will not control established grasses except for crabgrass in early stages of development, and broadleaf weeds, therefore, the area to be treated should be free of weeds prior to application.

GRASSES

barley (Hordeum spp.) barnyardgrass (Echinochloa crus-galli) bluegrass, annual (Poa annua) brome (Bromus spp.) craborass, large (Digitaria sanguinalis) crabgrass, smooth (Digitaria ischaemum) crabgrass, Southern (Digitaria ciliaris) crowfootgrass (Dactyloctenium aegyptium) dallisgrass (seedling) (Paspalum dilatatum) goosegrass (Eleusine indica) foxtail, green (Setaria verdi) fotxtail, yellow (Setaria faberi) kikuyugrass (Pennisetum clandestinum) oats, wild (Avena fatua) ryegrass (annual & pernnial) (Lolium spp.) smutgrass (Sporobolus poireti)

BROADLEAF WEEDS

bittercress (Cardamine spp.) carpetweed (Mollugo verticillata) chickweed (Stellaria spp.) geranium, Carolina (Geranium carolinianum) henbit (Lamium spp.) knotweed, prostrate (Polygonum saviculare) lespedeza, common (Lespedeza striata) marestail (Hippuris vulgaris) medic, black (Medicago lupulina) mustard (Brassica spp.) oxalis, buttercup (Oxalis pes-caprae) pineappleweed (Matricaria matricarioides) piqweed, redroot (Amaranthus retroflexus) parsley-piert (Alchemilla avrensis) purslane, common (Portulaca oleracea) rocker, London (Sisymbrium irio) shepherdspurse (Capsella bursa-pastoris) speedwell, corn (Veronica arvensis) spurge, garden (Euphorbia hirta) spurge, prostrate (Euphorbia humistrata) spurge, spotted (Euphorbia maculata) woodsorrel, creeping (Oxalis corniculata) woodsorrel, yellow (Oxalis stricta)

9198-120H Page 14 of 15

. . . **.**

(())

ε c c

ι**ιε**ει ε εεει

(BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot040308)

Manufactured by:

The Andersons, Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

Optional marketing information for subregistrant:

{brand name} Premium 4-step Program

{brand name Crabgrass Preventer}

- March Early May
- Prevents Crabgrass, Foxtail, Goosegrass, Poa annua and other Annual Weed Grasses.
- Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening
- {brand name Weed & Feed}
- May June

2

4


- Kills Dandelions, Clover, Plantains, and over 200 other weeds
- Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening
- 3 {brand name Lawn Food}
 - June August
 - Nourishes your lawn throughout the summer months with extended feeding of Nitrogen
 - Nutralene feeds your turgrass for up to 2 months with long-lasting deep greening
 - {brand name Winterizer & Weed Control}
 - Late August Mid October
 - Kills Dandelions, Clover, Plantains, and over 200 other weeds
 - Maximizes root building and winter hardiness


Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening OR

{brand name Winterizer}

- Late August November
- Maximizes root building and prepares your lawn for winter dormancy
- Nutralene feeds your turfgrass for up to 2 months with long-lasting deep greening

18/18





10.40