





## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JAN 8 2010

Ms. Debbie Ziehr Product Registration The Andersons Lawn Fert. Div., Inc PO Box 119 Maumee, OH 43537

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request General Label Change (Marketing Claims)

EPA Reg. No. 9198-121

Application Dated November 18, 2009

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 11/18/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

20878

<b>≎EPA</b>	Environmenta Washi	United States	460			✓	Regist Amen Other	tration dmen	)	OPP Identifier Number
1. Company/Product Number		Арриови	011 101 1	1	roduct Mana		•	3	3. Pro	oposed Classification
9198-121				Miller					<b>V</b>	None Restricted
4. Company/Product (Name) The Andersons Dimension H				PM# 23					<u> </u>	
5. Name and Address of Ap The Andersons Lawn F PO Box 119 Maumee, OH 43537			ert.	(b)(i), my to:	/ product i	s sim	ilar or ide	entical ir	n co	FIFRA Section 3(c)(3) mposition and labeling
Check if this	is a new address				t Name _					
		·	Sec	tion - II						
Amendment - Explain  Resubmission in resp  Notification - Explain	onse to Agency letter	dated		- 📙	Final printed Agency letto "Me Too" A Other - Expl	ppiici	ation.			<b>CATION</b> 8 2010
Explanation: Use addition  Notification of Label change per  This notification is consistent with been made to the labeling or the EPA. I further understand that if be in violation of FIFRA and I may	PR Notice 98-10: See con the guidance of PR Notic confidential statement of fithis notification is not consi	ver letter for deta e 98-10 and the formula of this pro- istent with the gu	ils requirements duct. I under idance of PR	of EPA's reg stand that it Notice 98-10	is a violation o and the requ	f 18 U. iremen	S.C. Sec. 1	001 to willf	ully m	ake any false statement to
			Sect	ion - 111	<u> </u>					
1. Material This Product Wil	l Be Packaged In:					••••				
Child-Resistant Packaging Yes	Unit Packaging		Water	Soluble Pad Yes	ckaging		2. Type	of Conta		
√ No	√ No		1	No Plastic						
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes Packag		No. per container			Pap	er	pecify)
3. Location of Net Contents  Label  √ C	Information Container	4. Size(s) Re	teil Conteir			_	cation of I	Label Dire	ectio	ns
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stend	raph glued iled		Other					
			Sect	on - IV	· · · · · · · · · · · · · · · · ·					393337 3
1. Contact Point (Complete	items directly below t	for identification	on of indivi	dual to be	contacted, i	if nec	essary, to	process	this	eppl္ကင်ခ≎ionို.}
<b>Name</b> Debbie Ziehr			Title Regulato	ory <b>A</b> dmini	strator			Tele9	_	No. (Include Area Code) 671
I certify that the state I acknowledge that an both under applicable	y knowlinglly false or		all attach					complete	) ) ) )	6. Dete Application Received? (Stamped)
2. Signature 3. Title			ry Administ	rator					,,,,,	
4. Typed Name	Typed Name 5. Date									
Debbie Ziehr			11/	/18/09						



### The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

November 18, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505P) **US Environmental Protection Agency** Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT:

The Andersons Dimension Herbicide III

EPA Reg. No. 9198-121

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed with changes marked in blue.

We have added the following optional marketing claims:

- For use on Lawns
- Controls Crabgrass: Pre-emergence & early Post-emergence
- Effective for up to 4 weeks after Crabgrass sprouts
- Use on cool-season & warm-season grasses
- Controls and/or suppresses over 10 broadleaf weeds
- Control Crabgrass in the Spring

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr

Regulatory Administrator Phone: 419-891-6671 419-891-2745

Fax:

Email: debbie ziehr@andersonsinc.com

**Enclosures** 

9198-121H Page 1of 15

## (FRONT PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

### The Andersons Dimension Herbicide III

#### Optional marketing claims:

- A Herbicide Plus Fertilizer Combination Product that Provides Control of Crabgrass and Other Weeds in Established Lawns and Ornamental Turfgrasses.
- Premium Granular Fertilizer that Feeds Your Lawn Providing The Nutrients Needed for A Beautiful, Green and Vigorous Lawn.
- Contains Dimension® Herbicide A Herbicide for Crabgrass Control!
- Can Be Applied Up to 4 Weeks Later Than Other Crabgrass Preventers and Controls Crabgrass All Season Long.
- For use on Lawns
- Controls Crabgrass: Pre-emergence & early Post-emergence
- Effective for up to 4 weeks after Crabgrass sprouts
- Use on cool-season & warm-season grasses
- Controls and/or suppresses over 10 broadleaf weeds
- Control Crabgrass in the Spring

#### **ACTIVE INGREDIENTS:**

Dithiopyr, 3,5-pyridinedicarbothioic acid, 2-(difluoroi -6-(trifluoromethyl)-S,S- dimethyl ester		0.164%
INERT INGREDIENTS		
	TOTAL	

KEEP OUT OF REACH OF CHILDREN

### **CAUTION**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS		) ) ) )
NET WEIGHT LBS. Covers {over} X,XXX square feet		) ) ) ) ) ) )
EPA Reg. No. 9198-121 EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A Underlined letter is first letter used in run code on bag	33 3333 33331	) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )

<sup>&</sup>lt;sup>®</sup> Dimension is a registered trademark of Dow AgroSciences LLC

Page 2 of 15

(BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

#### The Andersons Dimension Herbicide III

GUARANTEED ANALYSIS		NOTIFICATION
Total Nitrogen (N)	16%	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )		JAN - 8 2010
Soluble Potash (K <sub>2</sub> O)	4%	
Primary Plant Food derived from: Urea, Muriate of Potash, Ammoniated Phospha		

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN CAUTION

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

#### **FIRST AID**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove If in eyes

contacts. if present, after the first 5 minutes, then continue rinsing. Call a poison

control center or doctor for treatment advice

If inhaled Move person to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to mouth if possible. Call a poison control

center or doctor for treatment advice.

If swallowed Call a poison control center or doctor for treatment advice. Have person sip a glass

of water if able to swallow. Do not induce vomiting unless told to by a poison control

center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15clothing

20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of devices equipment washwaters.

9198-121H Page 3 of 15

H 60418

#### (BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

New York Use Restrictions: In New York State this product may only be used by professional applicators and at no more than 7.0 pounds per 1000 square feet (equal to 0.5 pound active ingredient per acre) per year; and is prohibited from use in Nassau and Suffolk Counties.

Use only according to label instructions.

#### **GENERAL INFORMATION**

This product is a combination product that provides both crabgrass control and the required nutrients for optimum turfgrass growth all in a single product.

This product contains Dimension, a crabgrass preventer that can be applied up to 4 weeks later than other crabgrass preventers and provide up to 4 months control of crabgrass and other grass and broadleaf weeds prior to their establishment in lawns and ornamental turfgrasses. This product should be applied to lawns and ornamental turfgrasses that are well established (See "Use Precautions" section below for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to label directions.

#### **USE PRECAUTIONS**

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury.

#### The Andersons Dimension Herbicide III

can be applied to the following turfgrasses when applied as directed:

Cool-Season Turfgrasses

- Creeping Bentgrass
- Fine Fescues
- Kentucky Bluegrass
- Perennial Rvegrass
- Tail Fescues

Warm-Season Turfgrasses

- Bahiagrass
- Bermudagrass
- Buffalograss
- Carpetorass
- Centipedegrass
- St. Augustinegrass
- Zoysiagrass

This product should be applied in the spring or fall prior to the weed seed germination in established lawns and ornamental turfgrasses.

This product can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control of crabgrass. Dimension herbicide provides preemergence control of crabgrass and other

ass ago other

9198-121H Page 4 of 15

#### (BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

weeds when applied prior to their germination, and it also provides postemergence control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preemergent treatment. Only crabgrass can be controlled with delayed applications after germination.

Tips for Improved Weed Control: For best results, apply this product within a few days after mowing and delay further mowings after the application of this product until the lawn or ornamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

Reseeding, Overseeding, or Sprigging of turfgrasses into areas that have been previously treated with this product should be delayed until 16 weeks after application. Reseeding, overseeding, or sprigging upto 16 weeks after application may prevent the establishment of the newly reseeded, overseeded or sprigged turfgrasses.

- •DO NOT apply more than 7 pounds of this product per 1,000 square feet of turfgrass area during the year (1.000 square feet area = 100 feet x 10 feet).
- •DO NOT apply to flowers, vegetables, or fruit trees.
- •DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees.
- DO NOT apply this product to pastures
- •Keep people and pets off treated areas until dust has settled.

#### **APPLICATION DIRECTIONS**

The Andersons Dimension Herbicide III will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied prior to weed seed germination in established lawns and ornamental turfgrasses.

Weeds Controlled and/or Suppressed by The Andersons Dimension Herbicide III

#### **Grass Weeds:**

**Annual Bluegrass** Annual Ryegrass Barnyardgrass Crabgrass Crowfootgrass Gooesegrass

Green Foxtail Kikuyugrass (seedling) Perennial Ryegrass Smutgrass (seedling) Yellow Foxtail

#### **Broadleaf Weeds:**

**Bittercress Buttercup Oxalis** Carolina Geranium Chickweed Common Lespedeza Common Purslane Corn Speedwell

Creeping Oxalis Henbit Parsley-piert Pineappleweed. Spotted Spurge Yellow W@gdsgrrel **3** 9 ) ) ) )

22223

9198-121H Page 5 of 15

#### (BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

#### **Application Timings:**

This product may be applied either in the spring or in the fall for the control of weeds.

When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds.

#### **Length of Control:**

This product will provide up to 4 months of weed control if applied according to label directions.

The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that this product is being applied.

Please check the map below to determine which "Region" of the U.S. that applies to your particular use area.

#### Use "Regions" within the United States:



#### **Recommended Use Rates:**

	Recommended Use Rates	
	for The Andersons Dimension Herbici	de III
(Pounds o	f this product to apply per 1,000 square	feet of turfgrass)
	1 4 - 63	V 1 O 4 1
	Length of \	veed Control
Region of U.S.	2-3 Months Control	veed Control3-4 Months Control
Region of U.S. North		
	2-3 Months Control	3-4 Months Control

9198-121H Page 6 of 15

#### (BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

#### SUGGESTED SPREADER SETTINGS

(Available at Final Printing)

Broadcast Spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as overapplication may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.

**DISPOSAL:** 

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If party filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **GENERAL INFORMATION - LANDSCAPE ORNAMENTALS**

This product provides preemergence control of listed annual grass and broadleaf weeds in landscape ornamentals. It may be applied to soil surfaces where ornamental plants are grown for aesthetic purposes in ornamental gardens, and residential properties.

Ornamental plants on this label have shown tolerance to this product when applied as directed. It is impossible, however, to evaluate tolerance for all ornamental plant species or varieties or under all possible growing conditions. Under your growing conditions, a limited area involving only a few plants should be treated for tolerance evaluation prior to large-scale applications.

#### **USE RATES**

Apply this product with a properly calibrated spreader which will assure accurate, even particle distribution. This product may be applied as a single application or as a split application. Refer to the following table for product recommendations when treating a small area.

DO NOT apply more than 7 pounds per 1,000 square feet per year. Do not apply in Nassau and Suffolk Counties of New York.

Pounds of Product per 1,000 square feet

Ounces of Product per 100 Square Feet

7

11.2

Page 7 of 15

#### (BACK PANEL) HOMEOWNER USE ONLY (The above is for internal use only and will not appear on the final label copy)

### **APPLICATION TIMING AND RECOMMENDATIONS**

This product is a preemergence herbicide that will not control established weeds. Make applications prior to weed seed germination or to bare ground. The best weed control is obtained when applied to soil that is free of clods, weeds and debris such as leaves. Prior to making an application, control existing vegetation by hand weeding, cultivation or with a postemergence herbicide. Once an application of this product has been made. do not disturb the soil surface as the herbicide barrier will be broken.

#### **PRECAUTIONS**

- Only apply this product to established ornamentals.
- Do not apply this product directly to bare root of ornamental plants as injury may result.
- Do not incorporate this product into soil. Dilution of active ingredient and possible injury to plant roots may
- Do not apply to soil around ornamental plants that are under stress due to drought, flooding, excessive fertilizer or soil salts, wind injury, hail, frost damage, winter injury, injury from previously applied pesticides or injury due to insects, nematodes or disease.
- To avoid foliar damage to ornamentals, irrigate immediately after application to remove herbicide particles from the foliage.
- Do not apply under conditions that would affect product distribution. Wind could affect distribution and move product onto sensitive species. Uneven product distribution will result in uneven weed control.
- Do not apply this product on grasses grown for seed.
- Do not graze livestock or feed forage cut from areas treated with this product.

#### **TOLERANT ORNAMENTALS**

When applied as directed under the conditions described on this label, ornamentals listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing condition. Follow directions given above to determine plant tolerance under your growing conditions prior to large scale use.

COMMON NAME	BOTANICAL NAME	TOLERANT CULTIVARS
Abelia, Dwarf	Abelia X Grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajunga genevensis	Bronze Beauty
Almond, Flowering	Prunus gladulosa	
Apple*	Malus pumila	
Arbovitae	Thuja occidentalis	Nigra Pyramidalis Smaragh Techny Woodwardii
Arborvitae, Golden	Thuja orientalis	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash, Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus acucparia	
Ash, Purple	Fraxinus americana	

9198-121H Page 8 of 15

Azalea	Rhododendron spp.	Brillant
,	Tarododoridron opp.	Buccaneer
		Carror
		Chimes (Belgian)
		Exbury
		Fashion
		Hardijzer Beauty
		Hershey Red
		Higasa
		Hinocrimson
		Holland (Hybrid)
		Marion Lee
		Northern Lights
		Orange Cup
		Orchid Lights
		Snow
		Southern Charm
Azalea, Flame	Rhododendron calendulaceum	Codulem Gharm
Azalea, Kirishima	da	
Bamboo, Heavenly		
Barberry	Berberis thumbergii	Aurea
	a service an annual gr	Dwarf Pigmy
		Green
		Kobold
		Pygmy Red
		Rose Glow
Barberry, Purple		Atropurpurea
Bearberry (common)	Arctostaphylos uva-ursti	Massasschusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecorp
		Blue Jay
		Jersey
		North Blue
		Northland
Bottlebrush	Callistemon citrinum	
Boxwood, Japanese	_	Japonica
Boxwood, Weller	Buxus sempervirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Carex, Variegated	Carex	
Camellia	Camellia japonica	Debutante
		Mathotiana Supreme
		Chansonette
	Camellia sasangua	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie

9198-121H Page 9 of 15

Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotonester apiculatus	
Cycads	Cycads revoluta	
Coyotebrush	Baccharis pelularis	
Cyrpress, Bald	Taxodium distichum	
Cypress, Italian	Cupressus sempervirens	Glauca
Cypress, Leyland	Cupressocyparis leylandii	
Cypress, Japanese False	Chamaecyparis obtusa	Gracilis
Daffodil	Narcissus spp.	King Alfred
Daylilly	Hemerocallis spp.	Aztec Gold
	, ,	Bright Yellow (Hybrid)
		Single Gold (Evergreen)
		Wilson's Yellow
Dogwood	Cornus florida	
Dogwood, American	Cornus sericea	
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	
Euonymus	Euonymus fotunei	Argenteo-variegata Auereo-marginata Colorata Emerald Gaiety Emerald 'N Gold Gold Edge Gold Princess Silver King
		Tricolor
		Vegetus
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbox
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia	Arnold Dwarf Bronxensis Dwarf Lynwood Gold Meadowlark
_	Spring Glory	Weeping
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataequs spp.	Cockspur White Crimson Cloud

9198-121H 300 70 age 10 of 15

		Enchantress
		Jack Evans
		Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibscus spp.	Brilliant
		Hula Girl
		Blue Bird
Hemlock, Canada	Tsuga canadensis	
Holly	llex spp.	Blue Boy
		Blue Girl
	Ilex X meserveae	Burfodii
		China Girl
		Ciompacta
		Forsteri
		Hellerie
		Japanese Northern Beauty
		Needlepoint
		Nellie R. Stevens
		Savanah
	llex X attenuata	
Holly, Chinese	llex cornuta	
Holly, Japanese	Ilex crenata	· · · · · · · · · · · · · · · · · · ·
Holly, Yaupon	llex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf
Honeysuckie	Lorncera japonica	Halliana
		Tatarian Canadian White
		Zebelli Red Hosta
Hosta	Hosta spp.	Algo Marginata
1100.0	Hosta lancifolia	, iigo maiginata
Ice Plant	Carpobrotus edulis	
Impatiens	Impatiens wallerana	
Iris	Iris spp.	Wedgewood
1113	mo opp.	Dwarf blue
Ivy, English	Hedera helix	Bulgaria
ivy, English	Tiedera Helix	Thorndale
Jasmine, Asian	Trachelopermum asiaticum	THOMES
Juniper	Juniperus spp.	Arcadia
	Camporas opp.	Armstrong
		Bar Harbor
- · · · · · · · · · · · · · · · · · · ·	Juniperus horizontalis	Blue Chip
	The state of the s	Blue Pacific
		Blue Rug
	Juniperus horizontalis	Blue Star
	Jumpordo Horizontano	Broadmoor
		Buffalo
		Calgary Carpet
		Emerald Sea

		TE IIO I
		Emerald Spreader
		Endora Compacta
		Fuitlandi
		Green
		Gold Tip
		Hetzi
		Hughes
		Manhatten Blue
		Parsoni
		Pfitzeriana
	,	Plumosa
		Prince of Wales
		Procumbens Dwarf
		San Jose
	ļ	Sargent Blude
		Sargent Green
		Scandia
		Scopulorum Moonglow
		Scopulorum Skyrocket
		Spartan
	Juniperus chinesis	Tamariscifolia
	Juniperus sabina	Weberi
		Youngstown
		Yukon Belle
King Palm	Archontophoenix	
	cunninghamiana	
Laurel, Australian	Pittosporum tobira	
Laurel, Mountain	Kalmia latifolia	·
Leucothoe	Leucothoe fontanesiana	
Lily, Africian	Agapanthus africanus	Albus
·		Peter Pan
Lily, African Blue		
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant
		Lilac Beauty
		Majestic
		Monroe White
		Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Sivler	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb
		Wheeler's Dwarf

		Variegata
Mock Orange*	Philadelphus spp	Golden
gu	The section of the se	Snowflake Double White
Mopndo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei
	•	Langer
		Muskogee
		Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta
	·	Nana
Oleander	Nerium oleander	Hardy Red
		Petite Pink
		Sister Agnes
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oteospermum	Osteospermum fruitcosum	Wirligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus teada	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus eliottii	
Pine, Swiss Mt.	Pinus mugo	The second secon
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentiall fruticosa	Abbotswood
Privet	Ligustrum japanicum	Golden Vicary
		Regal
		Texanum

	· · · · · · · · · · · · · · · · · · ·	Yellow Tipped
		Wax
Privet, Glossy	Ligustrum lucidum	VVax
Pyracantha	Pyracantha koidzumii	
Queen Pam	Arecastrum rammanzoffianum	
	Arecastrum rammanzomanum	
Quince, Japanese*	Dododondron on	Albana
Rhododendron	Rododendron spp	Album Cunningham White Fashion Hardy PJM Purple Gem Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinum officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedumm spurium	Dragon Blood Red Red Carpet Yellow
Spiraea	Astilbe X arendsii	Fanali
Spiraea	Spiraea spp.	Anthony Waterer Red Dolchica Froebeli Pink Goldenflame Red Snowmound White Van Houttee White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Hlue	Picea pungens	
Spruce, Norway	Picea abies	
Spruce, White	Picea glauca	
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassyy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Platanus occidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, Evening	Gelsemiun sempervirens	
Tulip	Tulip, spp	Apeldoorn
Verbana, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St. Paul
Viburnum	Viburnum spp.	American Cranberry Bush Arrowood

9198-121H Age 14 of 15

### (BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

		Common Snowball European Cranberry Bush Linden Mohican Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	llex vomitoria	Dwarf
Yew	Taxus cuspidatra Taxus X media	Denisiformis

<sup>\*</sup>Ornamental species only: DO NOT USE ON FOOD PRODUCING TREES AND ORNAMENTALS

#### **WEEDS CONTROLLED**

When used as directed, this product will control or suppress the following annual grass and broadleaf weeds when applied prior to their emergence. This product will not control established grasses except for crabgrass in early stages of development, and broadleaf weeds, therefore, the area to be treated should be free of weeds prior to application.

#### **GRASSES**

barley (Hordeum spp.) barnyardgrass (Echinochloa crus-galli) bluegrass, annual (Poa annua) brome (Bromus spp.) crabgrass, large (Digitaria sanguinalis) crabgrass, smooth (Digitaria ischaemum) crabgrass, Southern (Digitaria ciliaris) crowfootgrass (Dactyloctenium aegyptium) dallisgrass (seedling) (Paspalum dilatatum) goosegrass (Eleusine indica) foxtail, green (Setaria verdi) fotxtail, yellow (Setaria faberi) kikuvugrass (Pennisetum clandestinum) oats, wild (Avena fatua) ryegrass (annual & pernnial) (Lolium spp.) smutgrass (Sporobolus poireti)

#### **BROADLEAF WEEDS**

bittercress (Cardamine spp.) carpetweed (Mollugo verticillata) chickweed (Stellaria spp.) geranium, Carolina (Geranium carolinianum) henbit (Lamium spp.) knotweed, prostrate (Polygonum saviculare) lespedeza, common (Lespedeza striata) marestail (Hippuris vulgaris) medic, black (Medicago lupulina) mustard (Brassica spp.) oxalis, buttercup (Oxalis pes-caprae) pineappleweed (Matricaria matricarioides) pigweed, redroot (Amaranthus retroflexus) parsley-piert (Alchemilla avrensis) purslane, common (Portulaca oleracea) rocker, London (Sisymbrium irio) shepherdspurse (Capsella bursa-pastoris) speedwell, corn (Veronica arvensis) spurge, garden (Euphorbia hirta) spurge, prostrate (Euphorbia humistrata) spurge, spotted (Euphorbia maculata) woodsorrel, creeping (Oxalis corniculata) woodsorrel, yellow (Oxalis stricta)

Page 15 of 15

#### (BACK PANEL) HOMEOWNER USE ONLY

(The above is for internal use only and will not appear on the final label copy)

#### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product. user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

#### **WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

#### LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot033108)

#### Manufactured by:

Filename

Label Code

The Andersons, Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

9198-121H

RVnot111709

Date Printed	11/17/09
Date Approved	5/8/03
Supersedes	5/26/98
Label Changes	Notification – optional marketing claims