

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Debbie Ziehr
The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
P.O. Box 119
Maumee, OH 43537

MAR 19 2011

Subject:

Notification per PR Notice 98-10 (alternate brand name)

The Andersons Dithiopyr Herbicide III

EPA Reg. No. 9198-121

Application Dated February 24, 2011

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The alternate brand name "Andersons Golf Products Fertilizer with 0.164% Dimension Turf Herbicide 30-0-10" has been added for this product. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Kathryn V. Montague Product Manager 23 Herbicide Branch

Registration Division (7505P)

2044

SEPA En	vironmenta Washi	United States I Protection Ington, DC 20	460		✓	Registr Amend Other	ation	O. Approval expires 2-28-9 OPP Identifier Number
		Application	on for Pest	icide - Se	ction	1		
1. Company/Product Number 9198-121				PA Product Ma ntague	anager		3. Pr	oposed Classification
4. Company/Product (Name) The Andersons Dithiopyr Herbicid	le III		PM# 23					Nestricted
5. Name and Address of Applicant The Andersons Lawn Fert. Dividible Free Flow Fert. P.O. Box 119 Maumee, OH 43537 Check if this is a	., Inc.	ode)	(b)(i) to: EP/	xpedited Re , my product A Reg. No.	t is sim	In accordation or iden	tical in co	FIFRA Section 3(c)(3) mposition and labeling FICATION R 1 9 2011
			Section					
Amendment - Explain below Resubmission in response Notification - Explain below Explanation: Use additional page	to Agency letter		n I and Section	Agency le "Me Too" Other - Ex	Applica	ition.	se to	
Notification of Alternate Brand Name pe This notification is consistent with the gu made to the labeling or the confidential further understand that if this notification violation of FIFRA and I may be subject	uidance of PR Notice statement of formula n is not consistent wit	98-10 and the re of this product. I th the guidance o	equirements of EPA' I understand that it is f PR Notice 98-10 a	s regulations at 4 s a violation of 18 nd the requireme	0 CFR 15	6.10 and 40 C	CFR 152.46 a	ny false statement to EPA. I
			Section -	-		ACTIVITY.		
1. Material This Product Will Be F	Packaged In:					STATE OF THE		
Yes √ No If "	t Packaging Yes No Yes" t Packaging wgt.	No. per container	Water Soluble Yes √ No If "Yes" Package wgt	No. per		2. Type of	Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents Inform		4. Size(s) Ret	tail Container 50 - 2,000 lbs.			eation of Lat		ns
6. Manner in Which Label is Affix	ed to Product	Lithog Paper Stenci	raph glued led	Oth	er	JAVIE		
			Section -	IV				
1. Contact Point (Complete items	s directly below for	or identificatio	n of individual to	be contacted	, if nece	ssary, to pr	ocess this	application.)
Name Debbie Ziehr			Title Regulatory Add	ministrator				No. (Include Area Code)
I certify that the statements I acknowledge that any kno both under applicable law.	s I have made on owlinglly false or	Certifica this form and misleading sta	all attachments	thereto are tru punishable by	ie, accu fine or ii	mprisonmen	mplete.	6. Date Application Received (Stamped)
2. Signature Debbie 2	jebr		3. Title Regulatory Ad	ministrator			(C)	
4. Typed Name Debbie Ziehr			5. Date 2/24/11					indi indi



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

in the treatment Application of the property of the contract against the contract and the c

Species of the Egit He Side of the Side of

February 24, 2011

at least the larger than the second of the s

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject:

NOTIFICATION - Additional Brand Name

RE:

The Andersons Dithiopyr Herbicide III

EPA Reg. No. 9198-121

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand names are as follows:

Andersons Golf Products Fertilizer with 0.164% Dimension Turf Herbicide 30-0-10

One copy of the draft label is enclosed.

If there are any questions regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr

Regulatory Administrator Phone #419-891-6671

For #410 901 2745

Fax #419-891-2745

Email: Debbie_ziehr@andersonsinc.com

Enclosure



0.164% Dimension® Turf Herbicide 30-0-10

This product is a herbicide that provides control of lidsed annual gasses and broadeal weeds in established lawns and ornamental furth.

	30.00%	3.40%	8	ğ	0.164% 190.000%
GLARANTEED ANALYSIS	Total Minopen (N) . 2.69% Uses Ninopen	18.25V water insouther strugen 9.00 One Viver Valent Coulde Minogen' Souther Ports (K ₂ O) Sulfu (S) 3.40% Combined Sulfu (S)	Plant utkrients derived from urea formatdettyde and potassium sulate. 19.06% Slowly avsiabbe nitrogen from urea formatdettyde.	ACTIVE INGREDIENT: Dshiopyr: 3.5 pyridhedicarbohidic acid, 2-{ddluxometryl}-4-	(2-mathypopy)-e(rithoromality/)-S,S-dimelityl ester INENT WGREDIENTS: Total

EPA Reg. No. 9199-121 EPA Est. No. 9199-OH-1<u>NL</u> 9199-OH-2B. 9199-AL-001<u>A</u> (Undertned letter is first letter used in run code on end of bag.)

CAUTION PRECAUTIONARY STATEMENTS HAZANDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN

Quesse que intelien. Harmital il inhabed. Aucel contact with enes er clothing. Avoid breathing dest. Weath bronoughly walk seps and traver after lawfing. Remove contactmented clothing and weath baldere rouse, sopraged in supported y appeared space of soft contact which lawfing this must law may call any lawfing the security in souther to some priviously.

FIRST AID
Hold eye open and rinse slowly and grantly with water for 15.20 minutes. Hemove contacts, if
, rise the lies 5 minutes, then continue manig. Call a poison contid center or doctal for treatment.

If Inhabet: More person to fresh air. Il person is not breathing, call 911 or an arribdance, then give anti-call respandon, preleably mouth-to-mouth it possible. Call as poison control center or doctor for nearmen eather.

Il exallowed: Call a poison coulot conter or doctor for restinant abrica. Here person spoagos of water if about own bound inches. Donor inches cursing unless dello by a poison control are about to bound signe anything by mouth to an unconsidera passon.

if on skin or clothing. Take off constrincted dothing. Firsts skin immediately with plenty of water for 15-20 metrics. Call a poison control center of doctor for treatment advice.

Have the product contains or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

ENPROMAEVILL. HAZARDS

This product is topic to lish and highly took to that apulation gravers encluding systems and abintry. Use with reason that a spatial port of the state and price of the state of

h is a victation of Federal law to use this product in any manuse reconsistent with its labeling. Read the extre table between the production is that have not mit bring grown by table between their but between the mit being grown by table to other contractions. We have research purposes, the other commercial tests as such of the commercial seed production, or he research purposes. DIRECTIONS FOR USE

Mew York Use Restrictions: In New York State this product new only be used by protessival applicators and a nonewall not Dipotals per Liou opsarse led (equal to 5 pounds active ingredien per acret) per year; and the period tirm use in Nassar and Suffor Comities.

GENERAL INFORMATION
This product is a hearbicke that provides control of caches the annual grasses and broadeal weeks in established lawns and entermetal lust that day is cores identary, tought, and we book this product will not have made yet according to the definition. This product will not have made yet according to bade ductions.

Turgeres Safety: This protuct may be used on weeded, cropinged lawns and onnamental larts that are described. The application of the safe was safety of the ages must law developing a good on 59 are mind larted manner. And have created a laster two normans slowing its security, solding, or sprigning back on can receive it its a space into this protuct. Used this product on them is a security solding, or sprigning back on can receive it its a space into the first product on them said connamental tutis that are not well-statististic, or on increase that we share the year these springs of the connection of missing the connection of missin

This product should only be applied to benns and crisemental tud's that are composed of the following turiguas opposed that have been determed to be followed to applications of this product. When applied as directed used the opening the plantal or applications of this product. When applied as directed escatabilished turiguasses are indexer to this product:

Cool-Season Grasses
Bengass, creptor (Aproxis pakstris)
Bugass, Kenucky (Pas preverss)
Feccus, ing "Festuan abra)
Feccus, ing "Festuan abra)
Fecus tal (Festuan arundinaces)
Floggass, perental (Lotur perente)

Home Season Creates Behargests (Pspathan notation) Behargests (Pspathan notation) Caltinguests (Pstathan design) Caltinguests (Behargest (Behardest) Caltinguests (Behardest organization) Supplementess (Behardest and Anne Street) Supplementess (Behardest and Anne Street) Capitalization (Capitalization)

'Use of this product on certain varieties of creaping benigases, such as 'Cohanson', Cammari, Sossidict, and Washington threstald, mudestable turgests tops, it had a treating out outpage benigasis have been tested Washington (the sported to Cohanal Benigases (Agrosis terrais) traileates.

"Use of this product on central varieties of the lescue may result in undertable untiminy. The tolkewing line lescue varieties have been worth to be sentime to this product, Manna: Banna: Beauny' Shigari, Ch-Z-, Cheny H-Z-82 (Hegdish), Andr. Lescuenom, Karda: "Majaria", Mary / Perritams, "Imrura", Talgna, Waldorf and Waldorf. May remains, "Intra in "Talgna", Waldorf.

Mote. It is recommended that use of this product be made on a tital basis initially to determine its salety under focal use conditions and tust management practices before making widespread use.

Resending Owneseding or Springing: Reseading, onessoing, or spriging of leasted stress within 4 months in Estimated or Commission (Springing or Commission Commission) or consecuting, proper others predicted such as stationary institution, ungained and institution should be blowed. For best leastlike, use mechanical or power seeding equipment (sit seeding) despined to give pood seed to set outside.

Other Use Presudiens: The early postensegence categass control described below is timited. Prostrangence applications are only altestive on categass if applied below categass has displayed its lifth lade of settle as, up

For bost results, cultural practices that desturb the soil, such as one-, spike, or tyclro-serdication, and vertearing, studio to date being expiration of this product. DO NOT expty the product untal the gress has revo

Apply this product deady to established lawns or ornamental turks only. DO NOT apply to flowers, vegetables, shrubs, or trees.

DO NOT use apprings from treated ruf for mutching around vegetables or trus trees. Keep people and pets of treated areas until dust has selled.

APPLICATION DIRECTIONS

Control of Crabginas

Control of Crabginas

grave forbut plantengence Control. This podux provides 'preminience' control of crabgrave forbuton planten strong, and southen species) when expleed prior to the emergence of crabginas
from the greand in established lawns and on nameral luris.

It can also provide 'beily possimisapiono' control of catageas daining the selfy supposed catagonate distributions are marked from the ground and interesting the catagonate are supposed to the catagonate and an advantage of catagonate and an advantage of the supposed to the supposed to

Application Frequency and Taning. This product may be applied as a single application, as a spill applica-tion, or as systemical application of antipars awoned into applications, surner, or this LO NOT apply most bar they also due, their application, and no movement is port to go to go to go they application.

Spring Applications: For single applications made in the spring or early summer, this product should be depended in the application and excellent leader that the application of the app

Use Program I for premergence control at stees where the uniquess is cut high (eg., homovenex lawns). This program provides Schoolists of premengence cutalypass control. This program should not be used for early proservegatives a stages, so control.

Use Program 2 for preemengence control at sites where (a) furtigrass is cut love (e.g., god lainvests) and (b) furtigrass more well council that before council and the control and definition for the sites program provides 4-d marked to generagence cutograss created. This program may also be used for early potamogense control as also service as a cut legit (e.g., bornoomes lainna).

Use Program 3 for preemergence control at sites where (a) tudgess is cut love (e.g., god farrunys) and (b) furf mentionence or west control tass and been conducted during the proteins press to the control so of preemergence carbins control. This program may also be used for early posterine gence control as sistes where unligness is cut for (e.g., god farrunys).

Subsequent, sequential pre- and/or posternargence applications should be made where longer periods of control are desired.

Where spit letrizer applications are recommended, the rates in Table I may be spit across two applications made 6-10 weeks apait and prior to crabgrass emergenca.

	(Lbs. of this product/1,000 sq. ft.)	:1/1,000 sq. ft.)	
PROCRAM	1	2	£
ISE brignass cut)	Presentations (fugh)	(мој) фонашевија	есиованы (ка)
EGION		Postomergence (htgh)	Postemosponco (low)
forth	23	2.8	3.5
fansilon	2.6	3.5	25
South	3.5	5.2	20.2
Coastal South	5.2	.01	07.0

"DO NOT apply more than 7 bs, per application, and no more than 21 bs, per year. Postemergence control is imited; see "Chabyeas Control" and "Precautions" sections above. Regions include areas listed before.

Hoth-Marchet ansaction (P. K.S.K.M.D. No. N., sonhasten Pk. sonhein areas of IL. Tenation CE, K.S.K.M.D. Mo. N.I. W., sonhasten Pk. sonhast areas of CI, W. S. Bit. LA. M. S. C. M. K. N. C. C. S. S. T. Sonh. M. H. R. A. C. A. C. M. S. C. M. S. C. M. S. C. S. S. T. Crassal South H. I. A. son/men costal siese of AL, C. M. L. M. S. G. S. T. X.

"May require sph or sequential applications for full control.

Fell Applications: This product can also be applied in the late aurmer or early tall (late August through horaches) that the Program Y use rates that in its books control of catagors through the early part of the heart string. The ball application about be lidtered by an appropriate spring updication to provide season-brog control.

The for Improved Control: For boat loads, apply this product within a least days after moving and debay or any again for a least each the production. When releast leasn or command half seas are sered of recease sprinces mixed within a least days after application of this product improved week control may result, Use of split (habit-asis) applications special 6% weeks again may provide improved week control.

CONTROL OF OTHER GRASS AND BROAD EAF WEEDS
Shring Applications: Used as develor transplant control (at the Program 3 read) as express of the Program 2 read in the Program 3 reads.

Fail Applications: Used se discused for the summe or early last use, for catagrass corted through the early in the host springs produced with consolid fall and hostop or 10x89 or express (at the Program 2 rates) the following weeks when applicate for other emergence bisperses (at the Program 2 rates) the following weeks when applicate for the improved integrates (at the press (at the press (at the press (at the press (at the press)) and the creek, at the creek of the press (at the press))).

APPLICATION EQUIPMENT AND INSTRUCTIONS

Apply this purobut with do por or instructions construction to the construction to the construction of the properties of the construction of

Control Cont				5	SPPEADEH-SelfundS J	Serings))
3 mg/2, 11 lee/ 134, 5,14 3 mg/2, 11 lee/ 134, 5,24 3 mg/2, 11 lee/ 134, 5,24 3 mg/1 overlap 114 134 4.5 mg/1 30 lee 434 5 12 4.5 mg/1 24 lea 16 19	SPREADER	CROUND SPEED	WIDTH OF	LOW RATE 0.19 Es.	HEDYUH PATE 026 Ba.	HIGH RATE 0.37 lbs. e184	HEAVY RATE 0.50 lbs. et/A
3 mph 116e 134 394 394 394 312 434 512 45mph 24 bas 16 19	Andersons AccuPro 2000, SR-2000 (cone 7)		7 11 løC	ン穴 (1) 2(1)	1,14	N 1/4	p/i d
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Scotts Rotaries R-B, R-8A (cone 7)	3 mph	, 11 lee,	134)) .	L 3M	N 3/4
tra) Pairen lit-C 4.5 mph 39 leet 4.344 5.12 isa (19 19 19 19 19 19 19 19 19 19 19 19 19 1	Andersons SS-2 Drop	3 трһ	overlap wheeks	414	4 3/4	53/4	7
4.5 mgh 24 last 16 19	₩.E	4.5 mph	38 (66)	4 3/4	2118	6 1/2	7 1/4
The state of the s	Vicon 03 Series	4.5 mph	24 lget	16	19	25	31

STORAGE AND DISPOSAL Do not contaminate water, tood, or feed by storage and disposal.

STORAGE: Keep container closed and away from food, feedstuffs, and domestic water supplies.

PERTICIDE DISPOCALL: Pepcinial wases we note. Improper disposal of excess posticiole is a violation of regional Lam. It linear wastes cannot be disposal of by use according to label instructions, contast your behavior of chromonal Control Agency or the Hazardous Waste representative at the nearest EPA Pelginal Classin or guidance.

CONTAMER DISPOSAL: Completely encey bag into application equament. Novedilable container: Do not reaso or refet the somitator. Otte for recycling, if available, if not exclude, than depose of enropt bag as assetty landfall or by nameration, or, if allowed by Stee or local authorities. By burning. If burned, step out of smoke.

AUPORTANT: READ BEFORE USE: Problem the minut because to Use and the Westery Disclaime and Limitation of Liability bidine using this problem. It enters as not acceptable seture the tucquemed problem constraines at once. By using this product uses or Bayer accepts the indexing Westerny Chickanas and Limitation of Liability.

WARRANT DECLAIMER and LINITATION or LUBBLITY:

Illumination or which is large product control in the decidence in the state of the stat

LEGAL IDANIA THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT WAR FROM STREEUMEDSICTOR IT OSTAT EUMESOICITOR.

Manufactured by:
The Andersons Lawn Fertilizer Division. Inc.
P.O. Box 114
Maurines, OH 43537
www.andersonsgoliproducts.com

Andersoms God Probles; is a registered trademark of The Andersoms, Inc.; Dimension is a registered trademar of Dow AgoSciences LLC

SGN 150 Net Wt. 50 Lbs. (22.68 kg)



MAR 19 2011 NOTIFICATION