

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION. PESTICIDES AND TOXIC SUBSTANCES

SEP 1 1 2008

Ms. Clair Engelbert
Product Development Technical
The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
P.O. Box 119
Maumee, OH 43537

RE: Notification of Additional Brand Name: Andersons Golf Products Fertilizer with 0.48%

Barricade® Herbicide

EPA Registration Number: 9198-125 Date of Submission: August 1, 2008

Dear Ms. Engelbert:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 1, 2008, for the product, The Anderson Fertilizer with 0.48% Barricade Herbicide. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)
Office of Pesticide Programs

2/4

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0080. Approvel expires **OPP Identifier Number** United States Registration **Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 9198-125 Miller None Restricted 4. Company/Product (Name) PM# The Andersons Fertilizer with 0.48% Barricade Herbicide 23 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 EPA Reg. No. \_\_\_\_\_ Maumee, OH 43537 Check if this is a new address Product Name Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated \_\_ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of Alternate Brand Name per PR Notice 98-10: Andersons Golf Products® Fertilizer with 0.48% Barricade Herbicide This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging -2. Type of Container Metal Yes Yes Yes Plastic Glass Paper If "Yes" If "Yes" No. per No. per \* Certification must container Unit Packaging wat. container Package wot Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Container 15 - 2,000 lbs. 6. Manner in Which Lebel is Affixed to Product ✓ Other Pocket Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Name Telephone No. (Include Area Code) 419-891-2780 Clair Engelbert Product Development Technician 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature Plan Engelled Product Development Technician 4. Typed Name 08/01/08 Clair Engelbert



## The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

August 1, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject:

NOTIFICATION - Additional Brand Name

RE:

The Andersons Fertilizer with 0.48% Barricade Herbicide

EPA Reg. No. 9198-125

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand name is:

Andersons Golf Products Fertilizer with 0.48% Barricade® Herbicide

One copy of the draft label is enclosed.

If there are any questions regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Clair Engel

Product Development Technician

Phone: 419-891-2780 Fax: 419-891-2745

Email: clair engelbert@andersonsinc.com

Enclosure



## Fertilizer with 0.48% Barricade® Herbicide

## 8-0-16

For preemergence control of grass and broadleaf weeds in established lawns and turfgrasses (excluding golf course putting greens).

## GUARANTEED ANALYSIS

Total Nitrogen (N)		8.00% 16.00%
Plant nutrients derived from urea, potassium chloride and polymer coated sulfur coated urea. Chlorine (Cl) Max '3.20% Stowly available nitrogen from polymer coated sulfur coated urea.	•	13.50% F292
ACTIVE INGREDIENT: Prodiamine† OTHER INGREDIENTS:  (CAS No. 2000 (21.7) Total		0.48% <u>99.52</u> % 100.00%

EPA fing. No. 9198-125 EPA Est. No. 9198-0H-1<u>M</u>, 9198-0H-2<u>B</u>, 9198-AL-001<u>A</u> Underlined letter is first letter used in run code on bag.

## KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye injury (tritation). Harmful II inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with spap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID
Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the lirst 5 minutes, then continue rinsing. Call a polson control center or doctor for Il in eyes

Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to by a poison control center or doctor. Do not give anything by mouth to an unceracious person. If gwallowed

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15:20 minutes. Call a poison control center or doctor for freatment advice. If on skin

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artilicial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treat-

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

## ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limit of solubility, this product is not loxic to fish. However, at concentrations substantially above the level of water solubility. If may be toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wish-

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its laheling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for

GENERAL INFORMATION

The Andersons Goll Products Fertilizer with 0.48% Barricade Herblicide is a preemergence herblicide thal provides residual control of many grass and broadleaf weeds in Lurtgrasses. This product control susceptible weeds by inhibiting weed seeds germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 Inch of a rinfall or irrigation, or with shallow (1 to 2 inches) incorporation, prior to weed seed germination and within 14 days following application.

## APPLICATION DIRECTIONS

Apply uniformly through suitable, calibrated application equipment

## ESTABLISHED TURF

This product is a preemergence herbicide that, when properly applied as directed, will control certain grass and broadleaf weeds in established furl grasses and lawns. The maximum amount of this product that may be applied per year is given for each furl grass species in the Maximum Annual Rates section of this label.

Most effective weed control in furt grasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabinass seed germination dates.

### **CRABGRASS GERMINATION DATES**



Use Restrictions and Precautions
The following precautions apply to the use of this product in furf grassus and tawns:
The following precautions apply to the use of this product in furf grassus and newly over seeded grasses.
The following precaution is the interest of the product in the product in the product is the second moving, whichever is longer.
Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedling secondary roots are in the second inches and applied before seedlings are in the second inches and applied the second inches an Injury to desirable seedings is likely if this product is applied before seeding secondary roots are in the second of soil, not thatch plays soil. Do not apply to newly set sod until the following year. Application of this product to furt stressed by drought, low fertility, or pest damage may result in turt injury. Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control. Do not apply this product to putting greats or acras where dichordra, colonial bentgrass, velvet bentgrass, or annual bluegrass (Foa annua) are desirable species. Do not apply this product through any type of trigation system unless otherwise instructed by this label. Do not apply aerially.

Do not apply aerially.

Hates of Application
This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made pilor to germination of the target weeds. This product will not control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this

Maximum Annual Rates
This product is recommended for use on the furl grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table:

### Maximum Annual Rates Table

Turf Species	lbs. al/A /A		lbs. product/ 1,000 sq. ft.	
Bermudagrass <sup>2</sup> , Bahlagrass, Centipedegrass, Seashore Paspalum, St. Augustinegrass, Tali Fescue (including turl- type), Zoysia	1.5	313	7.2	
Buffalograss, Kentucky Bluegrass, Perennial Ryegrass	1.0	209	4.8	
Creeping Red Fescue	0.75	154	3.5	
Creeping Bentgrass	0.65	13B	3.2	

These are the maximum rates per calendar year by species limitations.

RMay be used on newly sprigged or plugged Bermudagrass at rates not to exceed 106 to /acre or 2.4 tb./1,000 sq.

It. Newly sprigged or plugged Bermudagrass stolen cooling may be temporarily retaided. Suppression only of Foxtail,
Goosegrass and Rescuegrass due to induced product rates used in sprigging cliurations.

Do not apply more than 313 ibs. per acre (7.2 ibs./1.000 sq. ft.) of first product per calendar year. Use higher rates of this product to achieve higher levets of tertity and weed control for each turf type, but do not exceed the maximum application rates specified in the Maximum Annual Rates table.

Weeds Controlled

When used at the recommended rates this pictodic will control. Bannyardgrass; Bluegrass, Annual (Poa annua);
Carpetweed; Chickweed, Common; Chickweed, Mouseent (from seed); Cabgrass (Large, Smooth); Corwicotgrass;
Cupgrass, Woolly; Footals, Annual; Goosegrass! Henbit, Itchgrass; Johnsongrass (from seed); Jungleince; Knolweet,
Kochla: Lamboquater, Common; Lovgrass; Cyallis; Panicum (Feas, Fall, Brownlep); Blyeded (Purslane, Common;
Pusley, Florida; Rescuegrass? Stephend's Prusse; Signalgrass, Broadeat; Speedwell, Persian; Sprangletop; Spurge,
Prostate; Vindipass; Woodsrent, Vetlow (from Seed).

<sup>1</sup>In many areas a single application of 3.2 to 7.2 fbs /1.000 sq. ft. (138 to 313 fbs./A) of this product will control gnose-grass. However, under fleavy goosegrass pressure and/or an extended growing season, most effective weed control may be obtained by making an initial application of 3.2 to 4.8 fbs./1,000 sq. ft. (138 to 20 fbs./A) followed after 65 to 90 days by a second application at doses that would not exceed those given in the Maximum Annual Rates Table. Do not exceed the santimum rate for furl grass specifies listed in the Maximum Annual Rates Table above.

<sup>2</sup>Applications for this weed should be made in late summer, fall, or winter prior to germination. Do not exceed the maximum application rates specified in the Maximum Annual Rates table.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum application rates specified in the Makimum Annual Rates table. All applications must be made prior to germination of the weed specified.

# When to Apply After Overseeding Turl Do not apply to overseeded turf within 60 days aftic seading or until after the second mowing, whichever is tonger. Injury to desirable seedlings is tikely if this product is applied decine seedling secondary roots are in the second inch of soil, not

When to Overseed After Application - All States'
This product will inhibit the gemination of furf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding results.

Andersons Golf Products Fertilizer with 0.48% Bandcade Herbicide Rate			Interval Before Overseeding		
lbs:/1,000 sq. ft.	fbs/A	ai/A	North	Transition	South
2.4	104	0.50	4 mo.	4 mo.	4 mo.
3.2	138	0.65	5 mo.	4 mo.	4 mo.
3.5	154	0.75	6 mo.	5 mo.	5 mo.
3.9 .	169	0.81		6 mo.	6 mo.
4.8	209	1.00		7 mo.	7 mo.
5.5	239	1.15			9 mo.
6.2	271	1.30			10 mo
7.2	212	1.50			12

\* Note: In AZ, CA, NV and TX, the overseeding interval can be shorter in established bermudagrass that has been over-seeded with perennial tyegrass. See this next section \*Poa annus Control in Established Bermudagrass Overseeded with Perennial Ryegrass (AZ, CA, NV and TX only):

Poa annua Control in Established Bermudagrass Overseeded with Perennial Ryegrass (AZ, CA, NV and TX only) Use on golf courses (excluding golf course purling greens) and fawns when overseeding with perennial ryegrass (mini-mum seed rate of 350 lbs (A).

Amount to Apply Lbs./Acre Lbs./1,000		When to Apply	Expected Control	Use Precautions		
LDS./ACTE	LD9./1,000	When to Apply	Control	Use Precautions		
78 - 138	1.8 - 3.2	6 to B weeks before rygrass overseeding Second application 4-8 weeks after overseeding date or when perennial ryegrass roots are in the second inch of soll	One application for 70% or greater control of PGa annua Second application should enhance the control of PGa annua should enhance the control weather conditions	Some seed mortality and temporary reduction in rod growth of new seedings may occur.     To reduce the potential for seeding mortality, maintain a moist seedbed with light, leequent ingalance on the property of the pr		

### SUGGESTED SPREADER SETTINGS

These augustates are yet and the second and the collection of the second and the second

SPREADER				SPREADER SETTINGS			
	. GROUND SPEED	WIDTH OF COVERAGE	LIGHT RATE 0.65 lbs. al/A	LOW RATE 0.75 lbs. al/A	HIGH HATE 1.00 ibs. al'A	HEAVY RATE 1.50 lbs. ai'A	
Andersons AccuPro 2000, SR-2000 (cone 8)	3 mph	11 feet	£ 1/4	L 1/2	M 1/2	O 1/4	
Andersons SS-2 Drop	3 mph	overlap wheels	4 1/2	4 3/4	5 1/2	63/4	
Scotts Rotaries H-8, R-8A (cone 8)	3 mph	11 fee1	J 3/4	К	L12	N 1/2 -	
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern III-B	4.5 mph	35 lee1	5 1/4	5 1/2	61/2	7 3'4	
Vicon (03 Series)	4.5 mph	30 leet	23	24	23	38	

## STORAGE AND DISPOSAL

Do not contaminate water, tood, or lead by storage States and States. Shows in original container away from first like, feed, or lood staffs and separated from other postidios. Pestidiate Belepada: Waster resulting from the use of this product may be disposed of on site or at an approver waste disposal facility. Container Disposal: Completely empty container into application egypment. Nornalistate container, Do not reuse or refill this container. Disposal: Completely empty container into application dispose of empty bag or box in a sanitary landfill or at an incineration facility; or, it allowed by state and local authorities, by burning locally, if burner, story out of smoke.

IMPORTANT: READ BEFORE USE:
Read the entire Discribins for Use and the Warranty Disclaimer and Limitation of Liability before using this product. It terms are not acceptable, return the unopened product container at once. By using this product user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

## WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

WARRANTY DISCLANAER and LIMITATION of LABRITY:

Manufacture warrants that this product conforms to the chemical description on the label and is reasonably in the purposes stated on the label when used in sints accordance with the directions. Manufacture makes I/O OTHER EXPRESS OR INFLIED WARRANTY OF MERCHAITABILITY OR FITTIESS FOR A PARTICULAR PURPOSE. To the steath consistent with applicable but in Manufactures intent to LIMITATION INFLIED THE SPECIAL, CONSCOURTING ON THE PROPRIET OF THE SPECIAL, CONSCOURTING ON THE PROPRIET SPECIAL, CONSCOURTING ON THE PROPRIET SPECIAL, CONSCOURTING ON THE PROPRIET SPECIAL CONSCOURTING ON THE PROPRIET OF THE PR

## LEGAL RIGHTS:

LEGAL MIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATEJURISDICTION TO STATEJURISDICTION. (RVamd030804 Manufactured by:

The Andersons Lawn Fertifizer Division, Inc. P. O. Box 119, Maumee, OH 43537

The Andersons logo is a registered trademark of The Andersons, Inc.; Barricade-trademark of Syngenta Crop Protection.

SGN 150

Net. Wt. 50 Lbs. (22.68 kg)



GB (AGCBLKPBRN.1B)