

9198-129

2-4-2002

1/13

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-129	2. EPA Product Manager Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Tee Time Treflan 5G	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION FEB - 4 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Minor Label Change per PR Notice 98-10: add statement "Not for use on turf" and revise warranty section to company standard

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 334-262-2766
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Dawn L. Walters</i>	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 11/14/01	

Tee Time Treflan* 5G

A selective, preemergence herbicide for the control of certain annual grasses and broadleaf weeds in:

- Landscape Ornamentals
- Ground Covers
- Established Flowers
- Ornamental Bulbs
- Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Active Ingredient:		
trifluralin: α, α, α -trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine		5.0%
Other Ingredients		<u>95.0%</u>
Total		100.0%

Keep Out of Reach of Children

CAUTION

Refer to back panel of bag for Precautionary Statements and Directions for Use including STORAGE AND DISPOSAL.

NOTIFICATION

FEB - 4 2002

Net Weight ____ 1bs.

Treats up to ____ sq. ft.

Not for turf use

EPA Reg. No. 9198-129
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-1A
Underlined letter is first letter used in run code

*Trademark of Dow AgroSciences LLC

3/13

PRECAUTIONARY STATEMENTS

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing • Call a poison control center or doctor for treatment advice
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to by a poison control center or doctor • Do not give anything by mouth to an unconscious person.
If on skin	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible • Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- socks and shoes

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions of Use carefully before applying.

Not for use on plants being grown for sale or commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

4/13

GENERAL INFORMATION

Treflan 5G herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Treflan 5G does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate Treflan 5G. Optimum weed control is obtained when Treflan 5G is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, Treflan 5G may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate Treflan 5G within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of Treflan 5G granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds controlled by Treflan 5G when applied at 80lb/acre (1.8 lb/1000 sq. ft.)**Annual Grasses**

<u>Common Name</u>	<u>Scientific Name</u>
barley, hare	Hordeum Leporinum
barnyardgrass (watergrass)	Echinochloa crus-galli
bluegrass, annual	Poa annua
brome	Bromus spp.
cheat	Bromus secalinus
crabgrass	Digitaria spp.
cupgrass, southwestern	Eriochia gracilis
fescue, rattail	Vulpia myuros
foxtail	Setaria spp.
goosegrass	Eleusine indica
junglerice	Echinochloa colonum
lovegrass	Eragrostis spp.
oat, wild	Avena Fatua
panicum, fall	Panicum dichotomiflorum
sandbur, field	Cenchrus incertus
signalgrass	Brachiaria spp.
sprangletop, Mexican	Leptochloa univervia
stink grass	Eragrostis cilianensis
witchgrass	Panicum capillare

Annual Broadleaf Weeds

<u>Common Name</u>	<u>Scientific Name</u>
chickweed, common	Steliana media
goosefoot, nettleleaf	Chenopodium murate
knotweed, prostrate	Polygonum aviculare
kochia	Kochia scoparia
lambquarters, common	Chenopodium album
nettle, stinging	Urtica dioica
pigweed	Amaranthus spp.
purslane, common	Portulaca oleracea

In addition to the weeds controlled, following weeds will be partially controlled or suppressed at 80 lb/acre (1.8 lb/1000 sq. ft.)

<u>Common Name</u>	<u>Scientific Name</u>
carpetweed	Mollugo verticillata
johnsongrass (from seed)	Sorghum halepense
panicum, Texas	Panicum texanum
pulsey, Florida	Richardia scabra
Shattercane	Sorghum bicolor

Landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Treflan 5G is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in landscape ornamentals, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information", "General Precautions and Restrictions" and "Application Directions" sections of this label for general use precautions and information on application, application rates and weeds controlled.

GENERAL PRECAUTIONS AND RESTRICTIONS

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

To avoid possible injury, do not apply Treflan 5G to:

- cuttings that have been planted in post for the first time
- ground covers until they are established and well rooted

Do not apply Treflan 5G to newly transplanted ornamentals, ground covers, flowers and non-bearing fruit and nut trees until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of Treflan 5g to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply Treflan 5G in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Users who wish to use Treflan 5G on plant species not recommended on this label may determine suitability for such uses by making trial application of Treflan 5G at a recommended rate to small number of plants. Prior to using Treflan 5G on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. **The user assumes responsibility for any plant damage or other liability resulting from the use of Treflan 5G on plant species not recommended on this label.**

APPLICATION DIRECTIONS

Apply Treflan 5G using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first.

6/13

Application Techniques for applying Treflan 5G

- When using a drop-type spreader, a splash board mounted under the hopper will provide even more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.
- A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

Treflan 5G May Be Used On the Following Established Plant Species

Trees	<u>Scientific Name</u>	<u>Common Name</u>
	Abies balsamea	Balsam fir
	Abies concolor	White fir
	Abutilon hybridum	Albus-flowering maple
		Luteus-flowering maple
		Roseus-flowering maple
		Tangerine-flowering maple
		Vesuvius red-flowering maple
	Acer ginnala	flame maple
	Acer platanoides	Norway maple
	Acer rubrum	Red maple
		Red sunset maple
	Acer saccharinum	Silver maple
	Acer saccharum	Sugar maple
	Areacastrum romanzoffianum	Queen palm
	Betula nigra	River birch
	Betula papyrifera	Paper birch
	Betula pendula	European white birch
	Brachychiton populneus	Bottle tree
	Bucida buceras	Black olive
	Castanea moltissima	Chinese chestnut
	Ceratonia siliqua	Carob
	Cercis canadensis	Redbud
	Chamaecyparis obtusa	Filicoides-fernspray cypress
		Gracilis-slender Hinoki cypress
	Chamaecyparis pisifera	Swara false cypress
		Squarrosa-moss cypress
	Chamaedorea cataractarum	Palm
	Chamaedorea costaricana	Palm
	Chamaedorea elegans	Parlor palm
	Cornus florida	Cloud nine dogwood
		Flowering dogwood
	Cornus kousa	Dogwood, kousa
	Crataegus virdis	Green hawthorn
	Cupaniopsis anacardioides	Carrot wood
	Cupressus glabra	Arizona cypress
	Elaeagnus angustifolia	Russian olive
	Eucalyptus camaidulensis	Redgum eucalyptus
	Eucalyptus cinerea	Mealy eucalyptus
		Silver dollar eucalyptus
	Eucalyptus microtheca	Coolibah tree
	Eucalyptus sideroxylon	Red ironbark
	Ficus benjamina	Ficus
		Mini ficus
	Fraxinus americana	White ash
	Fraxinus velutina	Shamel ash

7/13

Ginko bilob
Gleditsia triacanthos

Heteromeles arbutiflora
Illicium floridanum
Juniperus virginiana
Larix kaempferi
Liquidambar styraciflua
Linodendron tulipifera
Magnolia grandiflora
Malus spp.
Morus alba
Musa aluminata
Nyssa sylvatica
Oxydendrum arboreum
Picea abies

Picea glauca conica
Picea glauca

Pinus aristata
Pinus canariensis
Pinus contorta
Pinus eldarica
Pinus leucodermis
Pinus mugo
Pinus nigra
Pinus radiata
Pinus resinosa
Pinus taeda
Pinus strobus
Pinus sylvestris

Pinus thunbergiana
Platanus acerifolia
Platanus occidentalis
Platanus racemosa
Podocarpus spp.
Populus deltoides
Prosopis chifensis
Prunus yedoensis
Pseudotsuga menziesii
Quercus coccinea
Quercus ilicifolia
Quercus palustris
Quercus phellos
Quercus rubra
Quercus virginiana
Robinia pseudoacacia
Salix spp.
Sequoiadendron giganteum
Swietenia mahogany
Tabebuia caraiba
Taxodium distichum
Tsuga canadensis
Ulmus parvifolia
Washingtonia robusta

Ginko-maidenhair tree
Honey locust
Shademaster honey locust
Toyon
Florida anise-tree
Eastern red cedar
Japanese larch
American sweet gum
Tuliptree
Southern mangnolia
Crabapple
white mulberry
Banana
Blackgum
Sourwood
Norway spruce
Pendula-weeping Norway spruce
Repens-spreading Norway spruce
Dwarf Alberta spruce
Dwarf globe blue spruce
Glaucous-Colorado blue spruce
Hoopsil-Hoop's blue spruce
Koster-Koster blue spruce
Bristlecone pine
Canary island pine
Shore pine, beach pine
Eldarica pine
Bosnian pine
Purnilio-shrubby swiss mountain pine
Austrian black pine
Monterey pine
Red pine
Loblolly pine
White pine
Columnar Scotch pine
Scotch pine
Japanese black pine
London planetree
American sycamore
California sycamore
Podocarpus
Cottonwood
Chilean mesquite
Yoshino flowering cherry
Douglasfir
Scarlet oak
Bear oak
Pin oak
willow oak
Red oak
Live oak
Black locust
Willow
Giant sequoia
Mahogany
Yellow tab
Baldcypress
Eastern hemlock
Chinese palm
Mexican fan palm

8/13

Ornamental Shrubs:	<u>Scientific Name</u>	<u>Common Name</u>
	Abelia grandiflora	Edward Goucher abelia
	Acacia abyssinica	Glossy abelia
	Acacia redolens	Abyssinica acacia
	Acalypha wikesiana	Prostrate acacia
	Acer ginnala	Copper leaf
	Acer palmatum	Amur maple
	Agave americana	Coral bark Japanese maple
	Astilbe chinensis	Dwarf Japanese maple
	Athyrium nipponicum	Century plant
	Baccharis pilularis	False spiraea
	Berberis gladwynensis	Japanese painted fern
	Berberis mentorensis	Coyotebush
	Berberis thunbergii	William Penn barberry
		Mentor Barberry
		Atropurea-redleaf Japanese barberry
		Aurea-golden Japanese barberry
		Crimson pygmy barberry
		Rose glow barberry
	Bougainvillea spp.	Barbara Karst
		California gold
		Pink pixie
		Scarlet O'Hara
		Temple fire
		Texas dawn
	Buxus microphylla japonica	Japanese boxwood
	Buxus microphylla Koreana	Korean boxwood
	Buxus sempervirens	Common boxwood
	Callistemon citrinus	Lemon bottlebrush
	Callistemon viminalis	Weeping bottlebrush
	Calluna vulgaris	Spring torch scotch heather
	Camellia sasanquifolia	Sasanqua camellia
	Camellia japonica	Japanese camellia
	Cassia artemisioides	Feathery cassia
	Ceanothus spp.	Wild lilac
	Cephalotaxus drupacea	Plum yew
	Cerastium tomentosum	Snow-in-summer
	Chamaecyparis obtusa spp.	Kosteri cypress
		Nana-dwarf Hinoki cypress
		Torulosa cypress
	Chamaecyparis pisifera	Filifera-thread cypress
	Chrysalidocarpus lutescens	Areca palm
	Clethra ainifolia	Summersweet
	Cleyera Japonica	Japanese cleyera
	Cornus aiba	Sibirica-Siberian dogwood
	Cornus stolonifera	Baileyi red osier dogwood
		Flaviramea-yellowing dogwood
	Cotinus coggygria	Royal purple smoke tree
	Cotinus dammeri	Coral beauty smoke tree
		Eichholtz smoke tree
	Cotoneaster adpressus	Praecox-early cotoneaster
	Cotoneaster apiculatus	Cranberry cotoneaster
	Cotoneaster congestus	Pyrenees cotoneaster
	Cotoneaster dammeri	Bearberry cotoneaster
	Cotoneaster himalayan	Himalayan cotoneaster
	Cotoneaster horizontalis	Rock cotoneaster
	Cotoneaster zabelii	Zabel cotoneaster
	Cycas revoluta	Sago palm
	Cytisus praecox	Hollandia-warminster broom
	Cytisus scoparius	Lena-Scotch broom

9/13

Daphne odora
Deutzia spp.
Dodonea viscosa
Elaeagnus pungens
Erica cinerea
Erica x darleyensa
Erica vagans
Euonymus alatus
Euonymus fortunei

Euonymus Japonica

Euonymous kiautschovica
Feijoa sellowiana
Forsythia spp.
Gardenia jasminoides

Gaultheria shallon
Gelsemium sempervirens
Genista pilosa
Hibiscus rosa-sinensis
Hibiscus syriacus

illex spp.
Illicium annisatum
itea ilicifolia
Ixora colinea
Juniperus spp.
Kalmia latifolia
Lagerstroemia indica
Lantana spp.
Leucothoe axillaris
Ligustrum spp.
Livistona chinensis
Lonicera periclymenum

Lonicera sempervirens
Mahonia bealei
Mahonia repens
Myrica cerifera
Nandina domestica

Nerium oleander

Osmanthus fortunei
Philadelphus spp.
Phoenix roeloelenii
Photinia fraseri
Pieris japonica

Fragrant Daphne
Deutzia
Hopseed bush
Fruitland silver berry
Purple bell heather
Mediterranean pink heather
Cornish heather
Winged euonymus
Canadale gold euonymus
Emerald'n gold euonymus
Sunspot euonymus
Wintercreeper euonymus
Silver king-euonymus
Variegated evergreen euonymus
Spreading euonymus
Pineapple guava
Forsythia
August beauty gardenia
Gardenia
Radician gardenia
Salal/lemon leaf
Carolina jessamine
Woadwaxen
Ross Estey-hibiscus
Rose of Sharon-heart
Rose of Sharon-red bird
Rose of Sharon-woodbridge
Holly
Mystery gardenia
Henry Garnet holly leaf sweetspire
Ixora
Juniper
Mountain laurel
Crape myrtle
Lantana
Coast Leucotheoe
Privet
Chinese fountain palm
Flowering woodbine
Serotina woodbine
Trumpet honeysuckle
Leather leaf Mahonia
Creeping mahonia
Wax myrtle
Compata-dwarf heavenly bamboo
Harbour dwarf-heavenly bamboo
Heavenly bamboo
Nana compacta-heavenly bamboo
Nana purpurea-heavenly bamboo
Woods dwarf heavenly bamboo
Hardy red oleander
Oleander
Ruby lace oleander
Fortunes osmanthus
Mockorange
Pigmy date palm
Fraser's photinia
Japanese andromeda
Mountain fire lily-of-the-valley
Snowdrift lily-of-the-valley

10/13

Pieris janonica x forestii
Pinus mugo
Pittosporum tobira

Plumbago ariculata
Plumbago capensis
Podocarpus macrophilus
Polystichum polyblepharum
Potentilla spp.
Prunus caroliniana
Prunus glandulosa
Pyracantha spp.
Raphiolepis indica

Raphiolepis ovata
Rhododendron spp.
Rhus lancea
Rosa rugosa
Rosmarinus officinalis
Skimmia japonica
Skimmia revesiana
Spiraea Bumaida
Spiraea japonica

Spiraea vanhouttil
Syringa rothomagensis
Syringa vulgaris
Taxus cuspidata
Tecomaria capensis
Temstoemia gymnanthera
Thuja occidentalis

Thuja orientalis

Veitchia merrilli
Viburnum spp.
Weigela spp.
Xylosma congestum
Yucca filamentosa

Scientific Name

Achillea tomentosa
Agapanthus spp.
Ammonphila breviligulata
Arctotheca calendula
Armeria maritima
Asparagus densiflorus
Campanula spp.

Valley rose lily-of-the-valley
Valley valentine lily-of-the-valley
Forest flame lily-of-the-valley
Mugo-mugha pine
Green pittosporum
Japanese pittosporum
Wheeler's dwarf pittosporum
Blue cape plumbago
Plumbago
Yewpine
Tassel fern
Cinquefoil
Carolina laurel cherry
Dwarf pink flowering almond
Pyracantha
Charisma-Monruce raphiolepis
Enchantress-Moness raphiolepis
India hawthorn
Springtime-Monme raphiolepis
Roundleaf raphiolepis
Azalea/rhododendron
Africa sumac
Ramanas Rose
Rosemary
Japanese Skimmia
Reeve's skimmia
Anthony Waterer spiraea
Dolchia spiraea
Japanese alpine spiraea
Shirobana spiraea
Bridal wreath
Chinese lilac
Common lilac
Upright Japanese yew
Cape honeysuckle

American arborvitae
Emerald arborvitae
Globosa-globe arborvitae
Little giant-dwarf arborvitae
Nigra-dark American arborvitae
Pyramidalis-pyramid arborvitae
Rheingold arborvitae
Techny arborvitae
Aureus nana-dwarf golden arborvitae
Minima glauca-dwarf arborvitae
Christmas palm
Viburnum
Weigela
Xylosma
Yucca

Common Name

Wooly yarrow
Lily-of-the-nile
Beechgrass
Cape weed
Thrift
Asparagus fern
Bellflower

**Ground
Covers:**

11/13

Carex spp.
Carpobrotus edulis
Ceratostigma plumbaginoides
Cistus spp.
Coreopsis spp.
Coronilla varia
Cortaderia seiloana
Cotoneaster spp.
Delosperma alba
Descampsia caespitosa
Drosantheum floribundum
Drosantheum hispidum
Festuca ovina glauca
Fragaria chiloensis
Gazania spp.
Hakonechloa macroaureola
Hedera canariensis
Hedera helix
Hemerocallis spp.
Hemiaria glabra
Hosta lancifolia
Hypericum spp.

Jasminum nitidum
Lampranthus spectabilis
Liriope gigantea
Liriope muscari

Liriope spicata
Miscanthus sinensis
Muehlenbeckia axillaris
Myoporum laetum
Ophiopogon japonicus

Osteospermum fruticosum
Pachysandra terminalis
Pennisetum alopecuroides
Phalaris arundinacea picta
Sedum spp.
Teucrium chamaedrys
Trachelospermum asiaticum
Verbena spp.
Veronica spp.
Vinca spp.

Scientific Name

**Established
Flowers:**

Achillea spp.
Ageratum houstonianum
Alyssum spp.
Antirrhinum majus
Arctotis spp.
Artemisia stellerana
Aster spp.
Calendula officinalis
Centaurea cyanus
Centaurea gymnocarpa
Chrysanthemum spp.
Convolvulus spp.

Variegated carex
Largeleaf iceplant
Dwarf plumbago
Rockrose
Coreopsis
Crown vetch
Parrpas grass
Cotoneaster
White iceplant
Descampsia
Trailing rosea iceplant
Iceplant
Blue fescue
Strawberry beach
Gazania
Golden Hakonechloa
Algerian Ivy
English ivy
Daylily
Rupturewort
Albo-marginata hosta
Aaronsbeard
St. Johnswort
Angelwing jasmine
Trailing iceplant
white lily turf
Big blue lily turf
Lilac beauty lily turf
Magestic lily turf
Silvery sunproof lily turf
Variegated liriope lily turf
Green/creeping lily turf
Eulalia grass
Creeping wirevine
Myoporum
Dwarf mondo grass
Mondo grass
Trailing African daisy
Japanese spurge
Fountain grass
Ribbon grass
Stonecrop (sedum)
Germander
Asalan jasmine
Verbena
Speedwell
Periwinkle
Common Name
Yarrow
Floss Flower
Alyssum
Snapdragon
African daisy
Dusty miller
Aster (perennial)
Calendula
Cornflower
Velvet centaurea
Chrysanthemum
Morninqqlory

12/13

Coreopsis spp.
Cosmos spp.
Dahlia spp.
Dianthus spp.
Dimorphotheca spp.
Euphorbia marginata
Geum spp.
Gaillardia spp.
Gladiolus spp.
Gypsophila paniculata
Helianthus spp.
Impatiens balsamina
Impatiens spp.
Ixora spp.
Lathyrus odoratus
Limonium spp.
Lobelia spp.
Lobularia maritima
Lupinus spp.
Matthiola spp.
Mirabilis jalapa
Myosotis spp.
Nicotiana spp.
Papaver spp.
Petunia hybrida
Phlox spp.
Portulaca grandiflora
Rosa spp.
Rudbeckia hirta
Rudbeckia laciniata
Salvia spp.
Scabiosa spp.
Stachys spp.
Stokesia laevis
Tagetes spp.
Tropaeolum spp.
Vinca spp.
Zinnia spp.

Coreopsis
Cosmos
Dahlia
Dianthus
Marigold, cape
Snow-on-the-mountain
Geum
Gaillardia
Gladiolus
Baby's breath
Sunflower
Balsam
Impatiens
Ixora
Sweet pea
Statice
Lobelia
Sweet alyssum
Lupine
Stock
Four o'clock
Forget-me-not
Nicotiana
Poppy, California
Petunia
Phlox
Portulaca
Rose
Blackeyed Susan
Golden glow
Salvia
Pincushion flower
Lamb's ears
Stoke's aster
Marigold
Nasturtium
Vinca
Zinnia

Ornamental Bulbs

Treflan 5G may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply Treflan 5G to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. Treflan 5G may also be applied following bulb emergence. For fall planted bulbs, apply Treflan 5G again in late winter or early spring to weed-free soil surfaces.

Non-bearing fruit and Nut Trees and Non-bearing Vineyards^{1*}

Common Name

Almond
Apple
Apricot
Avocado
Blackberry
Blueberry
Boysenberry
Cherry, sour

Common Name

Kiwi
Lemon
Loganberry
Macadamia Nut
Nectarine
Olive
Orange
Peach

13/13

Cherry, sweet
Currant
Dewberry
Elderberry
Fig
Filbert
Gooseberry
Grape, American
Grape, European
Grapefruit

Pear
Pecan
Pistachio
Plum
Pomegranate
Prune
Raspberry
Walnut, black
Walnut, English

¹ Non-bearing fruit and nut trees and non-bearing vineyards are defined as plants which will not bear fruit for at least one year after treatment

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP21594/RVnot111401)

Manufactured by :
The Andersons Lawn Fertilizer Division
D/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537

Date Printed:	11/14/01
Date Approved:	5/18/00
Supersedes:	1/10/95
Label Change:	Notification – add not for turf use statement / revise warranty section
Filename:	9198-129
Labelcode	AP21594/RVnot111401