# Tee Time Treflan\* 5G

A selective, preemergence herbici	le for the control of certain anni	ual grasses and broadleaf weeds in
-----------------------------------	------------------------------------	------------------------------------

- · Landscape Ornamentals
- Ground Covers
- · Established Flowers
- · Ornamental Bulbs
- · Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Active ingredient.	
trifluralin: α,α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine	5.0%
Other Ingredients	95.0%
Total	100.0%
·	

Keep Out of Reach of Children

# **CAUTION**

Refer to back panel of bag for Precautionary Statements and Directions for Use Including STORAGE AND DISPOSAL.

Net Weight	_1bs.
Treats up to	sq. ft.

Not for turf use

ACCEPTED

MAR - 6 2003

Under the Federal Insecticide, Pungicide, and Rodenticide Act. as amended, for the posticide registered under EPA Reg. No. 9/98 -/29

EPA Reg. No. 9198-129 EPA Est. No. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-1<u>A</u> Underlined letter is first letter used in run code

\*Trademark of Dow AgroSciences LLC

#### **Precautionary Statements**

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.  Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irriation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

#### Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- · socks and shoes

**User Safety Requirements:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations:** Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

## **DIRECTIONS FOR USE**

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions of Use carefully before applying.

Not for use on plants being grown for sale or commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose of as

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### **GENERAL INFORMATION**

Treflan 5G herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-baring vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Treflan 5G does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate Treflan 5G. Optimum weed control is obtained when Treflan 5G is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, Treflan 5G may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate Treflan 5G within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of Treflan 5G granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds controlled by Treflan 5G when applied at 80lb/acre (1.8 lb/1000 sq. ft.)

# **Annual Grasses**

#### **Common Name**

barley, hare

barnyardgrass (watergrass)

bluegrass, annual

brome cheat

crabgrass

cupgrass, southwestern

fescue, rattail

foxtail

goosegrass

junglerice

łovegrass

oat, wild

panicum, fall

sandbur, field

signalgrass

sprangletop, Mexican

stink grass

witchgrass

#### **Annual Broadleaf Weeds**

#### **Common Name**

chickweed, common goosefoot, nettleleaf knotweed, prostrate

#### Scientific Name

Hordeum Leporinum

Echinochioa crus-galli

Poa annua

Bromus spp.

Bromus secalinus

Digitaria spp.

Eriochia gracilis

Vulpia myuros

Setania spp.

Eleusine indica

Echinochia colonum

Eragrostis spp.

Avena Fatua

Panicum dichotomiflorum

Cenchrus incertus

Brachiaria spp.

Leptochioa univervia

Eragrostis cilianensis

Panicum capillare

#### Scientific Name

Steliana media

Chenopodium murate

Polygonum aviculare

kochia lambsquarters, common nettle, stinging pigweed pursiane, common thistle, Russian Kochia scoparia Chenopodium album Urtica dioica Amaranthus spp. Portulaca oleracea Salsola iberica

In addition to the weeds controlled, following weeds will be partially controlled or suppressed at 80 lb/acre ( 1.8 lb/1000 sq. ft.)

Common Name carpetweed johnsongrass (from seed) panicum, Texas pulsey, Florida Shattercane

Scientific Name
Mollugo verticillata
Sorghum halepense
Panicum texanum
Richardia scabra
Sorghum bicolor

Landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Treflan 5G is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in landscape ornamentals, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information", "General Precautions and Restrictions" and "Application Directions" sections of this label for general use precautions and Information on application, application rates and weeds controlled.

#### **GENERAL PRECAUTIONS AND RESTRICTIONS**

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

**Application Restrictions**: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

To avoid possible injury, do not apply Treflan 5G to:

- cuttings that have been planted in post for the first time
- ground covers until they are established and well rooted

Do not apply Treflan 5G to newly transplanted ornamentals, ground covers, flowers and non-bearing fruit and nut treesuntil soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of Treflan 5g to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply Treflan 5G in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Users who wish to use Treflan 5G on plant species not recommended on this label may determine suitability for such uses by making trial application of Treflan 5G at a recommended rate to small number of plants. Prior to using Treflan 5G on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant

species. The user assumes responsibility for any plant damage or other liability resulting from the use of Treflan 5G on plant species not recommended on this label.

#### **APPLICATION DIRECTIONS**

Apply Treflan 5G using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first.

#### Application Techniques for applying Treflan 5G

- When using a drop-type spreader, a splash board mounted under the hopper will provide even more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the
  edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.
- A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

#### Treflan 5G May Be Used On the Following Established Plant Species

		_
	<u>Scientific Name</u>	Common Name
	Abies balsamea	Balsam fir
·	Abies concolor	White fir
	Abutilon hybridum	Albus-flowering maple
		Luteus-flowering maple
		Roseus-flowering maple
		Tangerine-flowering maple
		Vesuvius red-flowering maple
•	Acer gimmala	flame maple
	Acer platanoides	Norway maple
ı	Acer rubrum	Red maple
		Red sunset maple
,	Acer saccharinum	Silver maple
,	Acer saccharum	Sugar maple
	Areacastrum	Queen palm
,	romanzoffianum	
	Betula nigra	River birch
	Betula papyrifera	Paper birch
	Betula pendula	European white birch
	Brachychiton populneus	Bottle tree
	Bucida buceras	Black olive
•	Castanea moltissima	Chinese chestnut
•	Ceratonia siliqua	Carob
(	Cercis canadensis	Redbud
	Chamaecyparis obtusa	Filicoides-fernspray cypress
	• •	Gracilis-slender Hinoki cypress
(	Chamaecyparis pisifera	Swara false cypress
		Squarrosa-moss cypress
(		
	Chamaedorea	Palm

Chamaedorea costaricana Chamaedorea elegans

Cornus florida

Cornus kousa Crataegus virdis Cupaniopsis anacardioides Cupressus glabra

Elaeagnus angustifolia Eucalyptus camaidulensis

Eucalyptus cinerea

Eucalyptus microtheca Eucalyptus sideroxylon Ficus benjamina

Fraxinus americana Fraxinus udhei Ginko bilob

Gleditsia triacanthos

Heteromeles arbutiflora Illicium floridanum Juniperus virginiana Larix kaempferi

Liquidambar styraciflua Linodendron tulipifera Magnolia grandiflora

Malus spp. Morus alba Musa aluminata Nyssa sylvatica Oxydendrum arboreum

Picea abies

Picea glauca conica Picea glauca

Pinus aristata Pinus canariensis Pinus contorta

Pinus eldarica Pinus leucodermis

Pinus mugo

Pinus nigra Pinus radiata Pinus resinosa

Pinus taeda Pinus strobus

Pinus sylvestris

Pinus thunbergiana Platanus acerifolia Platanus occicentalis Palm Parlor palm

Cloud nine dogwood

Flowering dogwood Dogwood, kousa Green hawthorn Carrot wood Arizona cypress

Redgum eucalyptus Mealy eucalyptus

Silver dollar eucalyptus

Coolibah tree Red ironbark

Russian olive

Ficus Mini ficus White ash Shamel ash

Ginko-maidenhair tree

Honey locust

Shademaster honey locust

Tovon

Florida anise-tree Eastern red cedar Japanese larch American sweet gum

Tuliptree

Southern manonolia

Crabapple white mulberry Banana Blackgum Sourwood Norway spruce

Pendula-weeping Norway spruce Repens-spreading Norway spruce

Dwarf Alberta spruce Dwarf globe blue spruce Glauca-Colorado bluce spruce Hoopsil-Hoop's blue spruce Koster-Koster blue spruce

Bristlecone pine Canary island pine Shore pine, beach pine

Eldarica pine Bosnian pine

Purnilio-shrubby swiss mountain pine

Austrian black pine Monterey pine Red pine Lobiolly pine White pine

Columnar Scotch pine

Scotch pine

Japenese black pine London planetree American sycamore

Platanus racemosa California sycamore Podocarppus spp. **Podocarpus** Populus deltoides Cottonwood Prosopis chifensis Chilean mesquite Prunus yedoensis Yoshino flowering cherry Pseudotsuga menziesil Douglasfir Quercus coccinea Scarlet oak Quercus ilicifolia Bear oak Quercus palustris Pin oak Quercus phelfos willow oak

Quercus rubra Red oak Quercus virginiana Live oak Robinia pseudoacacia Black locust Salix spp. Willow

Sequoiadendron Giant sequoia giganteum

Swietenia mahogani Mahogany Tabebuia caraiba Yellow tab Taxodium distichum Baldcypress Tsuga canadensis Eastern hemlock Ulmus parvifolia Chinese palm

**Ornamental** Shrubs:

Scientific Name

Washingtonia robusta

Acacia abyssinica Acacia redolens Acalypha wikesiana Acer ginnala

Acer palmatum

Agave americana Astilbe chinensis Athyrium nipponimcum Baccharis pilularis

Berberis gladwynensil Berberis mentorensis

Berberis thunbergil

Bougainvillea spp.

Abelia grandiflora

Coral bark Japanese maple Dwarf Japanese maple

> Century plant False spiraea

Mexican fan palm

**Common Name** 

Abyssinica acacia

Prostrate acacia

Glossy abelia

Copper leaf

Amur maple

Edward Goucher abelia

Japanese painted fern

Covotebush

William Penn barberry

Mentor Barberry

Atropurea-redleaf Japanese barberry Aurea-golden Japanese barberry

Crimson pygmy barberry

Rose glow barberry Barbara Karst

California gold

Pink pixie Scarlet O'Hara Temple fire Texas dawn

Buxus microphylla

iaponica

Buxus microphylla

Koreana

Buxus sempervirens Callistemon citrinus Callistemon viminalis Calluna vulgaris

Korean boxwood

Japenese boxwood

Common boxwood Lemon bottiebrush Weeping bottlebrush

Spring torch scotch heather

Camellia sasanriqiua Camellia japonica Cassia artemisioides Ceanothus spp. Cephalotaxus drupacae Cerastium tomentosum Chamaecyparis obtusa spp.

Chamaecyparis pisifera Chrysalidocarpus lutescens Clethra ainifolia Cleyera Japonica Cornus aiba Cornus stolonifera

Cotinus coggygria Cotinus dammeri

Cotoneaster adpressus Cotoneaster apiculatus Cotoneaster congestus Cotoneaster dammeri Cotoneaster himalayan Cotoneaster horizontalis Cotoneaster zabelii Cycas revoluta Cytisus praecox Cytisus scoparius Daphne odora Deutzia spp. Dodonea viscosa Elaeagnus pungens Erica cinerea Erica x darleyensa Erica vagans Euonymus alatus Euonymus fortunei

Euonymus Japonica

Euonymous kiautschovica Feijoa sellowiana Forsythia spp. Gardenia jasminoides

Gaultheria shallon Gelsemium sempervirens Genista pilosa Hibiscus rosa-sinensis Hibiscus syriacus Sasanqua camellia Japanese camellia Feathery cassia Wild lilac Plum yew Snow-in-summer Kosteri cypress

Nana-dwarf Hinoki cypress Torulosa cypress Filifera-thread cypress Areca palm

Summersweet Japanese cleyera Sibirica-Siberian dogwood Baileyi red osier dogwood Flaviramea-yellowing dogwood Royal purple smoke tree Coral beauty smoke tree Eichhotz smoke tree Praecox-early cotoneaster Cranberry cotoneaster Pyrenees cotoneaster Bearberry cotoneaster Himalayan cotoneaster Rock cotoneaster Zabel cotoneaster Sago palm Hollandia-warminster broom Lena-Scotch broom Fragrant Daphne Deutzia Hopseed bush Fruitland silver berry Purple bell heather Mediterranean pink heather Cornish heather Winged euonymus Canadale gold euonymus Emerald'n gold euonymus Sunspot euonymus Wintercreeper euonymus Silver king-euonymus Variegated evergreen euonymus Spreading euonymus

Pineapple guava
Forsythia
August beauty gardenia
Gardenia
Radician gardenia
Salal/lemon leaf
Carolina jessamine
Woadwaxen
Ross Estey-hibiscus
Rose of Sharon-heart
Rose of Sharon-red bird

Rose of Sharon-woodbridge

Holly

Illicium annisatum Mystery gardenia

itea ilicifolia Henry Garnet holly leaf sweetspire

Ixora colinea **Ixora** Juniperus spp. Juniper

ilex spp.

Kalmia latifolia Mountain laurel Lagerstroemia indica Crape myrtle Lantana spp. Lantana

Leucothoe axillaris Coast Leucotheoe

Ligustrum spp. Privet

Livistona chinensis Chinese fountain palm Lonicera periclymenum Flowering woodbine Serotina woodbine

Lonicera sempervirens Trumpet honeysuckle Mahonia bealei Leather leaf Mahonia Mahonia repens Creeping mahonia Myrica cerifera Wax myrtle

Nandina domestica Compata-dwarf heavenly bamboo Harbour dwarf-heavenly bamboo

Heavenly bamboo

Nana compacta-heavenly bamboo Nana purpurea-heavenly bamboo Woods dwarf heavenly bamboo

Hardy red oleander Nerium oleander

Oleander

Ruby lace oleander Fortunes osmanthus

Osmanthus fortunei Philadelphus spp. Mockorange Phoenix roeloelenii Pigmy date palm Photinia fraseri Fraser's photinia Pieris japonica Japanese andromeda

Mountain fire lily-of-the-valley Snowdrift lily-of-the-valley Templebells lily-of-the-valley Valley rose lily-of-the-valley Valley valentine lily-of-the-valley

Pieris janonica x forestii Forest flame lily-of-the-valley

Pinus mugo Mugo-mugha pine Pittosporum tobira Green pittosporum Japanese pittosporum Wheeler's dwarf pittosporum

Plumbago ariculata Blue cape plumbago

Plumbago Plumbago capensis Podocarpus macrophilus Yewpine Polystichum

Tassel fern polyblepharum Potentilla spp. Cinquefoil

Prunus caroliniana Carolina laurel cherry Prunus gladulosa Dwarf pink flowering almond Pyracantha Pyracantha spp.

Charisma-Monruce rhaphiolepis Rhaphiolepis indica Enchantress-Moness rhapiolepis

India hawthorn

Springtime-Monme rhaphiolepis

Roundleaf rhaphiolepis Rhaphiolepis ovata Azalea/rhododendron Rhododendron spp.

Rhus lancea Rosa rugosa Rosmarinus officinalis

Skimmia japonica Skimmia revesiana Spiraea Bumaida Spiraea japonica

Africa sumac Ramanas Rose Rosemary

Japanese Skimmia Reeve's skimmia Anthony Waterer spiraea

Dolchia spiraea

Japanese alpine spiraea

Shirobana spiraea Bridal wreath

Spiraea vanhouttil Syringa rothomagensis Chinese lilac Syringa vulgaris Common tilac Taxus cuspidata Upright Japanese yew

Tecomaria capensis Cape honeysuckie Temstoemia gymnanthera

Thuia occidentalis

American arborvitae Emerald arborvitae Globosa-giobe arborvitae Little giant-dwarf arborvitae Nigra-dark American arborvitae Pyramidalis-pyramid arborvitae

Rheingold arborvitae Techny arborvitae

Thuia orientalis

Aureus nana-dwarf golden arborvitae

Minima glauca-dwarf arborvitae

Veitchia merrilli Christmas palm Viburnum spp. Viburnum Weigela spp. Weigela Xylosma congestum Xvlosma Yucca filamentosa Yucca

#### **Ground Covers:**

Scientific Name Achillea tomentosa Agapanthus spp.

Ammonphila breviligulata Arctotheca calendula Armeria maritima

Asparagus densiflorus

Campanula spp. Carex spp.

Carpobrotus edulis Ceratostigma plumbaginoides

Cistus spp. Coreopsis spp. Coronilia varia Cortaderia seiloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosantemum floribundum

Drosantheumum hispidum Festuca ovina glauca Fragaria chiloensis

Gazania spp. Hakonechioa

macroaureola

#### **Common Name**

Wooly yarrow Lily-of-the-nile Beechgrass Cape weed

Thrift

Asparagus fern Bellflower Variegated carex Largeleaf iceplant Dwarf plumbago

Rockrose Coreopsis Crown vetch Parrpas grass Cotoneaster White iceplant Descampsia

Trailing rosea iceplant

Iceplant Blue fescue Strawberry beach Gazania

Golden Hakonechioa

Hedera canariensis Hedera helix Hemerocallis spp. Hemiaria glabra Hosta lancifoila Hypericum spp.

Jasminum nitidum Lampranthus spectabilis Liriope gigantea Liriope muscari

Liriope spicata
Miscanthus sinensis
Muehlenbeckia axillaris
Myoporum laetum
Ophiopogon japonicus

Osteospermum fruticosum Pachysandra terminalis Pennisetum alopecuroides Phalaris arundinacea picta Sedum spp.
Teucrium chamaedrys Trachelospermum asiaticum Verbena spp.
Veronica spp.
Vinca spp.
Scientific Name
Achillea spp.

Ageratum houstonianum

Alyssum spp. Antirrhinum majus

Arctotis spp.

Artemisis stellerana

Aster spp.

Calendula officianalis Centaurea cyanus Centaurea gymnocarpa Chrysanthemum spp.

Convolvulus spp. Coreopsis spp. Cosmos spp. Dahlia spp.

Dimorphotheca spp. Euphorbia marginata

Euphorbia marginata Geum spp.

Gaillardia spp. Gladiolus spp.

Dianthus spp.

Gypsophila paniculata

Helianthus spp.

Algerian Ivy English ivy Daylilly Rupturewort

Albo-marginata hosta

Aaronsbeard
St. Johnswort
Angelwing jasmine
Trailing iceplant
white lily turf
Big blue lily turf
Lilac beauty lily turf

Magestic lily turf Silvery sunproof lily turf Variegated liriope lily turf

Green/creeping lily turf Eulalia grass Creeping wirevine

Myoporum

Dwarf mondo grass

Mondo grass

Trailing African daisy Japanese spurge Fountain grass Ribbon grass Stonecrop (sedum)

Germander Asalan jasmine

Verbena Speedwell Periwinkle

# Common Name

Yarrow Floss Flower Alvssum Snapdragon African daisey **Dusty miller** Aster (perennial) Calendula Cornflower Velvet centaurea Chrysanthemum Morningglory Coreopsis Cosmos Dahlia Dianthus

Marigold, cape Snow-on-the-mountain

Geum
Gaillardia
Gladiolus
Baby's breath
Sunflower

# Established Flowers:

Impatiens balsamina Impatiens spp. Ixora spp. Lathyrus odoratus Limonium spp. Lobelia spp. Lobularia maritima

Lupinus spp.

Matthiola spp. Mirabilis jalapa Myosotis app. Nicotiana spp. Papaver spp.

Petunia hybrida

Phiox spp. Portulaca grandiflora

Rosa sop. Rudbeckia hirta Rudbeckia laciniata

Salvia spp. Scabiosa spp.

Stachy's spp. Stokesia laevis Tagetes spp. Tropaeolum spp. Vinca spp. Zinnea spp.

Balsam Impatiens Ixora Sweet pea Statice Lobelia

Sweet alyssum

Lupine Stock Four o'clock Forget-me-not Nicotiana

Poppy, California

Petunia Phiox Portulaca Rose

Blackeyed Susan Golden glow

Salvia

Pincushion flower Lamb's ears Stoke's aster Marigold Nasturtium Vinca

Zinnia

#### **Ornamental Bulbs**

Treflan 5G may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply Treflan 5G to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. Treflan 5G may also be applied following bulb emergence. For fall planted bulbs, apply Treflan 5G again in late winter or early spring to weed-free soil surfaces.

# Non-bearing fruit and Nut Trees and Non-bearing Vineyards 1.

<u>Common Name</u>	<u>Common Name</u>
Almond	Kiwi
Apple	Lemon
Apricot	Loganberry
Avocado	Macadamia Nut
Blackberry	Nectarine
Blueberry	Olive
Boysenberry	Orange
Cherry, sour	Peach
Cherry, sweet	Pear
Currant	Pecan
Dewberry	Pistachio
Elderberry	Plum
Fig	Pomegranate
Filbert	Prune
Gooseberry	Raspberry

Grape, American Grape, European Walnut, black Walnut, English

Grapefruit

<sup>1</sup> Non-bearing fuit and nut trees and non-bearing vineyards are defined as plants which will not bear fruit for at least one year after treatment

#### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

## WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

#### **LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVamd112502)

Manufactured by : The Andersons Lawn Fertilizer Division D/b/a Free Flow Fertilizer PO Box 119

Maumee, OH 43537

Date Printed:	11/25/02
Date Approved:	
Supersedes:	5/18/00
Label Change:	Amendment - first aid
Filename:	9198-129
Labelcode	RVamd112502