

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 1 2 2008

Ms. Debbie Ziehr Product Registration The Andersons Lawn Fert. Div., Inc PO Box 119 Maumee, OH 43537

SUBJECT: Application

Application for Pesticide Notification (PRN 98-10)

Request Revised Warranty Statement

EPA Reg. No. 9198-129

Application Dated November 13, 2008

Dear Ms Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 11/13/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse before completing form.

	Registration
	Amendment
1	Othor

United States Environmental Protection Washington, DC 2046	<u> </u>	Registration Amendmen	ì	
		✓ Other		
	for Pesticide - Section			
1. Company/Product Number 9198-129	2. EPA Product Manag Miller	2. EPA Product Manager Miller None Restrict Restrict A None		
4. Company/Product (Name) Tee Time Treflan* 5G	PM# 23			
5. Name and Address of Applicant (Include ZIP Code)			with FIFRA Section 3(c)(3)	
The Andersons Lawn Fert. Div. Inc. d/b/a Free Flow Fer PO Box 119 Maumee, OH 43537	to:	DEC 1 2 20	10Mnposition and labeling	
Check if this is a new address	Product Name	·		
	Section - II			
Amendment - Explain below. Resubmission in response to Agency letter dated	Final printed Agency letter "Me Too" Ap			
Notification - Explain below.	Other - Explai			
Explanation: Use additional page(s) if necessary. (For section I	and Section II.)			
Notification of Label change per PR Notice 98-10: Revised warranty per EPA gu	uidance. See cover letter for details			
this notification is consistent with the guidance of PR Notice 98-10 and the requirent made to the labeling or the confidential statement of formula of this product EPA. I further understand that if this notification is not consistent with the guidar be in violation of FIFRA and I may be subject to enforcement action and penaltic	ct. I understand that it is a violation of nce of PR Notice 98-10 and the require	18 U.S.C. Sec. 1001 to will rements of 40 CFR 156.10	llfully make any false statement to	
	Section - III			
1. Material This Product Will Be Packaged In:				
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Cont	tainer	
Yes	Yes	 	etal estic	
No No	No	Gle	888	
* Certification must be submitted If "Yes" No. per container	If "Yes" No. per Peckage wgt container			
3. Location of Net Contents Information 4. Size(s) Retail Label Container	Container 5	5. Location of Label Di		
6. Manner in Which Label is Affixed to Product Lithograp Paper dis Stenciles	ph Other ued d			
Section - IV				
1. Contact Point (Complete items directly below for identification	of individual to be contacted, if	necessary, to proces	s this application.)	
	itle Regulatory Administrator	Telephone No (Include Area tory Administrator 419-891-6671)		
Certification	on	ς υς ε t	C O Date Application	
I certify that the statements I have made on this form and all acknowledge that any knowlingly false or misleading states both under applicable law.	ll attachments thereto are true,	e or imprisonment or ,	ငင္ (Stainped)	
2. Signature 3.	Title			
Debbie Ziehr	Regulatory Administrator	i. (
4. Typed Name 5.	Date	•	(((
Debbie Ziehr	11/13/08		t (t	



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

November 13, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT:

Tee Time Treflan* 5G EPA Reg. No. 9198-129

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. A copy of the revised labeling is enclosed with the additions underlined and marked in blue and deletions marked in red strikeout.

We are proposing to revise the warranty statement per Agency's Guidance on Warranty Statements, dated October 10, 2006.

Previous warranty:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

Revised warranty:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr

Regulatory Administrator Phone: 419-897-6671 Fax: 419-891-2745

Email: debbie_ziehr@andersonsinc.com

Enclosures

Tee Time Treflan* 5G

A selective, preemergence herbicide for the control of certain annual grasses and broadleaf weeds in:

- Landscape Ornamentals
- Ground Covers
- Established Flowers
- Ornamental Bulbs
- Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Active Ingredient: $trifluralin: \alpha,\alpha,\alpha-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine \\ Other Ingredients \\ Total$	5.0% <u>95.0%</u> 100.0%	
Keep Out of Reach of Children		
CAUTION		
Refer to back panel of bag for Precautionary Statements and Directions for Use Including STORAGE AND DISPOSAL.		NOTIFICATION DEC 1 2 2008
Net Weight1bs.		
Treats up tosq. ft.		
Not for turf use		

EPA Reg. No. 9198-129 EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-1A Underlined letter is first letter used in run code

*Trademark of Dow AgroSciences LLC

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if	
present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.	
Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
inhaled Call a poison control center or doctor for treatment advice. Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.	

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- socks and shoes

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions of Use carefully before applying.

Not for use on plants being grown for sale or commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at antapproved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bág in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smokes

GENERAL INFORMATION

Treflan 5G herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, nonbearing fruit and nut trees and non-baring vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Treflan 5G does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate Treflan 5G. Optimum weed control is obtained when Treflan 5G is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, Treflan 5G may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate Treflan 5G within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of Treflan 5G granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds controlled by Treflan 5G when applied at 80lb/acre (1.8 lb/1000 sq. ft.)

Annual Grasses

Common Name

barley, hare

barnyardgrass (watergrass)

bluegrass, annual

brome cheat crabgrass

cupgrass, southwestern

fescue, rattail

foxtail goosegrass junglerice lovegrass oat, wild panicum, fall sandbur, field signalgrass

sprangletop, Mexican

stink grass witchgrass

Scientific Name

Hordeum Leporinum Echinochioa crus-galli

Poa annua Bromus spp. Bromus secalinus Digitaria spp. Eriochia gracilis Vulpia myuros Setania spp. Eleusine indica

Echinochia colonum Eragrostis spp. Avena Fatua

Panicum dichotomiflorum

Cenchrus incertus Brachiaria spp. Leptochioa univervia Eragrostis cilianensis Panicum capillare

Annual Broadleaf Weeds

Common Name chickweed, common

goosefoot, nettleleaf knotweed, prostrate

kochia

lambsquarters, common

nettle, stinging piaweed

pursiane, common thistle, Russian

Scientific Name

Salsola iberica

Steliana media Chenopodium murate Polygonum aviculare Kochia scoparia Chenopodium album Urtica dioica Amaranthus spp. Portulaca oleracea

In addition to the weeds controlled, following weeds will be partially controlled or suppressed at 80 lb/acre (1.8 lb/1000 sq. ft.)

Common Name

carpetweed johnsongrass (from seed) panicum, Texas

pulsey, Florida Shattercane Scientific Name

Mollugo verticillata Sorghum halepense Panicum texanum Richardia scabra

Sorahum bicolor

Landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Treflan 5G is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in landscape ornamentals, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information", "General Precautions and Restrictions" and "Application Directions" sections of this label for general use precautions and information on application, application rates and weeds controlled.

GENERAL PRECAUTIONS AND RESTRICTIONS

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

To avoid possible injury, do not apply Treflan 5G to:

- · cuttings that have been planted in post for the first time
- · ground covers until they are established and well rooted

Do not apply Treflan 5G to newly transplanted ornamentals, ground covers, flowers and non-bearing fruit and nut treesuntil soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of Treflan 5g to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply Treflan 5G in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Users who wish to use Treflan 5G on plant species not recommended on this label may determine suitability for such uses by making trial application of Treflan 5G at a recommended rate to small number of plants. Prior to using Treflan 5G on a larger number of plants, the treated plants should be observed for signs of herbicidal injury outing 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. The user assumes responsibility for any plant damage or other liability resulting from the use of Tréflan & on plant species not recommended on this label.

APPLICATION DIRECTIONS

Apply Treflan 5G using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be

achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first.

Application Techniques for applying Treflan 5G

Eucalyptus sideroxylon

- When using a drop-type spreader, a splash board mounted under the hopper will provide even more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.
- A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

Treflan 5G May Be Used On the Following Established Plant Species

	· ·	•		
	Scientific Name	Common Name		
Trees	Abies balsamea	Balsam fir		
	Abies concolor	White fir		,
	Abutilon hybridum	Albus-flowering maple		
	•	Luteus-flowering maple		
		Roseus-flowering maple		
	v	Tangerine-flowering maple		
		Vesuvius red-flowering maple		
	Acer gimmala	flame maple		
	Acer platanoides	Norway maple		•
	Acer rubrum	Red maple		÷
		Red sunset maple		
	Acer saccharinum	Silver maple		
	Acer saccharum	Sugar maple		
•	Areacastrum romanzoffianum	Queen palm		
	Betula nigra	River birch		
	Betula papyrifera	Paper birch		•
	Betula pendula	European white birch		•
	Brachychiton populneus	Bottle tree		
	Bucida buceras	Black olive		
**	Castanea moltissima	Chinese chestnut		
	Ceratonia siliqua	Carob		
•	Cercis canadensis	Redbud ·		
•	Chamaecyparis obtusa	Filicoides-fernspray cypress		
		Gracilis-slender Hinoki cypress		
	Chamaecyparis pisifera	Swara false cypress		
		Squarrosa-moss cypress		
	Chamaedorea cataractarum	Palm		
	Chamaedorea costaricana	Palm		ann in
	Chamaedorea elegans	Parlor palm	•	•
	Cornus florida	Cloud nine dogwood	4 (1.4-11)	annin
		Flowering dogwood		
	Cornus kousa	Dogwood, kousa	•	
	Crataegus virdis	Green hawthorn	441344 3734	4000000
*	Cupaniopsis anacardioides	Carrot wood	, , , , ,	
	Cupressus glabra	Arizona cypress	anan	
	Elaeagnus angustifolia	Russian olive	. :	•
	Eucalyptus camaidulensis	Redgum eucalyptus	1561-169	4(111)
	Eucalyptus cinerea	Mealy eucalyptus	•	
		Silver dollar eucalyptus		
	Eucalyptus microtheca	Coolibah tree		
		5		

Red ironbark

Cotoneaster zabelii
Cycas revoluta
Cytisus praecox
Cytisus scoparius
Daphne odora
Deutzia spp.
Dodonea viscosa
Elaeagnus pungens
Erica cinerea
Erica x darleyensa
Erica vagans
Euonymus alatus

Euonymus Japonica

Euonymus fortunei

Euonymous kiautschovica Feijoa sellowiana Forsythia spp. Gardenia jasminoides

Gaultheria shallon Gelsemium sempervirens Genista pilosa Hibiscus rosa-sinensis Hibiscus syriacus

ilex spp.
Illicium annisatum
itea ilicifolia
Ixora colinea
Juniperus spp.
Kalmia latifolia
Lagerstroemia indica
Lantana spp.
Leucothoe axillaris
Ligustrum spp.
Livistona chinensis
Lonicera periclymenum

Lonicera sempervirens Mahonia bealei
Mahonia repens
Myrica cerifera
Nandina domestica

Nerium oleander

Osmanthus fortunei Philadelphus spp. Phoenix roeloelenii Photinia fraseri Zabel cotoneaster

Sago palm

Hollandia-warminster broom

Lena-Scotch broom Fragrant Daphne

Deutzia

Hopseed bush Fruitland silver berry Purple bell heather

Mediterranean pink heather

Cornish heather
Winged euonymus
Canadale gold euonymus
Emerald'n gold euonymus
Sunspot euonymus
Wintercreeper euonymus
Silver king-euonymus

Variegated evergreen euonymus

Spreading euonymus Pineapple guava

Forsythia

August beauty gardenia

Gardenia

Radician gardenia Salal/lemon leaf Carolina jessamine Woadwaxen

Ross Estey-hibiscus Rose of Sharon-heart Rose of Sharon-red bird Rose of Sharon-woodbridge

Holly

Mystery gardenia

Henry Garnet holly leaf sweetspire

Ixora Juniper Mountain laurel Crape myrtle Lantana

Coast Leucotheoe

Privet

Chinese fountain palm Flowering woodbine Serotina woodbine Trumpet honeysuckle Leather leaf Mahonia Creeping mahonia

Wax myrtle

Compata-dwarf heavenly bamboo Harbour dwarf-heavenly bamboo Heavenly bamboo Nana compacta-heavenly bamboo

Nana compacta-heavenly bamboo Nana purpurea-heavenly bamboo Woods dwarf heavenly bamboo

Hardy red oleander

Oleander

Ruby lace oleander Fortunes osmanthus

Mockorange Pigmy date palm Fraser's photinia Pieris janonica x forestii Pinus mugo Pittosporum tobira

Plumbago ariculata
Plumbago capensis
Podocarpus macrophilus
Polystichum polyblepharum
Potentilla spp.
Prunus caroliniana
Prunus gladulosa
Pyracantha spp.
Rhaphiolepis indica

Rhaphiolepis ovata Rhododendron spp. Rhus lancea Rosa rugosa Rosmarinus officinalis Skimmia japonica Skimmia revesiana Spiraea Bumaida Spiraea japonica

Spiraea vanhouttil Syringa rothomagensis Syringa vulgaris Taxus cuspidata Tecomaria capensis Temstoemia gymnanthera Thuja occidentalis

Thuja orientalis

Veitchia merrilli Viburnum spp. Weigela spp. Xylosma congestum Yucca filamentosa

Scientific Name Achillea tomentos

Ground Covers:

Achillea tomentosa
Agapanthus spp.
Ammonphila breviligulata

Japanese andromeda' Mountain fire lily-of-the-valley Snowdrift lily-of-the-vallev Templebells lily-of-the-valley Valley rose lily-of-the-valley Valley valentine lily-of-the-valley Forest flame lily-of-the-valley Mugo-mugha pine Green pittosporum Japanese pittosporum Wheeler's dwarf pittosporum Blue cape plumbago Plumbago Yewpine Tassel fern Cinquefoil Carolina laurel cherry Dwarf pink flowering almond Pvracantha Charisma-Monruce rhaphiolepis Enchantress-Moness rhapiolepis India hawthorn Springtime-Monme rhaphiolepis Roundleaf rhaphiolepis

Azalea/rhododendron
Africa sumac
Ramanas Rose
Rosemary
Japanese Skimmia
Reeve's skimmia
Anthony Waterer spiraea
Dolchia spiraea
Japanese alpine spiraea
Shirobana spiraea
Bridal wreath
Chinese lilac
Common lilac
Upright Japanese yew
Cape honeysuckle

American arborvitae
Emerald arborvitae
Globosa-giobe arborvitae
Little giant-dwarf arborvitae
Nigra-dark American arborvitae
Pyramidalis-pyramid arborvitae
Rheingold arborvitae
Techny arborvitae
Aureus nana-dwarf golden arborvitae
Minima glauca-dwarf arborvitae
Christmas palm
Viburnum
Weigela
Xylosma
Yucca

Common Name

Wooly yarrow Lily-of-the-nile Beechgrass Arctotheca calendula Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilia varia Cortaderia seiloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosantemum floribundum Drosantheumum hispidum Festuca ovina glauca Fragaria chiloensis Gazania spp. Hakonechioa macroaureola Hedera canariensis Hedera helix Hemerocallis spp. Hemiaria glabra Hosta lancifoila Hypericum spp.

Jasminum nitidum Lampranthus spectabilis Liriope gigantea Liriope muscari

Liriope spicata Miscanthus sinensis Muehlenbeckia axillaris Myoporum laetum Ophiopogon japonicus

Osteospermum fruticosum Pachysandra terminalis Pennisetum alopecuroides Phalaris arundinacea picta Sedum spp. Teucrium chamaedrys Trachelospermum asiaticum Verbena spp. Veronica spp. Vinca spp.

Established Flowers:

Scientific Name Achillea spp. Ageratum houstonianum Alvssum spp. Antirrhinum majus Arctotis spp. Artemisis stellerana Aster spp.

Calendula officianalis

Cape weed Thrift Asparagus fern Bellflower Variegated carex Largeleaf iceplant

Dwarf plumbago Rockrose Coreopsis Crown vetch Parrpas grass Cotoneaster White iceplant Descampsia

Trailing rosea iceplant

Iceplant Blue fescue Strawberry beach Gazania

Golden Hakonechioa

Algerian Ivv English ivy Daylilly Rupturewort

Albo-marginata hosta

Aaronsbeard St. Johnswort Angelwing jasmine Trailing iceplant white lily turf Big blue lily turf Lilac beauty lily turf Magestic lily turf Silvery sunproof lily turf Variegated liriope lily turf Green/creeping lily turf Eulalia grass

Creeping wirevine Myoporum Dwarf mondo grass Mondo grass Trailing African daisy Japanese spurge Fountain grass Ribbon grass Stonecrop (sedum)

Germander Asalan jasmine Verbena Speedwell Periwinkle

Common Name

Yarrow Floss Flower Alvssum Snapdragon African daisey Dusty miller Aster (perennial) Calendula

Centaurea cyanus
Centaurea gymnocarpa
Chrysanthemum spp.
Convolvulus spp.
Coreopsis spp.
Cosmos spp.
Dahlia spp.
Dianthus spp.
Dimorphotheca spp.
Euphorbia marginata

Geum spp. Gaillardia spp. Gladiolus spp.

Gypsophila paniculata

Helianthus spp. Impatiens balsamina Impatiens spp.

Ixora spp.

Lathyrus odoratus Limonium spp. Lobelia spp. Lobularia maritima Lupinus spp. Matthiola spp. Mirabilis jalapa Myosotis app. Nicotiana spp. Papaver spp. Petunia hybrida

Portulaca grandiflora

Phiox spp.

Rosa spp. Rudbeckia hirta Rudbeckia laciniata

Salvia spp.
Scabiosa spp.
Stachy's spp.
Stokesia laevis
Tagetes spp.
Tropaeolum spp.
Vinca spp.
Zinnea spp.

Cornflower
Velvet centaurea
Chrysanthemum
Morningglory
Coreopsis
Cosmos
Dahlia
Dianthus
Marigold, cape

Snow-on-the-mountain

Gaillardia
Gladiolus
Baby's breath
Sunflower
Balsam
Impatiens
Ixora
Sweet pea
Statice
Lobelia

Sweet alyssum

Lupine Stock

Four o'clock Forget-me-not Nicotiana

Poppy, California

Petunia Phiox Portulaca Rose

Blackeyed Susan Golden glow

Salvia

Pincushion flower Lamb's ears Stoke's aster Marigold Nasturtium Vinca Zinnia

Ornamental Bulbs

Treflan 5G may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply Treflan 5G to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. Treflan 5G may also be applied following bulb emergence. For fall planted bulbs, apply Treflan 5G again in late winter or early spring to weed-free soil surfaces.

Non-bearing fruit and Nut Trees and Non-bearing Vineyards 1.

Common NameCommon NameAlmondKiwiAppleLemonApricotLoganberryAvocadoMacadamia Nut

Blackberry Blueberry Boysenberry Cherry, sour

Cherry, sweet
Currant
Dewberry
Elderberry

Fig Filbert Gooseberry

Grape, American Grape, European Grapefruit Nectarine

Olive Orange Peach Pear

Pecan Pistachio

Plum Pomegranate

Prune Raspberry

Walnut, black Walnut, English NOTIFICATION

DEC 1 2 2008

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVamd112502)

Manufactured by:
The Andersons Lawn Fertilizer Division
D/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537

Date Printed:	11/25/02	
Date Approved:	3/6/03	
Supersedes:	5/18/00	•
Label Change:	Amendment – first aid	
Filename:	9198-129	
Labelcode	RVamd112502	

¹ Non-bearing fuit and nut trees and non-bearing vineyards are defined as plants which will not bear fruit for at least one year after treatment