

9198-129

1/15/2009

10 of 15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms Debbie Ziehr
The Andersons, Inc
P.O.BOX 119
Maumee, Ohio 43537

JAN 15 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated November 13, 2008 for:

EPA Registration 9198-129 Tee TimeTreflan* 5G

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2015

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-129	2. EPA Product Manager Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Tee Time Treflan* 5G	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. _____ Product Name _____ JAN 15 2009	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Label changes per PR Notice 2007-4

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input checked="" type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 40 - 1,000 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph Paper glued Stenciled		<input checked="" type="checkbox"/> Other Pocket	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Debbie Ziehr		Title Regulatory Administrator		Telephone No. (Include Area Code) 419-891-6671	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 			3. Title Regulatory Administrator		
4. Typed Name Debbie Ziehr		5. Date 1/7/09			



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

November 13, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE: Notification of Minor Label Change

SUBJECT: Tee Time Treflan* 5G
EPA Reg. No. 9198-129

Per PR Notice 2007-4 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. A copy of the revised labeling is enclosed with the additions underlined and marked in blue.

As consistent with the guidance in PR Notice 2007-4, "Labeling Revisions Required by the Final Rule 'Pesticide Management and Disposal; Standards for Pesticide Containers and Containment", we have added the following statements to our Storage and Disposal section: "Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available."


If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr
Regulatory Administrator
Phone: 419-891-6671
Fax: 419-891-2745
Email: debbie_ziehr@andersonsinc.com

Enclosures



Tee Time Treflan* 5G

A selective, preemergence herbicide for the control of certain annual grasses and broadleaf weeds in:

- Landscape Ornamentals
- Ground Covers
- Established Flowers
- Ornamental Bulbs
- Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Active Ingredient:	
trifluralin: α,α,α -trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine	5.0%
Other Ingredients	<u>95.0%</u>
Total	100.0%

Keep Out of Reach of Children

CAUTION

Refer to back panel of bag for Precautionary Statements and Directions for Use including STORAGE AND DISPOSAL.

NOTIFICATION

JAN 15 2009


Net Weight ____ 1bs.

Treats up to ____ sq. ft.

Not for turf use

EPA Reg. No. 9198-129
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-1A
Underlined letter is first letter used in run code

*Trademark of Dow AgroSciences LLC



PRECAUTIONARY STATEMENTS

FIRST AID	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- socks and shoes

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions of Use carefully before applying.

Not for use on plants being grown for sale or commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage or disposal.
Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose of as waste.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

6015

GENERAL INFORMATION

Treflan 5G herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Treflan 5G does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate Treflan 5G. Optimum weed control is obtained when Treflan 5G is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, Treflan 5G may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate Treflan 5G within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of Treflan 5G granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds controlled by Treflan 5G when applied at 80lb/acre (1.8 lb/1000 sq. ft.)**Annual Grasses**

Common Name	Scientific Name
barley, hare	Hordeum Leporinum
barnyardgrass (watergrass)	Echinochloa crus-galli
bluegrass, annual	Poa annua
brome	Bromus spp.
cheat	Bromus secalinus
crabgrass	Digitaria spp.
cupgrass, southwestern	Eriochia gracilis
fescue, rattail	Vulpia myuros
foxtail	Setaria spp.
goosegrass	Eleusine indica
jungrass	Echinochloa colonum
lovegrass	Eragrostis spp.
oat, wild	Avena Fatua
panicum, fall	Panicum dichotomiflorum
sandbur, field	Cenchrus incertus
signalgrass	Brachiaria spp.
sprangletop, Mexican	Leptochloa univervia
stink grass	Eragrostis cilianensis
witchgrass	Panicum capillare

Annual Broadleaf Weeds

Common Name	Scientific Name
chickweed, common	Stellaria media
goosefoot, nettleleaf	Chenopodium murale
knotweed, prostrate	Polygonum aviculare
kochia	Kochia scoparia
lambquarters, common	Chenopodium album
nettle, stinging	Urtica dioica
pigweed	Amaranthus spp.
purslane, common	Portulaca oleracea
thistle, Russian	Salsola iberica

70415

In addition to the weeds controlled, following weeds will be partially controlled or suppressed at 80 lb/acre (1.8 lb/1000 sq. ft.)

Common Name	Scientific Name
carpetweed	Mollugo verticillata
johnsongrass (from seed)	Sorghum halepense
panicum, Texas	Panicum texanum
pulsey, Florida	Richardia scabra
Shattercane	Sorghum bicolor

Landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

Treflan 5G is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in landscape ornamentals, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply Treflan 5G before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information", "General Precautions and Restrictions" and "Application Directions" sections of this label for general use precautions and information on application, application rates and weeds controlled.

GENERAL PRECAUTIONS AND RESTRICTIONS

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

To avoid possible injury, do not apply Treflan 5G to:

- cuttings that have been planted in post for the first time
- ground covers until they are established and well rooted

Do not apply Treflan 5G to newly transplanted ornamentals, ground covers, flowers and non-bearing fruit and nut trees until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of Treflan 5g to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply Treflan 5G in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of Treflan 5G. Do not apply over 240 pounds per acre total of Treflan 5G within a 12 month period.

Users who wish to use Treflan 5G on plant species not recommended on this label may determine suitability for such uses by making trial application of Treflan 5G at a recommended rate to small number of plants. Prior to using Treflan 5G on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. **The user assumes responsibility for any plant damage or other liability resulting from the use of Treflan 5G on plant species not recommended on this label.**

APPLICATION DIRECTIONS

Apply Treflan 5G using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be

80415

achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first.

Application Techniques for applying Treflan 5G

- When using a drop-type spreader, a splash board mounted under the hopper will provide even more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.
- A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

Treflan 5G May Be Used On the Following Established Plant Species

Trees	<u>Scientific Name</u>	<u>Common Name</u>
	Abies balsamea	Balsam fir
	Abies concolor	White fir
	Abutilon hybridum	Albus-flowering maple
		Luteus-flowering maple
		Roseus-flowering maple
		Tangerine-flowering maple
		Vesuvius red-flowering maple
	Acer ginnala	flame maple
	Acer platanoides	Norway maple
	Acer rubrum	Red maple
		Red sunset maple
	Acer saccharinum	Silver maple
	Acer saccharum	Sugar maple
	Areacastrum romanzoffianum	Queen palm
	Betula nigra	River birch
	Betula papyrifera	Paper birch
	Betula pendula	European white birch
	Brachychiton populneus	Bottle tree
	Bucida buceras	Black olive
	Castanea moltissima	Chinese chestnut
	Ceratonia siliqua	Carob
	Cercis canadensis	Redbud
	Chamaecyparis obtusa	Filicoides-fernspray cypress
		Gracilis-slender Hinoki cypress
	Chamaecyparis pisifera	Swara false cypress
		Squarrosa-moss cypress
	Chamaedorea cataractarum	Palm
	Chamaedorea costaricana	Palm
	Chamaedorea elegans	Parlor palm
	Cornus florida	Cloud nine dogwood
		Flowering dogwood
	Cornus kousa	Dogwood, kousa
	Crataegus viridis	Green hawthorn
	Cupaniopsis anacardioides	Carrot wood
	Cupressus glabra	Arizona cypress
	Elaeagnus angustifolia	Russian olive
	Eucalyptus camaidulensis	Redgum eucalyptus
	Eucalyptus cinerea	Mealy eucalyptus
		Silver dollar eucalyptus
	Eucalyptus microtheca	Coolibah tree
	Eucalyptus sideroxylon	Red ironbark

9/2/15

Ficus benamina	Ficus	
Fraxinus americana	Mini ficus	
Fraxinus udhei	White ash	
Ginko bilob	Shamel ash	
Gleditsia triacanthos	Ginko-maidenhair tree	
Heteromeles arbutiflora	Honey locust	
Illicium floridanum	Shademaster honey locust	
Juniperus virginiana	Toyon	
Larix kaempferi	Florida anise-tree	
Liquidambar styraciflua	Eastern red cedar	
Linodendron tulipifera	Japanese larch	
Magnolia grandiflora	American sweet gum	
Malus spp.	Tuliptree	
Morus alba	Southern mangnolia	
Musa aluminata	Crabapple	
Nyssa sylvatica	white mulberry	
Oxydendrum arboreum	Banana	
Picea abies	Blackgum	
Picea glauca conica	Sourwood	
Picea glauca	Norway spruce	
Pinus aristata	Pendula-weeping Norway spruce	
Pinus canariensis	Repens-spreading Norway spruce	
Pinus contorta	Dwarf Alberta spruce	
Pinus eldarica	Dwarf globe blue spruce	
Pinus leucodermis	Glaucu-Colorado bluce spruce	
Pinus mugo	Hoopsil-Hoop's blue spruce	
Pinus nigra	Koster-Koster blue spruce	
Pinus radiata	Bristlecone pine	
Pinus resinosa	Canary island pine	
Pinus taeda	Shore pine, beach pine	
Pinus strobus	Eldarica pine	
Pinus sylvestris	Bosnian pine	
Pinus thunbergiana	Purnilio-shrubby swiss mountain pine	
Platanus acerifolia	Austrian black pine	
Platanus occientalis	Monterey pine	
Platanus racemosa	Red pine	
Podocarpus spp.	Lobiolly pine	
Populus deltoides	White pine	
Prosopis chifensis	Columnar Scotch pine	
Prunus yedoensis	Scotch pine	
Pseudotsuga menziesil	Japanese black pine	
Quercus coccinea	London planetree	
Quercus ilicifolia	American sycamore	
Quercus palustris	California sycamore	
Quercus phelfos	Podocarpus	
Quercus rubra	Cottonwood	
Quercus virginiana	Chilean mesquite	
Robinia pseudoacacia	Yoshino flowering cherry	
Salix spp.	Douglasfir	
Sequoiadendron giganteum	Scarlet oak	
Swietenia mahogani	Bear oak	
Tabebuia caraiba	Pin oak	
Taxodium distichum	willow oak	
	Red oak	
	Live oak	
	Black locust	
	Willow	
	Giant sequoia	
	Mahogany	
	Yellow tab	
	Baldcypress	

10015

Tsuga canadensis
Ulmus parvifolia
Washingtonia robusta

Eastern hemlock
Chinese palm
Mexican fan palm

**Ornamental
Shrubs:**

Scientific Name
Abelia grandiflora

Common Name
Edward Goucher abelia
Glossy abelia

Acacia abyssinica
Acacia redolens
Acalypha wikesiana
Acer ginnala
Acer palmatum

Abyssinica acacia
Prostrate acacia
Copper leaf
Amur maple
Coral bark Japanese maple

Agave americana
Astilbe chinensis
Athyrium nipponicum
Baccharis pilularis
Berberis gladywensil
Berberis mentorensil
Berberis thunbergil

Dwarf Japanese maple
Century plant
False spiraea
Japanese painted fern
Coyotebush
William Penn barberry
Mentor Barberry
Atropurea-redleaf Japanese barberry

Bougainvillea spp.

Aurea-golden Japanese barberry
Crimson pygmy barberry
Rose glow barberry

Buxus microphylla japonica
Buxus microphylla Koreana
Buxus sempervirens
Callistemon citrinus
Callistemon viminalis
Calluna vulgaris
Camellia sasanriqiua
Camellia japonica
Cassia artemisioides
Ceanothus spp.
Cephalotaxus drupacae
Cerastium tomentosum
Chamaecyparis obtusa spp.

Barbara Karst
California gold
Pink pixie
Scarlet O'Hara
Temple fire
Texas dawn
Japenese boxwood
Korean boxwood
Common boxwood
Lemon bottlebrush
Weeping bottlebrush
Spring torch scotch heather
Sasanqua camellia
Japanese camellia
Feathery cassia
Wild lilac
Plum yew
Snow-in-summer
Kosteri cypress
Nana-dwarf Hinoki cypress

Chamaecyparis pisifera
Chrysalidocarpus lutescens
Clethra ainifolia
Cleyera Japonica
Cornus aiba
Cornus stolonifera

Torulosa cypress
Filifera-thread cypress
Areca palm
Summersweet
Japanese cleyera
Sibirica-Siberian dogwood
Baileyi red osier dogwood
Flaviramea-yellowing dogwood

Cotinus coggygria
Cotinus dammeri

Royal purple smoke tree
Coral beauty smoke tree
Eichhotz smoke tree

Cotoneaster adpressus
Cotoneaster apiculatus
Cotoneaster congestus
Cotoneaster dammeri
Cotoneaster himalayan
Cotoneaster horizontalis

Praecox-early cotoneaster
Cranberry cotoneaster
Pyrenees cotoneaster
Bearberry cotoneaster
Himalayan cotoneaster
Rock cotoneaster

11/08/15

Cotoneaster zabelii
Cycas revoluta
Cytisus praecox
Cytisus scoparius
Daphne odora
Deutzia spp.
Dodonea viscosa
Elaeagnus pungens
Erica cinerea
Erica x darleyensa
Erica vagans
Euonymus alatus
Euonymus fortunei

Euonymus Japonica

Euonymous kiautschovica
Feijoa sellowiana
Forsythia spp.
Gardenia jasminoides

Gaultheria shallon
Gelsemium sempervirens
Genista pilosa
Hibiscus rosa-sinensis
Hibiscus syriacus

illex spp.
Illicium annisatum
itea ilicifolia
Ixora colinea
Juniperus spp.
Kalmia latifolia
Lagerstroemia indica
Lantana spp.
Leucothoe axillaris
Ligustrum spp.
Livistona chinensis
Lonicera periclymenum

Lonicera sempervirens
Mahonia bealei
Mahonia repens
Myrica cerifera
Nandina domestica

Nerium oleander

Osmanthus fortunei
Philadelphus spp.
Phoenix roeloenii
Photinia fraseri

Zabel cotoneaster
Sago palm
Hollandia-warminster broom
Lena-Scotch broom
Fragrant Daphne
Deutzia
Hopseed bush
Fruitland silver berry
Purple bell heather
Mediterranean pink heather
Cornish heather
Winged euonymus
Canadale gold euonymus
Emerald'n gold euonymus
Sunspot euonymus
Wintercreeper euonymus
Silver king-euonymus
Variegated evergreen euonymus
Spreading euonymus
Pineapple guava
Forsythia
August beauty gardenia
Gardenia
Radician gardenia
Salal/lemon leaf
Carolina jessamine
Woadwaxen
Ross Estey-hibiscus
Rose of Sharon-heart
Rose of Sharon-red bird
Rose of Sharon-woodbridge
Holly
Mystery gardenia
Henry Garnet holly leaf sweetspire
Ixora
Juniper
Mountain laurel
Crape myrtle
Lantana
Coast Leucothoe
Privet
Chinese fountain palm
Flowering woodbine
Serotina woodbine
Trumpet honeysuckle
Leather leaf Mahonia
Creeping mahonia
Wax myrtle
Compata-dwarf heavenly bamboo
Harbour dwarf-heavenly bamboo
Heavenly bamboo
Nana compacta-heavenly bamboo
Nana purpurea-heavenly bamboo
Woods dwarf heavenly bamboo
Hardy red oleander
Oleander
Ruby lace oleander
Fortunes osmanthus
Mockorange
Pigmy date palm
Fraser's photinia

120815

Pieris japonica

Japanese andromeda
Mountain fire lily-of-the-valley
Snowdrift lily-of-the-valley
Templebells lily-of-the-valley
Valley rose lily-of-the-valley
Valley valentine lily-of-the-valley
Forest flame lily-of-the-valley

Pieris japonica x forestii
Pinus mugo
Pittosporum tobira

Mugo-mugha pine
Green pittosporum
Japanese pittosporum
Wheeler's dwarf pittosporum

Plumbago ariculata
Plumbago capensis
Podocarpus macrophilus
Polystichum polyblepharum
Potentilla spp.
Prunus caroliniana
Prunus gladulosa
Pyracantha spp.
Raphiolepis indica

Blue cape plumbago
Plumbago
Yewpine
Tassel fern
Cinquefoil
Carolina laurel cherry
Dwarf pink flowering almond
Pyracantha
Charisma-Monruce raphiolepis
Enchantress-Moness raphiolepis
India hawthorn
Springtime-Monme raphiolepis

Raphiolepis ovata
Rhododendron spp.
Rhus lancea
Rosa rugosa
Rosmarinus officinalis
Skimmia japonica
Skimmia revesiana
Spiraea Bumaida
Spiraea japonica

Roundleaf raphiolepis
Azalea/rhododendron
Africa sumac
Ramanas Rose
Rosemary
Japanese Skimmia
Reeve's skimmia
Anthony Waterer spiraea
Dolchia spiraea
Japanese alpine spiraea
Shirobana spiraea
Bridal wreath
Chinese lilac
Common lilac
Upright Japanese yew
Cape honeysuckle

Spiraea vanhouttil
Syringa rothomagensis
Syringa vulgaris
Taxus cuspidata
Tecomaria capensis
Temstoemia gymnanthera
Thuja occidentalis

American arborvitae
Emerald arborvitae
Globosa-globe arborvitae
Little giant-dwarf arborvitae
Nigra-dark American arborvitae
Pyramidalis-pyramid arborvitae
Rheingold arborvitae
Techny arborvitae
Aureus nana-dwarf golden arborvitae
Minima glauca-dwarf arborvitae
Christmas palm
Viburnum
Weigela
Xylosma
Yucca

Thuja orientalis

Aureus nana-dwarf golden arborvitae

Veitchia merrilli
Viburnum spp.
Weigela spp.
Xylosma congestum
Yucca filamentosa

Minima glauca-dwarf arborvitae
Christmas palm
Viburnum
Weigela
Xylosma
Yucca
Woolly yarrow
Lily-of-the-nile
Beechgrass

Scientific Name
Achillea tomentosa
Agapanthus spp.
Ammoniphila breviligulata

Common Name
Woolly yarrow
Lily-of-the-nile
Beechgrass

Ground
Covers:

14 of 15

Centaurea cyanus
Centaurea gymnocarpa
Chrysanthemum spp.
Convolvulus spp.
Coreopsis spp.
Cosmos spp.
Dahlia spp.
Dianthus spp.
Dimorphotheca spp.
Euphorbia marginata
Geum spp.
Gaillardia spp.
Gladiolus spp.
Gypsophila paniculata
Helianthus spp.
Impatiens balsamina
Impatiens spp.
Ixora spp.
Lathyrus odoratus
Limonium spp.
Lobelia spp.
Lobularia maritima
Lupinus spp.
Matthiola spp.
Mirabilis jalapa
Myosotis spp.
Nicotiana spp.
Papaver spp.
Petunia hybrida
Phlox spp.
Portulaca grandiflora
Rosa spp.
Rudbeckia hirta
Rudbeckia laciniata
Salvia spp.
Scabiosa spp.
Stachy's spp.
Stokesia laevis
Tagetes spp.
Tropaeolum spp.
Vinca spp.
Zinnea spp.

Cornflower
Velvet centaurea
Chrysanthemum
Morningglory
Coreopsis
Cosmos
Dahlia
Dianthus
Marigold, cape
Snow-on-the-mountain
Geum
Gaillardia
Gladiolus
Baby's breath
Sunflower
Balsam
Impatiens
Ixora
Sweet pea
Statice
Lobelia
Sweet alyssum
Lupine
Stock
Four o'clock
Forget-me-not
Nicotiana
Poppy, California
Petunia
Phlox
Portulaca
Rose
Blackeyed Susan
Golden glow
Salvia
Pincushion flower
Lamb's ears
Stoke's aster
Marigold
Nasturtium
Vinca
Zinnia

Ornamental Bulbs

Treflan 5G may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply Treflan 5G to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. Treflan 5G may also be applied following bulb emergence. For fall planted bulbs, apply Treflan 5G again in late winter or early spring to weed-free soil surfaces.

Non-bearing fruit and Nut Trees and Non-bearing Vineyards^{1*}

Common Name

Almond
Apple
Apricot
Avocado

Common Name

Kiwi
Lemon
Loganberry
Macadamia Nut

