

(FRONT PANEL)

**THE ANDERSONS**

**2.32% DURSBAN<sup>(R)</sup> BRAND INSECTICIDE**

**ACTIVE INGREDIENT:**

Chlorpyrifos [0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl)  
phosphorothioate]..... 2.32%

**INERT INGREDIENTS:** ..... 97.68%

Total 100.00%

Dursban<sup>(R)</sup> is a registered trademark of DowElanco

EPA REG. NO. 9198-138

EPA EST. NO. 9198-OH-1

**KEEP OUT OF REACH OF CHILDREN**


**CAUTION CUIDADO**

**PRECAUCION AL USUARIO:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente

**SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS**

NET WEIGHT LBS

TREATS UP TO SQ FT



(BACK PANEL)

Net Weight\_\_Lbs.

Treats Up To\_\_\_\_\_ Sq. Ft.

**THE ANDERSONS**

**2.32% DURSBAN<sup>(R)</sup> BRAND INSECTICIDE**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed Do not take internally Do not breathe dust Avoid contact with skin, eyes, or clothing May be absorbed through the skin Wear long sleeves Change clothing daily Wash hands thoroughly after handling Keep children and pets off treated area during watering in and until area has dried Avoid contamination of feed and foodstuffs Food utensils such as teaspoon or measuring cup should not be used for food after use with a pesticide

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED** Drink two glasses of water and induce vomiting by touching back of throat with finger Do not induce vomiting or give anything by mouth to an unconscious person Get medical attention

**IF ON SKIN** In case of contact, remove contaminated clothing and immediately wash skin with soap and water

**IF IN EYES** Flush eyes with plenty of water and get prompt medical attention

**NOTE TO PHYSICIAN** Chlorpyrifos is a cholinesterase inhibitor Treat symptomatically Atropine only by injection is an antidote

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes

### SURFACE INSECT CONTROL

Apply at the rate of 1 lb per 1,000 square feet. At this rate, the product will control chinch bugs, sod webworm (lawn moths), ants, brown dog ticks, crickets, cutworms, earwigs, grasshoppers, armyworms, centipedes, clover mites, fiery skipper, fleas, greenbugs, June beetles, leafhoppers, millipedes, mites, sowbugs and ticks

<sup>mosquitoes,</sup>  
Treat when insects first appear, re-treat as necessary. For best results product should be watered in after application.

### GRUB CONTROL

Apply at the rate of 2.0-3.7 lbs per 1,000 square feet. At this rate, the product will control certain white grubs (larvae of European chaffer and Japanese beetle). Treat when grubs are young and actively feeding near the soil surface. Consult your local agricultural extension service for proper time to treat in your area. For best results, product should be thoroughly watered in to wash the insecticide into the zone of insect infestation.

To control Hyperodes (turfgrass) weevils, uniformly apply 2 lbs of granules per 1,000 sq ft as directed above. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialists for best time to treat in your area.

## **SUGGESTED SPREADER SETTINGS**

(Available at Final Printing)

Important: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

## **WARRANTY STATEMENT**

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured By

**THE ANDERSONS LAWN FERTILIZER DIVISION  
P.O. BOX 119  
MAUMEE, OH 43537**