



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Debbie Ziehr
The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer
P.O. Box 119
Maumee, OH 43537

MAR 14 2011

Subject:

Notification per PR Notice 98-10 (alternate brand name)

The Andersons Turf Products Fertilizer with 0.426% Barricade Herbicide 10-0-20

EPA Reg. No. 9198-140

Application Dated December 29, 2010

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The alternate brand name "The Andersons Turf Products Fertilizer with 0.426% Barricade Herbicide 16-0-5" has been added for this product. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Mindy Ondish at 703-605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Kathryn V. Montague Product Manager 23

Herbicide Branch

Registration Division (7505P)





The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

December 29, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject:

NOTIFICATION - Additional Brand Name

RE:

The Andersons Fertilizer with 0.426% Barricade Herbicide

EPA Reg. No. 9198-140

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand names are as follows:

The Andersons Turf Products Fertilizer with 0.426% Barricade Herbicide 16-0-5

One copy of the draft label is enclosed.

If there are any questions regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr

Regulatory Administrator

Phone #419-891-6671

Fax #419-891-2745

Email: Debbie ziehr@andersonsinc.com

Enclosure



Andersons Turf Products

Fertilizer with 0.426% Barricade® Herbicide 16-0-5

Contains NutriSphere-N°

EPA Reg. No. 9198-140 EPA Est, No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

For preemergence control of grass and broadleaf weeds in established turf grasses and lawns (excluding golf course putting greens).

GUARANTEED ANALYSIS

Total Nitrogen (N) 10% Urea Nitrogen otash (K ₂ O)	 		00%
Plans further to derived from urea and pota Chlorine (CI) Max. 18 00% introgen stabilized with maleic-race			24%
OTHER INGREDIENTS:	 	0.4	F292 126% 574% 000%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye injury (imitation). His mind in inhaled or absorbed through the skin. Avoid contact with skin, eyes, or dothing. Avoid breathing dust. Wesh through by with seep and water after handing. Prolonged or trequently repeated skin contact may cause altergic reactions in some individuals.

	FIRST

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not

induce vorning unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious

Take off contaminated clothing. Finise skin immediately with plerary of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

lfonskin Hing

Move person to kresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preterably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or dector or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product has low solubity in water. At the land of solubity, in its product is not indic to fish. However, at concentrations substantially above the level of water solubity, if may be text to fish. Do not apply directly to water or to areas where surface water is present or to intendal areas fellow the mean light water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent stees. Do not contaminate water when displacing of equipment waterwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling Not for use on turificeing grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes

The Andersons Turf Products Fertilizes with 0.426% Barrasde Herbicide 16-0.5 is a preemengance herbicide that provides regular control of many grass and broadeal weeds in turgrasses. This product control succeptible weeds for shifting wiend seeds generation and roof development. Most effective weed control will be obtained when this product is advanted by all least 0.5 inch of trainalf or impation, or with shallow (10.2 bit circles) incorporation, prior to weed seed generation and which 14 days belowing applications.

APPLICATION DIRECTIONS

Apply uniformly through suitable, calibrated application equipment

ESTABLISHED TURF
This product is a greenergence herbicide that, when properly applied as decided, will control censin grass and broadleaf weeds in established for grasses and atwins. The maximum amount of this product that may be applied per year is given for each furf grass species in the Maximum Annual Rates each on this lates.

Most effective weed control in burt grasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days belowing application. See the map below for approximate crabgrass seed germination dates.

CRABGRASS GERMINATION CATES



The following precautions apply to the use of this product in turf grasses and lawns

Application of this product may thin emorged annual biograms and nearly over-seeded grasses.

Do not apply to over seeded for livel within 50 days after seeding or until abor the sectiond moving, whichever is longer.

Injury to destraible seedings is takey if this product is applied before seedings economy roots are in the second inch of soil, not thatch plus

Do not apply to newly set sod until the following year.

- Do not apply of newly as a bornal metallicing year. Application of his product in our statesed by drough, low fertey, or pes damage may result in further my produced by the p
- are certains symbols.

 Do not graze or leed livestock forage out from areas treated with this product.

 Do not apply this product through any type of irrigation system unless otherwise instructed by this label.

Do not apply aerially
 Do not apply to golf course putting greens.

Rates of Application
This product may be applied as a single application or or executed applications to control weeds germinating throughout the year. All applications not be made prior to germination of the larget weeds. This product with or control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to

maximum Annual Hates
This product is recommended for use on the furtigrass species based in the following table:
Do not exceed the maximum yearly rate as given in the following table:

Maximum Annual Rates Table

Turf Species	lbs.ai/A	lbs. product /A	lbs. product/ 1,000 sq. ft,
Bermudagrass ² , Bahiagrass, Cersipedegrass, Seashore Paspalum, St. Augustinegrass, Taã Fescue (including lurf-type), Zoysia	1.5	352	81
Buffalograss, Kentucky Bluegrass, Perennial Pyegrass	10	235	5.4
Creeping Red Feacue	0.75	174	40
Creeping Bentgrass	0.55	155	3.6

These are the maximum rates per calendar year by species limitations.
Alay to used on newly surged or phaged Bernudagarss at rates not to exceed 122 to face or 2.8 to /1,000 sq. t. Newly springed or phaged
Bernudagass shoto rothing half be temporarily retarded. Suppression only of Fortial, Gooseg ass and Rescuegrass due to reduced product
rates used in springing situations.

Do not apply more than 352 lbs per agre (8.1 lbs /1 000 sq. 1.1 of this product per calendar year.

Use higher rates of this product to achieve higher levels of levillay and weed control for each turl type, but do not exceed the maximum application rates specified in the Maximum Annual Hates table

WEEDS CONTROLLED

When used at the recommended rates this product will control. Betryaddgass, Bluegass, Annual (Pox annual), Carperweed, Chickweed, Common, Chickweed, Mousean (from seed), Crobgrass (Large, Smooth), Crowbordgass, Cupgrass, Woolly, Fratials, Annual (Goosegass, 1) heist), Jachyrass, Christophass, Crobson, Goosegas, 1) heist), Jachyrass, Christophass, Common, Pulyer, Florida, Flexus, Florida, Lebusquass, Common, Pulyer, Florida, Flexus, F

In many areas a single application of 3 6 to 8.1 fbs/1,000 aq. it. (155 to 352 fbs (A) of this product will control goosegase. However, under heavy policygase pressure and/or an extended growing season, most efficiency week function may be described by malery a finited application of 3 16 to 4 fb (100 aq. it. (155) of 251 fb. (A) blowed after 60 to 30 days by a second application at doses that would not exceed this open in the Maximum Annual Rates Table. Do not exceed the maximum rate for furl grass species listed in the Maximum Annual Rates Table above

2Applications for this weed should be made in falle summer, fall, or winter prior to germination. Do not exceed the maximum application rates specified in the Maximum Annual Rates rable

3Suppression only.

Sequential applications may be made so long as the total amount of product applied does not exceed the maximum application rates specified in the Maximum Annual Rates table. All applications must be made prior to germination of the weed seeds.

When to Apply After Overseeding Turf
Do not apply 10 overseeded but whitin 60 days after seeding or unil after the second moving, whichever is longer, injury to desirable seedings is killedy if this product is applied before seeding secondary roots are in the second cut of soil, not thatin thus soil

When to Overseed After Application - All States*
This product will inhibit the germination of furf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding results

The Andersons Turt Products Fertilizer with 0 425% Barricade Herbiode 16-0-5 Rate			Interval Before Overseeding		eding
lbs /1,000 sq 1	lbs/A	a#A	North	Transition	South
2.7	117	0.50	4 mo	4 mo.	4 mo.
3.6	155	0.65	5 mo	4 mo.	4 mo.
40	174	0.75	6 ma	5 mo	5 mo.
4.4	190	0.81	-	6 mo.	6 mo.
54	235	1 00		7 mo.	7 mo.
62	270	1 15	-		9 mo.
70	305	1.30	-		10 mo.
B 1	352	1 50	-		12 mo.

mont 1 4 2011 * Note: In AZ, CA, NV and TX, the oversee any interval on the shorter in established bermudagrass that has been overseeded with potential typig ass. See the next section "Pot annual Control in Established Bermudagrass Overseeded with Persinnal Rivegrass (AZ, CA, NV and TX.).

Pox annua Control in Established Bermudegrass Overseeded with Perennial Ryagrass (AZ, CA, NV and TX only). Use on golf courses (excluding golf course putting greens) and lawns when overseeting with perennal ryagrass (mannum seed rate of 350 lbs /A).

How Much and When to Apply

Amount to Apply	Expecised Expecised Use Precautions
98-155 20-36	

Recommended Spreader Settings
These suggested spreader Settings are not intensed to replace calibration
Please calibrate our spreader before applying product
50 lbs. treals 13,800 sq. It. (0.29 acre) at the 155 lbs. product/facer - LIGHT RATE (3.6 lbs/1,000 sq. It.)
50 lbs. treals 12,500 sq. It. (0.29 acre) at the 156 lbs. product/facer - LIGHT RATE (4.6 lbs/1,000 sq. It.)
50 lbs. treals 12,500 sq. It. (0.27 acre) at the 215 lbs. product/facer - LIGHT RATE (4.6 lbs/1,000 sq. It.)

		WIDTH OF COVERAGE	SPREADER SETTINGS		
SPREADER	GROUND SPEED		LIGHT RATE 0.65 lbs. ai/A	LOW RATE 0.75 lbs. ai/A	MEDIUM RATE 1.00 lbs. ai/A
Andersons AccuPro 2000, SR-2000 (cone 4)	3 mph	11 feet	L 1/2	м	N 3/4
Scalls R-8A (cone 4)	3 mph	11 leet	K 1/2	ι	M 3/4
Lesco 020093 (pattern 0.25)	3 mph	10 leet	G	G 1/2	11/2
Lesco 705698 (pattern 0.25)	3 mph	10 leet	16	17	21
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern III-B	4.5 mph	30 feet	5 1/2	6	7
Vicon (03 Series)	4.5 mph	36 feet	26	29	35

STORAGE AND DISPOSAL

SIGNAGE AND ISPOSAL
Do not contained water, food, or lead by strategy or disposal. STORAGE. Store in original container away from britizer, test, or lood stutis and separated from other persiodes. PESTIGIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on set or all approved waste disposal facility. ONTAINER DISPOSAL: Completely energy container into application expendent of working the product of the product

IMPORTANT: DEAD REFORE HISE.

Read the entire Directions for Use and the Warrany Disclaimer and Limitation of Liabitity before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

WARRANTY DISCLANKE And LIMITATION of LABILITY.

Manufacture warrants that this product conforms to the chemical description on the label and is reasonably to by the purposes stated on the label when useful institute accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANNABLY TO REFINESS OR APPLICED ARP PURPOSE OF the earnet consistent with applicable tage, it is Manufacturer's intent to LMIT ANY LABILITY FOR SPECIAL CONSEQUENTIAL OR INCORNAL ECONOMIC DAMAGES to refund of purchase price or reptacement of product at Buyer's shorter. The extent consistent with applicable law, Manufacturer DISCLANES ANY LIABLITY FOR COMPENSATIORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABIL DIRECTIONS. Use contary to label directions is not permitted.

LEGAL RIGHTS:

THIS LARTED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS: YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/
JUHISDICTION TO STATEJURSDICTION.

Manufactured by
The Andersons Lawn Fertilizer Division, Inc.
P.O. Box 119, Maumee, OH 43537
www.andersonsterliproducts.com

The Andersons logo is a registered trademark of The Andersons, Inc.; Barricade - trademark of Syngenta Crop Protection; NutriSphere is a registered trademark of Specialty Fertilizer Products 11 C.

> SGN 215 Net Wt. 50 Lbs. (22.68 kg)

NOTIFICATION MAR 1 4 2011



APT16NBR5 L10 (APTBLKPMBRNB

