)

)



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

9198-141

EPA Reg.

Number:

Date of Issuance:

SEP 27 1994

NOTICE OF PESTICIDE:

<u>x</u> Registration ___ Reregistration

(under FIFRA, as amended)

Term of Issuance: Until Reregistration

Name of Pesticide Product:

The Andersons Pest Arrest Fire Ant Killer

Name and Address of Registrant (include ZIP Code):

The Andersons D/B/A Free Flow Fertilizer P.O. Box 119 Maumee, Ohio 43537



Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- Add the phrase "EPA Registration No. 9198-141" to your label before you release the product for shipment.

Signature of Approving Official:

Date:

DENNIS H. EDWARDS

SEP 27 1994

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division

EPA Form 85/U-6

page 2 EPA Reg. No. 9198-141

- 3. Delete the headings of Personal Protective Equipment and User Safety Recommendations from page 2. These headings imply incorrectly that this product is subject to the Worker Protection Standard. You may retain first and last sentences under Personal Protective Equipment and all of the statements under User Safety Recommendations under the general paragraph for Precautionary Statements.
- 4. Submit five copies of the revised labeling for this product before you release this product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

DENNIS H. EDWARDS

Dennis H. Edwards, Jr. Product Manager 19
Insecticide-RodenticideBranch Registration Division (7505C)

Enclosure

THE ANDERSONS PEST ARREST FIRE ANT KILLER

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 27 1994

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate)

INERT INGREDIENTS

TOTAL:

100.00%

)

BEST AVAILABLE COPY

EPA REG. NO. 9198-(TO BE ASSIGNED)

EPA EST. NO. 9198-OH-1

For control of various insects (and other arthropods) infesting lawns and other ornamental turf areas, flower beds, under shrubbery, buildings, and certain vegetable crops.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WT.___ LBS.

TREATS UP TO____SQ. FT.

NET WT.__LBS.

THE ANDERSONS PEST ARREST FIRE ANT KILLER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HARMFUL IF SWALLOWED. Do not take internally. Do not breathe dust. Avoid contact with skin, eyes, or clothing. May be absorbed through the skin. Keep children and pets off treated area during irrigation and until area has dried. Avoid contamination of feed and foodstuffs. Food utensils such as teaspoon or measuring cup should not be used for food after use with a pesticide.

PERSONAL PROTECTIVE EQUIPMENT:

)

)

Applicators and other handlers must wear long-sleeved shirt and long pants, and shoes plus socks. Follow manufacturer's instructions for eleaning and maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Wash thoroughly with soap and water after handling this product, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink one or two glasses of

water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

IF ON SKIN: Wash thoroughly with soap and water.

BEST ADAILABLE GERY

IF IN EYES:

)

)

Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN:

Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning equipment or by disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

DO NOT use this product indoors.

INSECT CONTROL FOR HOME LAWNS AND OTHER RECREATIONAL AND ORNAMENTAL TURF AREAS.

Insects Controlled Include:

ants
armyworms
centipedes
crickets
cutworms
earwigs
firebrats
fleas

grasshoppers
silverfish
sod webworms (lawn moths)
sowbugs (pillbugs)
(1)fire ants
(2)ticks (including Deer Ticks)
millipedes
scorpions
spiders

FIRE ANT CONTROL (for individual fire ant mounds):

1

)

)

)

For use as a mound treatment to control Imported Fire Ants, apply 4.0 ounces by weight over and around each mound. Irrigate mound thoroughly immediately after treatment to remove the chemical from the granules and flush it down into the mound. A minimum or 1 gallon of water should be applied to each mound, but do not use more than 2 gallons of water as flooding of the mound may result. Apply water gently to avoid disturbing ants and causing migration before the chemical can be effective. For best results, apply when ants are least active: in cool weather, 65°F to 80°F, or in early morning or late evening hours. Treat new mounds as they appear.

NUISANCE PEST CONTROL IN AND AROUND FLOWER BEDS AND ORNAMENTAL PLANTINGS AND AROUND BUILDINGS

For control of ants, armyworms, ticks, centipedes, crickets, cutworms, earwigs, firebrats, silverfish, fleas, millipedes, sowbugs, scorpions, and spiders; apply dust uniformly in a 6 foot band around the building. Apply dust at the rate of 16 ounces per 120 square feet (6 X 20 foot band) to shrub and flower beds, foundations, ornamental plantings, and lawn or soil areas immediately adjacent to the building. For most effective control, treated areas should be lightly watered after application to remove the chemical from the granules. Repeat treatments as necessary to control new infestations.

CONTROL OF TICKS WIIICH TRANSMIT LYME DISEASE

For control of juvenile and adult Ixodes spp. Ticks (Deer Tick, Bear Tick and Black Legged Tick) and Amblyomma spp. Ticks (Lone Star Tick). Apply granules at the rate of 6.6 to 8.0 pounds of formulated product per 1,000 square feet.

Begin applications in late spring or early summer (May/June). Uniformly apply granules to entire lawn, perimeter wooded areas, and property boundaries including shrub beds, ornamental plantings, and wooded areas where exposure to licks may occur. For optimum results, irrigate treated areas after application to remove chemical from the granules.

STORAGE AND DISPOSAL

STORAGE: Store unused product in original container only, in cool, dry area out of the reach of children and animals. Keep container closed and away from food, feedstuffs and domestic water supplies. Do not store in areas where temperatures frequently exceed 100° F.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAI: Do not reuse empty bag. Discard bag in trash.

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture and other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage and handling of this product.

Manufactured by:

THE ANDERSONS LAWN FERTILIZER DIVISION P.O. BOX 119 MAUMEE, OH 43537

)

)

)