

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 MMM St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under F1FRA, as amended)

EPA Reg. Number:

Date of Issuance:

5 1995 SFP

9198-149

Term of Issuance:

Conditional

Name of Pesticide Product:

The Andersons Easy Weed 'n Green

Name and Address of Registrant (include ZIP Code):

The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
  - 2. Make the following label changes:
    - a. Revise the EPA Registration Number to read, "EPA Reg. No. "9198-149".
    - b. Correct the spelling of the word "one" in the oral statement of practical treatment. The second sentence should begin "Drink one or two ..."

Signature of Approving Official:	Date:	_		
		SEP	5 1995	

EPA Form 8570-6

page 2 EPA Reg. No. 9198-149

3. Submit one copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

RD:STANTON:PM Team 23:Rm. 235:305-5218:Disk #1:S492859.REG

CONCURRENCES									
SYMBOL >	7505C						· · · · · · · · · · · · · · · · · · ·		
SURNAME >	S. Stanton								
DATE >	Aug 31, 1995								

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

9198-XXX Page 1 of 6

#### (FRONT PANEL)

# The Andersons Easy Weed 'n Green

ACCEPTED with COMMENTS In EPA Letter Dated SFP 5 1995

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the periodide registered under EPA Reg. No.

## **CAUTION**

**KEEP OUT OF REACH OF CHILDREN** 

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT \_\_ LBS.
TREATS \_\_\_\_ SQ. FT.

NET WEIGHT \_\_ LBS.
TREATS \_\_\_\_ SQ. FT.

### The Andersons Easy Weed 'n Green

#### **Guaranteed Analysis**

Total Nitrogen(N)	9%
Available Phosphoric Acid(P <sub>2</sub> O <sub>5</sub> )	
Soluble Potash(K <sub>2</sub> O)	
Sulfur (S)	
4.0% Free Sulfur (S)	

Primary Plant Food derived from: Urea, Muriate of Potash, Ammonium Phosphate and Sulfur.

#### **PRECAUTIONARY STATEMENTS**

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep out of reach of children and pets. Causes eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing particulate material and contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove clothing and wash before reuse.

#### **FIRST AID**

IF IN EYES: Flush eyes with plenty of water. Call a physician.

IF SWALLOWED: Call a physician or Poison Control center. Drink on or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or

give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation develops.

IF INHALED: Remove individual to fresh air. If breathing difficulty occurs, get medical attention. If

not breathing, provide cardiopulmonary resuscitation (mouth-to-mouth) and get

medical attention immediately.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water. Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by disposing of equipment washwaters.

#### What Easy Weed 'n Green Does:

Easy Weed 'n Green is a two way product that feeds with a quality plant food and at the same time prevents many broadleaf and grassy weeds form becoming started around listed flowers, roses, shrubs, trees and vegetables all season without difficult and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger, stronger and healthier. Do not apply to Ajuga, Myrtle, Pachysandra as injury may result.

#### Easy Weed 'n Green Prevents the Following Weeds:

possession of the second control of the

Annual Bluegrass, Barnyardgrass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Foxtail, Goosegrass, Johnsongrass (from seed), Junglerice, Sandbur, Stinkgrass, Sprangeltop, Texas Panicum, Wildcane. Also controls these broadleaf weeds: Carlessweed, Carpetweed, Chickweed, Florida Purslane, Goosefoot, Knotweed, Kochia, Lambsquarter, Pigweed, Purslane, Russian Thistle, Stinging Nettle.

Easy Weed 'n Green is Recommended for These Established Flowers, Shrubs, Trees, and Ground Covers:

Flowers - Achillea, Ageratum, Arcototis, Aster, Balsam, Calendula, California Poppy, Calliopsis, Carnation, Centaurea, Chrysanthemum, Cosmos, Daffodils, Dahlia, Dianthus, Dimortheca, Forget-menot, Four O'Clock, Gaillardia, Gladiolus (corms more than 1" in diameter), Hollyhock, Ixora, Lobelia, Lupinus, Marigold, Morning Glory, Nasturtium, Nicotiana, Periwinkle, Petunia, Phlox, Portulaca, Roses, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Snow On The Mountain, Stock, Sunflower, Sweet Alyssum, Sweet Pea, Sweet William, Tulips, Zinnia.

Shrubs - American Arborvitae, American Cherry Laurel, Azalea, Barberry, Boxwood, Camellia, Cinquefoil, Common Lilac, Cotoneaster, Deutzia, Elaeagnus, Euonymus, Forsythia, Holly, Honeysuckle, India, Hawthorn, Juniper, Mock-Orange, Mountain Laurel, Pieris Japonica, Pineapple Guava, Privet, Pyracantha, Rhododendron, Robira, Sakaki, Spiraea, Vibumum, Weigela Bristol Ruby, Willow, Yew.

Trees - Apple, Bald Cypress, Balsam Fir, Black Gum, Black Locust, Black Walnut, Canada Hernlock, Chinese Chestnut, Cottonwood, Dogwood Flowering, Douglas Fir, European White Birch, Honey Locust, Japanese Larch, London Plane-Tree, Maple, Oak, Pine, Redbud, Spruce, Colorado Blue Spruce, Stone-Fruits, Sweetgum, Sycamore, Tuliptree, White Ash.

Ground Covers - Asparagus, Bellflower, Bunge, California Ivy, Ceanothus, Cotoneaster, Crown Vetch, Dwarf Coyote Brush, Dwarf Peter Pan, Gazania, Germander, Ice Plant, Algerian Ivy, Needlepoint, Big Blue Lilyturf, Marigold, Mascarene grass, Myoporum, Rosemary, Rose of Sharon, Sedurn, Snow-in-Summer, Speedwell, Strawberry, Thrift-Sea-Pink, Tickseed, Trailing African Daisy, Verbenc, St.-Johns-Wort, Wire Plant, Woolly Yarrow.

12

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### When to Apply Easy Weed 'n Green:


Apply as early as possible in the growing season to take advantage of the season-long weed control it provides. You may apply anytime during the growing season around established flowers, roses, shrubs, trees and anytime prior to setting transplants. Do not use on flower seeds. For best results follow directions carefully.

#### How to Apply Easy Weed 'n Green:

1

Since Easy Weed 'n Green doesn't kill weeds but prevents them from appearing, first remove existing weeds and cultivate to prepare a smooth soil surface.

For Established Plant Application on roses, shrubs, trees and flowers 2" to 3" tall, (see special section for use on vegetables), sprinkle Easy Weed 'n Green evenly over the entire soil surface using enough to match this picture. This surface application rate equals 1 oz. per 10 sq. ft.



#### Surface Application Rate

Sprinkle Easy Weed 'n Green as shown on soil surface.

Do not apply when foliage is wet. Best results are obtained by lightly washing into soil after application. For all-season weed control and plant feeding make second application 4 weeks after first application.

For Pre-Planting Application apply at the rate of 1 oz. per 10 sq. ft. before setting transplants. Gently rake in. Do not use with flower seeds. Gladiola corms less than 1 inch in diameter may be injured by pre-plant application. Best results will result when lightly watered in. For all-season weed control and plant feeding make second application 4 week after first application.

For Use on Vegetables, apply this two-way product as both a weed control and plant food in certain vegetables crops as directed below. Application may be made as much as 10 weeks prior to planting direct seeded vegetables and anytime prior to setting transplants. Remove all existing weeds first then lightly cultivate to prepare a smooth soil surface. Rate of application depends on type of soil. Apply at 1 lb. per 320 sq. ft. (16 ft. X 20 ft.) for heavy clay type soils and at 1 lb. per 640 sq. ft. (26 ft. X 32 ft.) for light soils. Gently rake into the top 1-3 inches of soil within 24 hours of application. Do not use on soil containing more than 10 percent organic matter.

**BEST COPY AVAILABLE** 

- (1) From Seed: Carrots, Celery, Okra, Southern Peas, Green Peas, Lima Beans, Snap Beans, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Turnip Greens, Mustard Greens, Collard, Kale. Treat prior to seeding.
- (2) Post Emergent: Cantaloupe, Cucumber, Watermelon. Apply after plants are in 3 to 4 true leaf stage.
- (3) Asparagus: Established only. Apply after fems are removed, but prior to spear emergence.
- (4) Before Transplanting: Celery, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Peppers, Tomatoes. Make application to prepared soil and incorporate into soil prior to placing transplants.
- (5) Potato (except Maine): May be applied after planting, before emergence or after emergence. Use care not to damage seed pieces in cultivating, nor to allow treated soil to contact emerged plant foliage.

In all cases, cultivate the Easy Weed 'n Green into the soil after application, using care not to damage emerged crops.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Discard container in trash.

#### **MANUFACTURERS STATEMENT**

This product conforms to the ingredient statement on the label. Manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage and handling of this product.

THIS PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO WARRANTIES, EXPRESS OR IMPLIED. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.

Manufactured By:

Free Flow Fertilizer P. O. Box 119

Maumee, OH 43537

Date Printed: 08/18/95

Date Approved: Supersedes: Label Change:

}