JAN 27 1991

Ms. Dawn L. Walters
The Andersons Lawn Fertilizer Division
d/b/a Free Flow Fertilizer
P.G. Box 119
Mausee, OH 43537

bear Ms. Walters:

Subject: The Andersons Easy Weed 'n Green EPA Registration No. 9198-149

Applications Dated June 24, 1996 and August 21, 1996, Request to Amend Labeling by Adding New Use-Sites and

Exclusionary Statements to Remove Product from

EPA Worker Prodection Standard, and Other Label Claims

Underlined on Proposed Labeling; and Resubmission Application and Letter Dated Movember 20, 1996

The proposed labeling submitted with your November 26, 1996 resubmission application has been reviewed and found to be acceptable under the Federal Insecticiae, fungicide and Rodenticide Act, as amended, provided that you:

o submit one (1) copy of the final printed label before you release the product for shipment under the subject labeling.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA. Section 6(e). Your release for shipment of the product under the subject laabeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Hiller Product Manager (23) Fugnicide-Herbicide Branch Registration Division (7505C)

Enclosure

<del>È</del>	.Wilson:	<del>Diskette</del>	ABC#30:01	EGNCURRENCES BEST AVAILABLE COPY						
	·	1		CONCURRENC	E5			·		
SYMBOL							•			
SURNAME										
DATE					,					
EPA Form	1320-1 (12-70)		,	4		<del></del>	AFFICI	AL EUE COPY		

### (FRONT PANEL)

# The Andersons Easy Weed 'n Green

Provides weed prevention, and contains X-X-X slow release nitrogen plant food for fertilizing, around your flowers, vegetables, roses, trees, shrubs and groundcovers

- Weed control plus long lasting time release nitrogen plant food
- Stops weeds as they sprout
- Easy top-dispensing canister
- Contains slow release nitrogen plant food
- Stops weeds as they start, for larger and stronger plants

ACTIVE INGREDIEN
------------------

TOTAL

100,00%

ACCEPTED
with COMMENTS
In EPA Letter Dated

JAN 27 1997

as amended, for the pesticide registered under EPA Reg. No. 9198-149

Under the Federal Insecticide,
Fundicide, and Rodenticide Act

CAUTION

KEEP OUT OF REACH OF CHILDREN

For Homeowner Use Only

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT \_\_LBS. \_\_\_\_\_\_\_
TREATS A MINIMUM OF \_\_\_\_\_ SQ. FT. \_\_\_\_\_\_

EPA Reg. No. 9198-149

EPA Est. 9108-OH-1

9198-149 Page 2 of 6

## (BACK PANEL)

NET WEIGHTLBS.					··· ··· <del>·</del> ··
TREATS A MINIMUM OF SQ	, FJ	 —	- 	·	

# The Andersons Easy Weed 'n Green

## **Guaranteed Analysis**

Total Nitrogen(N)	9%	-	
Available Phosphoric Acid(P <sub>2</sub> O <sub>5</sub> )			
Soluble Potash(K <sub>2</sub> O)			
Sulfur (S)			
4.0% Free Sulfur (S)			

Primary Plant Food derived from: Urea, Muriate of Potash, Ammonium Phosphate and Sulfur.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep out of reach of children and pets. Causes eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing particulate material and contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove clothing and wash before reuse.

#### **FIRST AID**

IF IN EYES:

Flush eyes with plenty of water. Call a physician.

IF SWALLOWED: Call a physician or Poison Control center. Drink one or two glasses of water and

induce vomiting by touching back of throat with finger. Do\_not induce vomiting or

give anything by mouth to an unconscious person.

IF ON SKIN:

Wash with plenty of soap and water. Get medical attention if irritation develops.

IF INHALED:

Remove individual to fresh air. If breathing difficulty occurs, get medical attention. If

not breathing, provide cardiopulmonary resuscitation (mouth-to-mouth) and get

medical attention immediately.

9198-149 Page 3 of 6

(BACK PANEL)

### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to water. Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by disposing of equipment washwaters.

## What Easy Weed 'n Green Does:

Easy Weed 'n Green is a <u>dual action</u> product that feeds with a quality plant food and at the same time prevents many broadleaf and grassy weeds from becoming started. <u>Apply</u> around listed flowers, roses, shrubs, trees and vegetables, <u>for</u> all season <u>weed control</u> without <u>difficult</u> and time consuming hand weeding. Without weeds to compete for space, plant nutrients and water, your valuable plants can grow larger <u>and</u> stronger. <u>Do not apply</u> to Ajuga, Myrtle <u>or</u> Pachysandra as injury may result.

# Easy Weed 'n Green Prevents the Following Weeds:

Annual Bluegrass, Barnyardgrass (Watergrass), Brachiaria, Bromegrass, Cheat, Crabgrass, Foxtail, Goosegrass, Johnsongrass (from seed), Junglerice, Sandbur, Stinkgrass, Sprangeltop, Texas Panicum, Wildcane. Also controls these broadleaf weeds: Carlessweed, Carpetweed, Chickweed, Florida Purslane (Pusley), Goosefoot, Knotweed, Kochia, Lambsquarter, Pigweed (Spiney and Redroot), Purslane, Russian Thistle, Stinging Nettle.

Easy Weed 'n Green is Recommended for These Established Flowers, Shrubs, Trees, and Ground Covers:

Flowers - Achillea, African Daisy, Ageratum, Arcototis, Aster (Perennial), Balsam, Black-Eyed Susan, Calendula, California Poppy, Calliopsis, Camation, Centaurea, Chrysanthemum, Coreopis, Comflower, Cosmos, Daffodils, Dahlia, Dianthus, Dimortheca, Dusty Miller, Floss Flower, Forget-Me-Not, Four O'Clock, Gaillardia, Gladiolus (corms more than 1" in diameter), Hollyhock, Impatients, Ixora (Coccenea), Lobelia, Lupinus, Marigold, Morning Glory, Nasturtium, Nicotiana, Periwinkle, Petunia, Phlox, Portulaca, Roses, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Snow On The Mountain, Stock, Sunflower, Sweet Alyssum, Sweet Pea, Sweet William, Tulips, Vinca, Yarrow, Zinnia.

Shrubs - American Arborvitae, American Cherry Laurel, Azalea, Barberry, Boxwood, Camellia, Cinquefoil, Common Lilac, Cotoneaster, Deutzia, Elaeagnus, Euonymus, Forsythia, Holly, Honeysuckle, India, Hawthorn, Juniper, Mock-Orange, Mountain Laurel, Pieris Japonica, Pineapple Guava, Privet, Pyracantha, Rhododendron, Robira, Sakaki, Spiraea, Viburnum, Weigela Bristol Ruby, Willow, Yew.

Trees - Apple, Bald Cypress, Balsam Fir, Black Gum, Black Locust, Black Walnut, Canada Hemlock, Chinese Chestnut, Cottonwood, Dogwood Flowering, Douglas Fir, European White Birch, Honey Locust, Japanese Larch, London Plane-Tree, Maple, Oak, Pine, Redbud, Spruce, Colorado Bíue Spruce, Stone-Fruits, Sweetgum, Sycamore, Tuliptree, White Ash.

9198-149 Page 4 of 6

(BACK PANEL)

Groundcovers Aaronsbeard, Asparagus Fem, Bellflower (Adriatic), Bellflower (Poscharsky), Bigblue Lilyturf, Bunge, California Ivy, Ceanothus, Coreopsis, Cotoneaster, Crown Vetch, Daisy Trailing African, Dwarf\_Coyote Brush, Dwarf Peter Pan, Gazania, Germander, Largeleaf Ice Plant, Ivy (Algerian), Ivy (English), Lily-of-the-Nile, Marigold, Mascarene grass, Myoporum, Plumbago (Dwarf), Rockrose, Rose of Sharon, Roserhary, Rupturewort, Snow-in-Summer, Speedwell, St. Johnswort, Stonecrop (Sedum), Strawberry (Beach), Thrift-Sea-Pink, Tickseed, Verbena, Wirevine (Creeping), Yarrow (Woolly), Zoysiagrass

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.


## When to Apply Easy Weed 'n Green:

Apply as early as possible in the growing season to take advantage of the season-long weed control it can provide when making sequential applications. You may apply anytime during the growing season around established flowers, roses, shrubs, trees and anytime prior to setting transplants. Do not use on flower seeds, lawns, or enclosed areas such as greenhouses. For best results follow directions carefully.

## How to Apply Easy Weed 'n Green:

Since Easy Weed 'n Green doesn't kill weeds but prevents them from appearing, first remove existing weeds and cultivate to prepare a smooth soil surface.

For Established Plant Application on roses, shrubs, trees and flowers 2"to 3"tall, (see special section for use on vegetables), sprinkle Easy Weed in Green evenly over the entire soil surface using enough to match this picture. This surface application rate equals 1 oz. per 10 sq. ft.



# **Surface Application Rate**

Sprinkle Easy Weed 'n Green as shown on soil surface.

9198-149 Page 5 of 6

### (BACK PANEL)

Do not apply when foliage is wet. Best results are obtained by lightly <u>watering</u> into soil after application. For all-season weed control and plant feeding make second application 4 weeks after first application.

For Pre-Planting Application apply at the rate of 1 oz. per 10 sq. ft. before setting transplants. Gently rake in. Do not use with flower seeds. Gladiola corms less than 1 inch in diameter may be injured by pre-plant application. Best results will result when lightly watered in. For all-season weed control and plant feeding make second application 4 week after first application.

For Use on Vegetables, apply this two-way product as both a weed control and plant food in certain home vegetables gardens as directed below. Application may be made up to 10 weeks prior to planting direct seeded vegetables and anytime prior to setting transplants. Remove all existing weeds first then lightly cultivate to prepare a smooth soil surface. Rate of application depends on type of soil. Apply at 1 lb. per 320 sq. ft. (16 ft. X 20 ft.) for heavy clay type soils and at 1 lb. per 640 sq. ft. (20 ft. X 32 ft.) for light soils. Gently rake into the top 1-3 inches of soil within 24 hours after application. Do not use on soil containing more than 10 percent organic matter.

- (1) From Seed: Carrots, Celery, Okra, Southern Peas, Green Peas, Lima Beans, Snap Beans, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Turnip Greens, Mustard Greens, Collard, Kale. Treat prior to seeding.
- (2) Post Emergent: Cantaloupe, Cucumber, Watermelon. Apply after plants are in 3 to 4 true leaf stage.
- (3) Asparagus: Established only. Apply after ferns are removed, but prior to spear emergence.
- (4) Before Transplanting: Celery, Broccoli, Brussel Sprouts, Cabbage, Cauliflower, Peppers, Tomatoes. Make application to prepared soil and incorporate into soil prior to transplanting.
- (5) Potato (except Maine): May be applied after planting, before emergence or after emergence. Use care not to damage seed pieces in cultivating, nor to allow treated soil to contact emerged plant foliage.

In all cases, cultivate the Easy Weed 'n Green into the soil after application, using care not to damage emerged crops.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Discard container in trash.

9198-149 Page 6 of 6

(BACK PANEL)

# MANUFACTURERS STATEMENT

This product conforms to the ingredient statement on the label. Manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage and handling of this product.

THIS PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO WARRANTIES, EXPRESS OR IMPLIED. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.

Manufactured By:

Free Flow Fertilizer P. O. Box 119 Maumee, OH 43537

Date Printed: 11/25/96

Date Approved:

Supersedes: 09/05/95

Label Change: