9198-153

11/23/98

Page 12 4

9198-XXX Page 1 of 4

Front Panel

The Andersons Weed & Feed with Atrazine

Controls grassy and broadleaf weeds while feeding your lawn with a premium blend of fertilizer nutrients that provide quick and extended greening.

ACTIVE INGREDIENT:

Contains 18.36 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

- · Contains Atrazine
- · For thick, green, weed-free turf
- Contains Poly-S® controlled release nitrogen for extended greening
- For use on St. Augustine, Carpetgrass, Centipede and Zoysia lawns ONLY
- Controls Dollarweed and other common weeds

CAUTION

KEEP OUT OF REACH OF CHILDREN

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodentinde Act, as amended, for the pesticide registered under RPA Reg. No. 7/49-152

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight 25 lbs. (11.34 kg) Covers 5,000 Sq. Ft. 50' x 100'

EPA Reg. No. 9198-XXX-RLG

EPA Est. No. 9198-OH-1

Back Panel

Net Weight 25 lbs. (11.34 kg) Covers 5,000 Sq. Ft. 50' x 100'

The Andersons Weed & Feed with Atrazine

Guaranteed Analysis	
Total Nitrogen (N)	X%
Available Phosphate (P ₂ O ₅)	
Soluble Potash (K ₂ O)	
Plant Nutrients Derived From: Ammonium Phosphate, Muriate of Potash, Polymer C	oated Sulfur
Coated Urea	

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soil where the water table (ground water) is close to the surface and where these soils are very permeable. i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning or equipment of disposal of waste. Do not apply on ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

APPLICATION INFORMATION

WHEN TO APPLY

For best results apply before weeds come up. Established weeds and are more difficult to control and may require an application in the spring and the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

AMOUNT TO USE

Apply this product at a rate of 25 lbs. per 5,000 square feet and water in well after application.

IMPORTANT USE PRECAUTIONS

DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RESULT. Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result. Do not apply to newly seeded Zoysia, Centipede, and Carpetgrass lawns until after the new grass has been mowed at least twice. Do not plant new sprigs for one month, or sow new grass seed for six months following the application of this product. May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds. Do not plant any flower or vegetable gardens to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry. When daytime temperatures are 80°F or above, water sufficiently to rinse particles off the grass. Do not apply by hand or with a hand held spreader.

CONTROLS OR SURPRESSES COMMON WEED TYPES

The product is designed to promote lush green growth in lawns and control or surprises many broadleaf weeds such as:

Dollar Weed (diagram)	Chickweed (diagram)	Knotweed (diagram)
Dandelion	Fragrant Cudweed (rabbit tobacco)	Rescue Grass
Common Purslane	Henbit	Sandspur
Crabgrass	Knotweed	Shepards Purse
Cudweed	Lespedaza	Spurweed
Cutleaf Evening Primrose	Mat Lippia (matchweed, creeping charlie)	Stinging Nettle
Dichondra	Money wart	Swinecrest
Dollarweed	Narrowleaf Vetch	Venus Looking Glass
Florida Betony (rattlesnakeweed)	Parsley-Piert	Virginia Creeper
Florida Pusley	Oxalis (common, yellow woodsorrel)	Wild Mustard
	Dandelion Common Purslane Crabgrass Cudweed Cutleaf Evening Primrose Dichondra Dollarweed Florida Betony (rattlesnakeweed)	Dandelion Fragrant Cudweed (rabbit tobacco) Common Purslane Crabgrass Cudweed Cudweed Cutleaf Evening Primrose Dichondra Dollarweed Florida Betony (rattlesnakeweed) Florida Pusley Fragrant Cudweed (rabbit tobacco) Henbit Knotweed Lespedaza Mat Lippia (matchweed, creeping charlie) Money wart Narrowleaf Vetch Parsley-Piert (rattlesnakeweed) Florida Pusley Oxalis (common, yellow

Broadcast Spreader Settings

For one pass application: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage. (DIAGRAM OF PATH)

Note: following will be a listing of spreaders and settings: this will vary due to market of spreaders (this statement will not appear on the final printed label)

Drop Spreader Settings

A CONTRACTOR OF THE PARTY OF TH

For one pass application: First apply 2 border strips along the edge of each end of the lawn. Then apply products along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips. (DIAGRAM OF PATH)

Note: following will be a listing of spreaders and settings: this will vary due to market of spreaders, (this statement will not appear on the final printed label)

and the control of th

Back Panel

To determine square footage of application area, follow calculation to the right. (Diagrams to show how to determine square footage)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in the original container in a cool, dry area out of reach of children.

DISPOSAL: Do not reuse bag. Securely wrap container in several layers of newspaper and discard in trash.

MANUFACTURERS STATEMENT

This product conforms to the ingredient statement on the label. Manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage and handling of this product.

THIS PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO WARRANTIES, EXPRESS OR IMPLIED. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.

THE RESERVE OF THE PROPERTY OF

Manufactured by: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Questions, Comments, Information? 1-888-246-0024

Date Printed: Date Approved: 7/31/98

Supersedes: Label Changes:

new

Filename:

atrazine.doc