

Front Panel

The Andersons Weed & Feed with Atrazine

Controls grassy and broadleaf weeds while feeding your lawn with a premium blend of fertilizer nutrients that provide quick and extended greening.

ACTIVE INGREDIENT:

| | |
|-------------------------|---------|
| Atrazine | 0.92% |
| INERT INGREDIENTS | 99.08% |
| Total | 100.00% |

Contains 18.36 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

- Contains Atrazine
- For thick, green, weed-free turf
- Contains Poly-S® controlled release nitrogen for extended greening
- For use on St. Augustine, Carpetgrass, Centipede and Zoysia lawns ONLY
- Controls Dollarweed and other common weeds

CAUTION

KEEP OUT OF REACH OF CHILDREN

~~IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.~~

~~IF IN EYES: Flush eyes with plenty of water. Get medical attention.~~

~~IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.~~

| FIRST AID | |
|--|---|
| <u>If swallowed</u> | <ul style="list-style-type: none"> • <u>Call a poison control center or doctor for treatment advice</u> • <u>Have person sip a glass of water if able to swallow</u> • <u>Do not induce vomiting unless told to by a poison control center or doctor</u> • <u>Do not give anything by mouth to an unconscious person.</u> |
| <u>If in eyes</u> | <ul style="list-style-type: none"> • <u>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing</u> • <u>Call a poison control center or doctor for treatment advice</u> |
| <u>If on skin</u> | <ul style="list-style-type: none"> • <u>Take off contaminated clothing</u> • <u>Rinse skin immediately with plenty of water for 15-20 minutes</u> • <u>Call a poison control center or doctor for treatment advice</u> |
| <u>If inhaled</u> | <ul style="list-style-type: none"> • <u>Move person to fresh air</u> • <u>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible</u> • <u>Call a poison control center or doctor for treatment advice</u> |
| <p><u>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.</u></p> | |

ACCEPTED

SEP 28 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9198-153

2/5

Fruit Panel

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight 25 lbs. (11.34 kg)
Covers 5,000 Sq. Ft. 50' x 100'

EPA Reg. No. 9198-153
EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in run code on bag

Back Panel

Net Weight 25 lbs. (11.34 kg)
Covers 5,000 Sq. Ft. 50' x 100'

The Andersons Weed & Feed with Atrazine

Guaranteed Analysis

| | |
|--|----|
| Total Nitrogen (N) | X% |
| Available Phosphate (P ₂ O ₅) | X% |
| Soluble Potash (K ₂ O) | X% |
| Plant Nutrients Derived From: Ammonium Phosphate, Muriate of Potash, Polymer Coated Sulfur Coated Urea | |

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soil where the water table (ground water) is close to the surface and where these soils are very permeable. i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning or equipment or disposal of waste. Do not apply on ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

APPLICATION INFORMATION

WHEN TO APPLY

For best results apply before weeds come up. Established weeds are more difficult to control and may require an application in the spring and the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

AMOUNT TO USE

Apply this product at a rate of 25 lbs. per 5,000 square feet and water in well after application.

IMPORTANT USE PRECAUTIONS

DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RESULT. Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result. Do not apply to newly seeded Zoysia, Centipede, and Carpetgrass lawns until after the new grass has been mowed at least twice. Do not plant new sprigs for one month, or sow new grass seed for six months following the application of this product. May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds. Do not plant any flower or vegetable gardens to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry. When daytime temperatures are 80°F or above, water sufficiently to rinse particles off the grass. Do not apply by hand or with a hand held spreader.

CONTROLS OR SURPRESSES COMMON WEED TYPES

The product is designed to promote lush green growth in lawns and control or surprises many broadleaf weeds such as:

| | | | |
|--------------------------------|----------------------------------|--|---------------------|
| Mat Lippia (diagram) | Dollar Weed (diagram) | Chickweed (diagram) | Knotweed (diagram) |
| Annual Bluegrass (poa annua) | Dandelion | Fragrant Cudweed (rabbit tobacco) | Rescue Grass |
| Annual Sowthistle | Common Purslane | Henbit | Sandspur |
| Annual Clover | Crabgrass | Knotweed | Shepards Purse |
| Black Medic | Cudweed | Lespedaza | Spurweed |
| Blue Toadflax | Cutleaf Evening Primrose | Mat Lippia (matchweed, creeping charlie) | Stinging Nettle |
| Bull Paspalum | Dichondra | Money wart | Swinecrest |
| Buckhorn Plantain | Dollarweed | Narrowleaf Vetch | Venus Looking Glass |
| Bur Clover | Florida Betony (rattlesnakeweed) | Parsley-Piert | Virginia Creeper |
| Carolina Geranium (cransebill) | Florida Pusley | Oxalis (common, yellow woodsorrel) | Wild Mustard |
| Chickweed (common & mousear) | | | |

Broadcast Spreader Settings

For one pass application: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage. (DIAGRAM OF PATH)

Note: following will be a listing of spreaders and settings: this will vary due to market of spreaders (this statement will not appear on the final printed label)

Drop Spreader Settings

For one pass application: First apply 2 border strips along the edge of each end of the lawn. Then apply products along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips. (DIAGRAM OF PATH)

Note: following will be a listing of spreaders and settings: this will vary due to market of spreaders (this statement will not appear on the final printed label)

To determine square footage of application area, follow calculation to the right. (Diagrams to show how to determine square footage)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in the original container in a cool, dry area out of reach of children.
DISPOSAL: Do not reuse bag. Securely wrap container in several layers of newspaper and discard in trash.

MANUFACTURERS STATEMENT

~~This product conforms to the ingredient statement on the label. Manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage and handling of this product. THIS PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO WARRANTIES, EXPRESS OR IMPLIED. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND.~~

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

(AP112398/RVnot082801)

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537

Questions, Comments, Information? 1-888-246-0024

| | |
|---------------|----------------------------------|
| Date Printed | 8/28/01 |
| Date Approved | |
| Supersedes | 11/23/98 |
| Label Changes | Amendment - first aid / warranty |
| Filename | 9198-153 |
| Label Code | AP112398/RVnot082801 |