

9198-153

11-8-2002

1/6

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 9198-153	2. EPA Product Manager Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Weed & Feed with Atrazine	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

NOTIFICATION
NOV 8 2002

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Minor Label change per PR Notice 98-10 : revised application timing in 4 step annual program to correspond with "When to Apply" information in Directions for Use. Correction of prior notification for subregistrant

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions
 On Label

6. Manner in Which Label is Affixed to Product
 Lithograph
 Paper glued
 Stenciled Other _____


Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 334-262-2786
--------------------------------	--	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Regulatory Administrator	6. Date Application Received (Stamped) _____ _____ _____ _____ _____ _____
4. Typed Name Dawn L. Walters	5. Date 10/29/02	

2/6

Front Panel

The Andersons Weed & Feed with Atrazine

Controls grassy and broadleaf weeds while feeding your lawn with a premium blend of fertilizer nutrients that provide quick and extended greening.

ACTIVE INGREDIENT:

Atrazine 0.92%

INERT INGREDIENTS..... **99.08%**

Total 100.00%

Contains 18.36 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

- Contains Atrazine
- For thick, green, weed-free turf
- Contains Poly-S® controlled release nitrogen for extended greening
- For use on St. Augustine, Carpetgrass, Centipede and Zoysia lawns ONLY
- Controls Dollarweed and other common weeds

Optional for subregistrant:

- Specially formulated to feed and control weeds in St. Augustine and other Southern Lawns
- 100% Satisfaction, Bayer, A Better Lawn Guaranteed!, Or your money back

NOTIFICATION
NOV 08 2002

CAUTION


KEEP OUT OF REACH OF CHILDREN

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to by a poison control center or doctor • <u>Do not give anything by mouth to an unconscious person.</u>
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing • Call a poison control center or doctor for treatment advice
If on skin	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible • Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.	

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight 25 lbs. (11.34 kg)
Covers 5,000 Sq. Ft. 50' x 100'

EPA Reg. No. 9198-153
EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in run code on bag



3/6

Back Panel

Net Weight 25 lbs. (11.34 kg)
Covers 5,000 Sq. Ft. 50' x 100'

The Andersons Weed & Feed with Atrazine

Guaranteed Analysis

Total Nitrogen (N)	X%
Available Phosphate (P ₂ O ₅)	X%
Soluble Potash (K ₂ O)	X%

Plant Nutrients Derived From: Ammonium Phosphate, Muriate of Potash, Polymer Coated Sulfur Coated Urea

For products being sold into Washington state:
Information regarding the contents and levels of metals in this product is available on the internet at [http://www.regulatory-info-XX-com./](http://www.regulatory-info-XX-com/)

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soil where the water table (ground water) is close to the surface and where these soils are very permeable. i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning or equipment of disposal of waste. Do not apply on ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result.


DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

APPLICATION INFORMATION

WHEN TO APPLY

For best results apply before weeds come up. Established weeds and are more difficult to control and may require an application in the spring and the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.



4/6

Back Panel

AMOUNT TO USE

Apply this product at a rate of 25 lbs. per 5,000 square feet and water in well after application.

IMPORTANT USE PRECAUTIONS

DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RESULT. Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result. Do not apply to newly seeded Zoysia, Centipede, and Carpetgrass lawns until after the new grass has been mowed at least twice. Do not plant new sprigs for one month, or sow new grass seed for six months following the application of this product. May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds. Do not plant any flower or vegetable gardens to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry. When daytime temperatures are 80°F or above, water sufficiently to rinse particles off the grass. Do not apply by hand or with a hand held spreader.

CONTROLS OR SURPRESSES COMMON WEED TYPES

The product is designed to promote lush green growth in lawns and control or surprises many broadleaf weeds such as:

Mat Lippia (diagram) Dollar Weed (diagram) Chickweed (diagram) Knotweed (diagram)

- | | | |
|-----------------------------------|---|---------------------------------------|
| Annual Bluegrass
(poa annua) | Cutleaf Evening Primrose | Oxalis
(common, yellow woodsorrel) |
| Annual Sowthistle | Dandelion | Parsley-Piert |
| Annual Clover | Dichondra | Red Sorrel |
| Black Medic | Dollarweed | Rescue Grass |
| Blue Toadflax | Florida Betony
(rattlesnakeweed) | Sandspur |
| Bull Paspalum | Florida Pusley | Shepards Purse |
| Buckhorn Plantain | Fragrant Cudweed
(rabbit tobacco) | Spotted Spurge |
| Bur Clover | Henbit | Spurweed |
| Carolina Geranium
(cransebill) | Knotweed | Stinging Nettle |
| Chickweed
(common & mousear) | Lespedeza | Swinecrest |
| Common Purslane | Mat Lippia
(matchweed, creeping charlie) | Venus Looking Glass |
| Crabgrass | Money wart | Virginia Creeper |
| Cudweed | Narrowleaf Vetch | Virginia Pepperweed |
| | | Wild Mustard |
| | | Yellow Nutsedge |

Broadcast Spreader Settings

For one pass application: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage. (DIAGRAM OF PATH)


Note: following will be a listing of spreaders and settings: this will vary due to market of spreaders (this statement will not appear on the final printed label)

Drop Spreader Settings

For one pass application: First apply 2 border strips along the edge of each end of the lawn. Then apply products along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips. (DIAGRAM OF PATH)

Note: following will be a listing of spreaders and settings: this will vary due to market of spreaders (this statement will not appear on the final printed label)

To determine square footage of application area, follow calculation to the right. (Diagrams to show how to determine square footage)



5/6

Back Panel

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in the original container in a cool, dry area out of reach of children.

DISPOSAL: Do not reuse bag. Securely wrap container in several layers of newspaper and discard in trash.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

(AP112398/RVnot082801)

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537

Questions, Comments, Information? 1-888-246-0024

Optional for subregistrant:

Bayer Advanced Lawn® Triple Action Southern Lawn Fertilizer PLUS Weed Control kills unsightly weeds such as dollarweed, dandelion, matchweed, and oxalis while it nourishes your lawn. Its Triple Action formula contains slow release nitrogen which continuously feeds the grass, roots and soil for up to two full months. And it's guaranteed not to burn. The result is a greener, thicker, weed-free lawn. You're just one application away from a better lawn... that's the Bayer Better Lawn Guarantee.

Triple Action Feeding works at every level for a Deep-Down Green!

Why is Triple Action better? By feeding at all levels, your lawn receives the primary nutrients it needs to thrive. This ensures thicker, green grass, stronger root systems, and richer soil—the keys to building a lush lawn that lasts.

- Grass Builds thicker, greener grass and enhances overall appearance
- Roots Builds stronger, deeper root systems which transport nutrients from the soil to the grass to help your lawn withstand heat-stress and drought.
- Soil Enriches and fortifies your soil. Rich, fertile soil provides a foundation for establishing roots and replenishes vital primary functions.

6/6

Back Panel

4-Step Annual Program

Apply Early Spring	Apply Late Spring	Apply Summer	Apply Fall
Feb. – April	April – June Jan. – May	June – Aug.	Oct. – Nov.
{Diagram of crabgrass preventer product}	{Diagram of weed & feed product}	{Diagram of fertilizer product}	{Diagram of winterizer product}
Stops crabgrass Feeds lawn	Kills weeds Feeds lawn	Revitalizes lawn Fights heat stress	Boosts root development Improves spring green-up

READ THE LABEL FIRST! {CLI diagram}

- Kills weeds and feeds the lawn in one easy step
- Prevents new weeds before they start
- Builds a greener, thicker lawn
- Guaranteed not to burn

For questions or comments, call toll-free: 1-XXX-XXX-XXXX
Or visit us on-line at: www.{website address}.com

Money back guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Date Printed	10/29/02
Date Approved	9/28/01
Supersedes	11/23/98
Label Changes	Notification –subregistrant 4 step correction
Filename	9198-153
Label Code	AP112398/RVnot092702

