I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or

both under applicable law.

Total

Dawn Awaltan Regulatory Administrator

4. Typed Name
Dawn L. Walters

5. Date

10/7/04

(Stamped)

Front Panel

The Andersons Weed & Feed with Atrazine

NOTIFICATION
OCT 29 2004

Controls grassy and broadleaf weeds while feeding your lawn with a premium blend of fertilizer nutrients that provide quick and extended greening.

ACTIVE	INGF	REDIENT:
---------------	------	----------

Atrazine	0.92%
INERT INGREDIENTS	99.08%
Total	

Contains 18.36 lbs. of Atrazine per ton. This is equivalent to an actual application rate of 2 lbs. Atrazine per acre when used according to label.

- Contains Atrazine
- For thick, green, weed-free turf
- Contains Poly-S® controlled release nitrogen for extended greening
- For use on St. Augustine, Carpetgrass, Centipede and Zoysia lawns ONLY
- Controls Dollarweed and other common weeds

Optional for subregistrant:

- Specially formulated to feed and control weeds in St. Augustine and other Southern Lawns
- 100% Satisfaction, Bayer, A Better Lawn Guaranteed!, Or your money back

CAUTION

KEEP OUT OF REACH OF CHILDREN

FIRST AID

If swallowed Call a poison control center or doctor for treatment advice. Have person sip a glass

of water if able to swallow. Do not induce vomiting unless told to by a poison control

center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison

control center or doctor for treatment advice.

If on skin or Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-

clothing 20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled Move person to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to mouth if possible. Call a poison control

give artificial respiration, preferably mouth-to mouth it possible. Call a poison contro

center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight 25 lbs. (11.34 kg) Covers 5,000 Sq. Ft. 50' x 100'

EPA Reg. No. 9198-153 EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u> Underlined letter is first letter used in run code on bag **Back Panel**

Net Weight 25 lbs. (11.34 kg) Covers 5,000 Sq. Ft. 50' x 100'

The Andersons Weed & Feed with Atrazine

Guaranteed Analysis	
Total Nitrogen (N)	X%
Available Phosphate (P ₂ O ₅)	
Soluble Potash (K ₂ O)	X%
Plant Nutrients Derived From:	
For products being sold into states with requirement for fertilizers:	
Information regarding the contents and levels of metals in this product at http://www.regulatory-info-XX-com./	t is available on the internet
When applied as directed, this product meets the guidelines for meta	Is adopted by the Association

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

Applicators and other handlers must wear

- long-sleeved shirt and long pants
- · shoes plus socks

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soil where the water table (ground water) is close to the surface and where these soils are very permeable. i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning or equipment of disposal of waste. Do not apply on ornamental trees, shrubs, bedding plants, flowers or garden plants since injury may result.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

APPLICATION INFORMATION

WHEN TO APPLY

For best results apply before weeds come up. Established weeds and are more difficult to control and may require an application in the spring and the fall. Usually application made between January 1 and March 1 give the best control although applications may be made through June 15 with good control of most weeds listed. To control certain winter weeds such as Henbit, Chickweed, Rabbit Tobacco, Florida Betony and Evening Primrose, a fall application will be required.

AMOUNT TO USE

Apply this product at a rate of 25 lbs. per 5,000 square feet and water in well after application.

Entry Restrictions

Do not enter or allow others to enter treated area (except those involved in the watering-in) until the watering-in is completed and the surface is dry.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of area during application.

IMPORTANT USE PRECAUTIONS

DO NOT APPLY THIS PRODUCT ON OR OVER THE ROOT ZONE OF ORNAMENTAL TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS OR INJURY TO THESE PLANTS MAY RESULT. Do not apply to lawns containing grasses or mixtures of grasses other than those listed on the label or injury to these grasses may result. Do not apply to newly seeded Zoysia, Centipede, and Carpetgrass lawns until after the new grass has been mowed at least twice. Do not plant new sprigs for one month, or sow new grass seed for six months following the application of this product. May be applied to newly sprigged St. Augustine and Zoysia lawns one week after sprigging to prevent competition from germinating weeds. Do not plant any flower or vegetable gardens to treated areas for 18 months or injury may result. Apply this product only when grass blades are dry. When daytime temperatures are 80°F or above, water sufficiently to rinse particles off the grass. **Do not apply by hand or with a hand held spreader.**

CONTROLS OR SURPRESSES COMMON WEED TYPES

The product is designed to promote lush green growth in lawns and control or surprises many broadleaf weeds such as:

Mat Lippia (diagram) Dollar Weed (diagram) Chickweed (diagram) Knotweed (diagram)

Cutleaf Evening Primrose Annual Bluegrass (poa annua) (common, yellow woodsorrel) Dandelion Annual Sowthistle Parsley-Piert Dichondra Annual Clover Red Sorrel Dollarweed Black Medic Florida Betony Rescue Grass Blue Toadflax (rattlesnakeweed) Sandspur Bull Paspalum Shepards Purse Florida Pusley Buckhorn Plantain Spotted Spurge Fragrant Cudweed **Bur Clover** (rabbit tobacco) Spurweed Carolina Geranium Henbit Stinging Nettle (cransebill) Swinecrest Knotweed Chickweed Venus Looking Glass Lespedaza (common & mousear) Virginia Creeper Mat Lippia Common Purslane (matchweed, creeping charlie) Virginia Pepperweed Wild Mustard Crabgrass Money wart

Broadcast Spreader Settings

Cudweed

For one pass application: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage. (DIAGRAM OF PATH)

Yellow Nutsedge

Narrowleaf Vetch

Note: following will be a listing of spreaders and settings: this will vary due to markst of spreaders (this statement will not appear on the final printed label)

Drop Spreader Settings

4/7

J-153 Fof 5

Back Panel

For one pass application: First apply 2 border strips along the edge of each end of the lawn. Then apply products along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips. (DIAGRAM OF PATH) Note: following will be a listing of spreaders and settings: this will vary due to market of spreaders (this statement will not appear on the final printed label)

To determine square footage of application area, follow calculation to the right. (Diagrams to show how to determine square footage)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in the original container in a cool, dry area out of reach of children.

PESTICIDE DISPOSAL: If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP112398/RVnot100704)

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Questions, Comments, Information? 1-888-246-0024

Following is Optional for subregistrant:

Bayer Advanced Lawn® Triple Action Southern Lawn Fertilizer PLUS Weed Control kills unsightly weeds such as dollarweed, dandelion, matchweed, and oxalis while it nourishes your lawn. Its

Back Panel

Triple Action formula contains slow release nitrogen which continuously feeds the grass, roots and soil for up to two full months. And it's guaranteed not to burn. The result is a greener, thicker. weed-free lawn. You're just one application away from a better lawn... that's the Bayer Better Lawn Guarantee.

Triple Action Feeding works at every level for a Deep-Down Green!

Why is Triple Action better? By feeding at all levels, your lawn receives the primary nutrients it needs to thrive. This ensures thicker, green grass, stronger root systems, and richer soil-the keys to building a lush lawn that lasts.

Builds thicker, greener grass and enhances overall appearance Grass

Roots Builds stronger, deeper root systems which transport nutrients from the soil to the grass

to help your lawn withstand heat-stress and drought.

Soil Enriches and fortifies your soil. Rich, fertile soil provides a foundation for establishing

roots and replenishes vital primary functions.

4-Step Annual Program

Apply Early Spring	Apply Spring	Apply Summer	Apply Fall
Feb. – April	Jan. – May	June - Aug.	Oct Nov.
{Diagram of crabgrass	{Diagram of weed & feed	(Diagram of fertilizer	{Diagram of winterizer
preventer product)	product)	product)	product)
Stops crabgrass	Kills weeds	Revitalizes lawn	Boosts root development
Feeds lawn	Feeds lawn	Fights heat stress	Improves spring green-up

READ THE LABEL FIRST! (CLI diagram)

- Kills weeds and feeds the lawn in one easy step
- Prevents new weeds before they start
- Builds a greener, thicker lawn
- Guaranteed not to burn

For questions or comments, call toll-free: 1-XXX-XXXX

Or visit us on-line at: www.{website address}.com

Money back guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Formulated to feed and control weeds in St. Augustine and other Southern Lawns

Formulado para alimentar y controlar malezas en césped San Agustin y en otros

céspedes del Sur

kills dollarweed, dandelion, & other southern weeds

Triple Action Feeding works at every level

Grass Greener, Thicker Lawn

Roots Stronger Root System

Soil Enriches & Fortifies Soil

Also for Carpetgrass, Centipede, & Zoysia Lawns

100% Satisfaction (logo) A greener, thicker lawn guaranteed or your money back

Date Printed	10/7/04	· · · · · · · · · · · · · · · · · · ·
Date Approved	6/5/03	
Supersedes	9/28/01	
Label Changes	Notification – sub	
Filename	9198-153	
Label Code	AP112398/RVnot100704	



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

October 7, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505C) US Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, DC 20460-0001

RE:

Notification of Minor Label Change

SUBJECT:

The Andersons Weed & Feed with Atrazine

EPA Reg. No. 9198-153

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is also enclosed with the additions underlined and marked in blue.

We have made the following change by notification:

1. Added optional marketing statements for subregistrant:

Formulated to feed and control weeds in St. Augustine and other Southern Lawns Formulado para alimentar y controlar malezas en césped San Agustin y en otros cespedes del Sur

kills dollarweed; dandelion, & other southern weeds

Triple Action Feeding works at every level

Grass Greener, Thicker Lawn

Roots Stronger Root System
Soil Enriches & Fortifies Soil
Also for Carpetgrass; Centipede, & Zoysia Lawns

100% Satisfaction {logo} A greener; thicker awn guaranteed or your money back

Enclosed is a card-indicating the acceptance or reflection of this notification. Please complete the card and return via mail. If there are any questions or comments regarding this notification, please feel free to contact me.

Sincerely.

The Andersons Lawn Fertilizer Division In

Dawn & Walter

Dawn L. Walters

Regulatory Administrator

Phone 334-262-2766

334-265-5703 Fax

Email dawn walters@andersonsinc.com

enclosures