

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Debbie Ziehr
The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer
P.O. Box 119
Maumee, OH 43537

APR 2 7 2011

Dear Ms. Ziehr:

Subject: Application for Pesticide Notification (PRN 98-10)

Comply with Agency pyrethroid labeling letter dated June 4, 2009

The Andersons GC Fertilizer Plus 0.058% Bifenthrin

EPA Reg. No. 9198-156

Your submission dated May 10, 2010

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 10, 2010 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at <u>pilitt.dana@epa.gov</u>.

Sincerely,

Richard Gebken Product Manager 10

Insecticide Branch

Registration Division (7505P)

Please read instructions on reverse before completing form.	Form An	proved. MB No.	2070-0060, Approval expires 2-28-95	
United Sta Environmental Prote Washington, DO	tes ction Agency	Registra Amenda Other	OPP Identifier Number	
Applic	ation for Pesticide - Sec	tion I		
1. Company/Product Number 9198-156	ny/Product Number 2. EPA Product Manager 3. Proposed Classification			
4. Company/Product (Name) The Andersons GC Fertilizer Plus 0.058% Bifenthrin	PM# 13		Thomas in the stricted	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div. Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 Check if this is a new address	(b)(i), my product to:	6. Expedited Reveius In accordance with FIFRA Section 3(c)(3 (b)(i), my product is similar or identical in composition and labelin to: EPA Reg. No. APR 2 7 2011 Product Name		
	Section - II			
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Final printed lebels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.		e to		
Explanation: Use additional page(s) if necessary. (For so Notification of label change per June 4, 2009, letter from Environmenta This notification is consistent with the guidance in the June 4, 2009 lett labeling or the Confidential Statement of Formula for this product. I ununderstand that if the amended label is not consistent with the requiren and penalties under sections 12 and 14 of FIFRA.	I Protection Agency. er and the requirements of EPA's regulation derstand that it is a violation of 18 U.S.C. So nents of 40 CFR part 156, this product may	ec. 1001 to willfully mak	ce any false statements to EPA. I further	
	Section - III	***************************************		
1. Material This Product Will Be Packaged In: Child-Resistent Packaging Yes No No	Water Soluble Packaging Yes No	2. Type of	Metal Plastic	
* Certification must be submitted If "Yes" No. pe		er	Glass Paper Other (Specify)	
3. Location of Net Contents Information 4. Size(s	s) Retail Container	5. Location of Lal	bel Directions	
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled				
	Section - IV			
1. Contact Point Complete items directly below for identifi	ication of individual to be contacted	, if necessary, to pi	rocess this epplication.	
Name Debbie Ziehr	Title Regulatory Administrator		Tອໂອງົກິດີກູ້ອ No. (Include Area Code) 4:19-891ເອຣ71	
Cert I certify that the statements I have made on this form I acknowledge that any knowlinglly false or misleadin both under applicable law.	ification n and all attachments thereto are tru g statement may be punishable by t	e, accurate and co fine or imprisonmen	or or E (Stamped)	
2. Signature Liebbie Ziehr	3. Title Regulatory Administrator		JUN 1 6 2010	
4. Typed Name Debbie Ziehr	5. Date 5/10/10		JUN 1 3 ZU10	



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

June 4, 2010

Document Processing Desk (NOTIF - PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

neluderi 9198-157 -224 -158 -225 -159 -226 -159 -231 -162 -233 -162 -233

RE: Environmental Hazard and General Labeling for Pyrethroid Non-Agricultural Outdoor Products Notification

- 238 - 239

. 240

- 241

- 234

- 235

In response to the above referenced notification that we received, enclosed please find our amended labels for the products listed in Attachment 1. Please note that for EPA #9198-164, we cancelled this EPA registration back in January, 2010. For this reason, this label has not been amended.

Should you have any additional questions, please do not hesitate to contact me.

Sincerely,

The Andersons Lawn Fertilizer Div., Inc.

Debbie Ziehr

Regulatory Administrator

Phone #419-891-6671

Fax #419-891-2745

Email: debbie ziehr@andersonsinc.com

Enclosures.

RESTRICTED USE PESTICIDE Toxic to Fish and Aquatic Organisms

For retail sale to and use only by certified applicators, or persons under direct supervision and only for those uses covered by the certified applicator's certification.

The Andersons GC Fertilizer Plus 0.058% Bifenthrin

Only for sale to, use, and storage by commercial applicators for use to control Ants (including Imported Fire Ants), mole crickets and other insect pest on lawns in landscaped areas and perimeters around residential, institutional, public, commercial and industrial buildings, parks, recreational areas, golf courses and athletic fields.

Active I	ngredients
----------	------------

 Bifenthrin: *
 0.058%

 Other Ingredients
 99.942%

 Total
 100.000%

*Cis isomers 97% minimum, trans isomers 3% maximum US Patent No. 4,238,505

NOTIFICATION
APR 2 7 2011

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight 50 lbs. (22.68 kg) Covers Up To 25,000 Sq. Ft.

EPA Reg. No. 9198-156 EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A Underlined letter is first letter used in run code on bag

The Andersons Fertilizer Plus 0.058% Bifenthrin

	Guaranteed Analysis	
Total Nitrogen (N)	-	XX%
Soluble Potash (K ₂ 0)	***************************************	XX%
Plant nutrients derived from		

For products being sold into Washington state:

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off of water bodies or drainage systems.

FIRST AID	
If swallowed	 Call a poison control center or doctor for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to by a poison control center or doctor Do not give anything by mouth to an unconscious person.
lf on skin	 Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing Call a poison control center or doctor for treatment advice
If inhaled	 Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible Call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Note to Physician:

This product is a pyrethroid. If large amounts have been ingested, milk cream and other digestible fats and oils may increase absorption and so should be avoided.

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or grass grown for seed, or for research purposes.

In New York State, the product may NOT be applied to any grass or turf areas within 100 feet of a water body (lake, pond, river, stream, wetland or drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner that two weeks after the first application. Do not apply more than 0.2 lbs. active ingredient (345 lbs. of this product) per acre per year.

Do not apply by air.

Do not apply more than 800 lbs. of this product per acre per year.

Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during rain.

This product can be used to control the following lawn insects:

Annual Bluegrass Weevil (Hyperodes) (Adult)

Armyworms

Black Turfgrass Ataenius (Adult)

Chinch bugs

Fire Ants

Leafhoppers

Millipedes

Pavement Ants

Dalla-t-

Red Ants

Sowbugs Weevils Ants

Billbugs (Adult)

Centipedes

Cutworms

Imported Fire Ants

Mealybugs

Mole Crickets

Pillbugs

Sod Webworms (Lawn Moth)

Ticks

Treat when insects first appear. Apply this product at a rate of 2 to 4 pounds per 1000 square feet evenly over the turfgrass area using a properly calibrated drop or rotary spreader. Check frequently to make sure the equipment is working properly and the granules are being evenly distributed. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

For more difficult to control pests such as ants, fleas, imported fire ants, mole crickets and ticks, a higher application rate may be needed. In this case, apply 4 to 8 pounds per 1000 square feet.

Comments:

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up .25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. When mound drenching, a product such as Talstar GC Flowable, must be used. Irrigation should be performed prior to application if the soil is not moist. For best results, apply in cool weather. The early morning or late evening hours should suffice.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists. Retreatment might also be necessary due to animals reintroducing new populations.

Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SUGGESTED SPREADER SETTINGS

Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will note appear on final printed label).

Note: 'These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of the product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Date Printed	5/10/10
Date Approved	8/29/00
Supersedes	3/13/00
Label Changes	EPA required amendment - Pyrethroid Notification
Filename	9198-156.doc
Label code	AMDnot0510190