



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Debbie Ziehr
The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer
P.O. Box 119
Maumee, OH 43537

FEB 1 5 2011

Dear Ms. Ziehr:

Subject: Application for Pesticide Notification (PRN 98-10)

Comply with Agency pyrethroid labeling letter dated June 4, 2009

The Andersons GC Fertilizer Plus 0.029% Bifenthrin

EPA Reg. No. 9198-157

Your submission dated May 10, 2010

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 10, 2010 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, PhD of my staff at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely

Richard Gebken Product Manager 10

Insecticide Branch

Registration Division (7505P)

1 Coll

Environmental Prof		Inited States	od States Protection Agency		oroved ✓	Registration ✓ Amendment		OPP Identifier Number
					<u> </u>	Other		
		Application	n for Pesticion			i 		
1. Company/Product Num 9198-157	ber		2. EPA Product Manager LaRocca			3. P	roposed Classification Restricted	
4: Company/Product (Nan The Andersons GC Fertiliz			PM# 13					
5. Name and Address of	Applicant (Include ZIP Co	de)	6. Expe	edited Rev	reiw.	In accordar	nce with	r FIFRA Section 3(c)(3)
The Andersons Lawn Ford/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537	ert. Dív. Inc.		(b)(i), m to:	y product i	is sim		cal in c	omposition and labeling
	his is a new address		Drod.	at Nama				
			Section - I	ct Name _				
						. ,		
Amendment - Expl	ain below.			Final printed Agency lett		ls in repsonse ed	to	
Resubmission in re	sponse to Agency letter	dated		"Me Too" A	Applica	ation.		
Notification - Expla	in below.			Other - Exp	lain be	alow.		
labeling or the Confidential St	er June 4, 2009, letter from Er with the guidance in the June atement of Formula for this pred label is not consistent with	nvironmental Prote 4, 2009 letter and oduct. I understa	ection Agency. the requirements of EF nd that it is a violation o	f 18 U.S.C. Se	c. 1001	to willfully make	any false	nanges have been made to the statements to EPA. I further be subject to enforcement action
			Section - II	1				
1. Material This Product \	Will Be Packaged In:					· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging			Water Soluble P	ackaging		2. Type of (r
Yes	Yes		Yes				Metal Plastic	
No	No		No			▋ .	Glass	
* Certification must be submitted	If "Yes" Unit Packaging wgt	No. per . container	If "Yes" Package wgt	No. per container	7		Paper Other (Specify)
3. Location of Net Conten	ts Information	4. Size(s) Ret	ail Container		5. Lo	cation of Lab	el Directi	ons
6. Manner in Which Label	<u></u>	Lithog Paper Stenci	raph glued	Othe	•			
		Sterici	Section - I	,				
1. Contact Point (Comple	ate items directly below	for identificatio	.,		if nec	essary, to pro	cess this	s application.)
Name Debbie Ziehr			Title Regulatory Admir				Telephor	ne No. (Include Area Code)
I certify that the sta	atements I have made or any knowlinglly false or ile law.	Certifica this form and misleading sta	tion all attachments the	ereto are true	e, acci	ີ່ urate and &ຣ໌ຖ້	် ် များရန	6. Date Application Received (Stamped)
2. Signature			3. Title					RECEIVED ON
Debbie	Ziebr		Regulatory Adminis	trator		(E. JUN 1 6 2010
4. Typed Name Debbie Ziehr	<i>U</i>		5. Date 5/10/	10		·		((() (()



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

June 4, 2010

Document Processing Desk (NOTIF - PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

nchided - 216 9198-157 - 224 -158 - 225 -159 - 231 -162 - 233 -162 - 233

RE: Environmental Hazard and General Labeling for Pyrethroid Non-Agricultural Outdoor Products Notification

- 235 - 238

- 234

In response to the above referenced notification that we received, enclosed please find our amended labels for the products listed in Attachment 1. Please note that for EPA #9198-164, we cancelled this EPA registration back in January, 2010. For this reason, this label has not been amended.

- 239

Should you have any additional questions, please do not hesitate to contact me.

Sincerely,

The Andersons Lawn Fertilizer Div., Inc.

Debbie Ziehr

Regulatory Administrator

Phone #419-891-6671

Fax #419-891-2745

Email: debbie ziehr@andersonsinc.com

Enclosures.

RESTRICTED USE PESTICIDE
Toxic to Fish and Aquatic Organisms

For retail sale to and use only by certified applicators, or persons under direct supervision and only for those uses covered by the certified applicator's certification.

The Andersons GC Fertilizer Plus 0.029% Bifenthrin

Only for sale to, use, and storage by commercial applicators for use to control Ants (including Imported Fire Ants), mole crickets and other insect pest on lawns in landscaped areas and perimeters around residential, institutional, public, commercial and industrial buildings, parks, recreational areas, golf courses and athletic fields.

Active Ingredients	
Bifenthrin: *	0.029%
Other Ingredients	99.971%
Total	100.000%

*Cis isomers 97% minimum, trans isomers 3% maximum US Patent No. 4,238,505


KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight 50 lbs. (22.68 kg) Covers Up To 12,500 Sq. Ft.

EPA Reg. No. 9198-157
EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in run code on bag



Back Panel (for internal use only, will not appear on final label)

The Andersons Fertilizer Plus 0.029% Bifenthrin

Net Weight 50 lbs. (22.68 kg) Covers 12,500 Sq. Ft.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

....

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off of water bodies or drainage systems.

FIRST AID	
If swallowed	Call a poison control center or doctor for treatment advice
	Have person sip a glass of water if able to swallow
	Do not induce vomiting unless told to by a poison control center or doctor
	Do not give anything by mouth to an unconscious person.
If on skin	Take off contaminated clothing
	Rinse skin immediately with plenty of water for 15-20 minutes
	Call a poison control center or doctor for treatment advice
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contacts, if present, after the first 5 minutes, then continue rinsing
\	Call a poison control center or doctor for treatment advice
If inhaled	Move person to fresh air
	If person is not breathing, call 911 or an ambulance, then give artificial
c i	respiration, preferably mouth-to mouth if possible
	Call a poison control center or doctor for treatment advice
Have the prod	uct container or label with you when calling a poison control center or doctor or going

This product is a pyrethroid. If large amounts have been ingested, milk cream and other digestible fats and oils may increase absorption and so should be avoided.

for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Note to Physician:

X = Z

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or grass grown for seed, or for research purposes.

In New York State, the product may NOT be applied to any grass or turf areas within 100 feet of a water body (lake, pond, river, stream, wetland or drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner that two weeks after the first application.

Do not apply by air.

Do not apply more than 800 lbs. of this product per acre per year.

Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during rain.

This product can be used to control the following lawn insects:

Annual Bluegrass Weevil (Hyperodes) (Adult)

Armyworms

Black Turfgrass Ataenius (Adult)

Chinch bugs

Fire Ants

Leafhoppers

Millipedes

Pavement Ants

Red Ants

Sowbugs

Weevils

Ants

Billbugs (Adult)

Centipedes

Cutworms

Imported Fire Ants

Mealybugs

Mole Crickets

Pilibugs

Sod Webworms (Lawn Moth)

Ticks

Treat when insects first appear. Apply this product at a rate of 4 to 8 pounds per 1000 square feet evenly over the turfgrass area using a properly calibrated drop or rotary spreader. Check frequently to make sure the equipment is working properly and the granules are being evenly distributed. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately, after application.

For more difficult to control pests such as ants, fleas, imported fire ants, mole crickets and ticks, a higher application rate may be needed. In this case, apply 8 to 16 pounds per 1000 square feet.

Comments:

00000 6 0 00000

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up .25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. When mound drenching, a product such as Talstar GC Flowable, must be used. Irrigation should be performed prior to application if the soil is not moist. For best results, apply in cool weather. The early morning or late evening hours should suffice.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists. Retreatment might also be necessary due to animals reintroducing new populations.

Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SUGĢĒĢŤĒĎ SPREADER SETTINGS

 Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will note appear on final printed label).

Note: Thèse spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is

X X

recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of the product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

		c c	
Date Printed	5/10/10	C.C. J. J. J. J	
Date Approved	08/29/00	CC CC	τ
Supersedes	3/13/00		5 (
Label Changes	EPA Notification - Pyrethroid changes		
Filename	9198-157.doc	CCCC.	
Label code	AMDnot51010	CCC	C-C-(

