9198	~-177	7	4/30,	1200	74		1	De	pe	•	17'
Please read instructions on r	ں Environmenta	Inited States	· · ·	Form Ar	R	om <u>B No.</u> egistra mendr ther	ntion				<u>pires 2-28-9</u> r Number
		Applicatio	n for Pestic	ide - Sec	tion I						
1. Company/Product Number 9198-177	ſ			2. EPA Product Manager 3. Proposed Classification Tompkins V None					cation Restricted		
. Company/Product (Name) Andersons Turf Fertilizer Plus	s Preemergent Weed C	Control	РМ# 25	PM#							1103(110,00
Name and Address of App The Andersons Lawn Fe d/b/a Free Flow Fertilize PO Box 119 Maumee, OH 43537	ertilizer Division, In	· · · •	(b){i), r to: EPA	ny product Reg. No	is simílar	or ident	ical in	con	npositio	n and	l labeling
			Section -	uct Name							
Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency letter	dated		Final printed labels in repsonse to Agency latter dated "Me Too" Application. NOTIFICATION				TION 2004			
0 CFR 152.46, this product may be in	violation of FIFRA and I may b	e subject to enforce	ment action and penalties		2 and 14 of FIF	RA.					
. Material This Product Will	Be Packaged In:										
Child-Resistant Packaging Yes No Cortification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble F Yes No If "Yes" Package wgt	Packaging No. per containe		Tγpa of	Meta Plast Glas Pape	al tic s ər	ecify)		
3. Location of Net Contents Information 4. Size(s) Re			ail Container	einer 5. Location of Label Directions				energe consultation data a			
6. Manner in Which Lebel is Affixed to Product			raphOther								
			Section - I	V							
. Contact Point (Complete	items directly below f	or identificatio			, if necess	ery, to pro	ocess i	this a	pplicatio	on.)	
Name Dawn L. Walters			Title Regulatory Admi				-	aphone No. (Include Area Code) I-262-2766			
l certify that the stater I acknowledge that any both under applicable I	y knowlinglly false or		all attachments th					1	6. Date Recei (S		
2. Signature Dawn RWAlturs			3. Title Regulatory Admini	Title Regulatory Administrator							
4. Typed Name Dawn L. Walters			5. Date 4 15	04							

V Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

089



The Andersons, Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

April 15, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505C) US Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, DC 20460-0001

RE: Notification of Minor Label Change SUBJECT: Andersons Turf Fertilizer Plus Preemergent Weed Control EPA Reg. No. 9198-177

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is also enclosed with the additions underlined and marked in blue.

We have made the following change by notification:


- 1. Added following optional front panel claims
 - contains pendimethalin for season-long broad spectrum weed control
 - small particle formulation provides high particle count for herbicide distribution
 - contains Poly-S nitrogen for controlled release of nitrogen
 - premium formula, designed for golf course use
 - contains potassium for turf stress resistance

Enclosed is a card indicating the acceptance or rejection of this notification. Please complete the card and return via mail. If there are any questions or comments regarding this notification, please feel free to contact me.

Sincerely, The Andersons Lawn Fertilizer Division, Inc.

Dawn Killatters Dawn L. Walters Regulatory Administrator Phone 334-262-2766 Fax 334-265-5703 Email dawn_walters@andersonsinc.com

enclosures



ANDERSONS Turf Fertilizer Plus Preemergent Weed Control

- preemergent control of crabgrass, goosegrass, foxtail, chickweed, . oxalis, spurge, knotweed and Poa annua
 - NOTIFICATION

APR 3 0 2004

- Provides a feeding of potassium
- provides quick green-up plus extended feeding with controlled release SREF nitrogen (slow release encapsulated fertilizer)
- Controlled release Poly-S*® nitrogen provides uniform growth with extended feeding *A portion of the urea has been coated to provide 2.5% coated slow-release nitrogen.
- readily available potassium
- provides readily available iron
- provides a feeding of nitrogen and potassium
- provides a one-to-one feeding of nitrogen and potassium
- contains pendimethalin for season-long broad spectrum weed control .
- small particle formulation provides high particle count for herbicide distribution .
- contains Poly-S nitrogen for controlled release of nitrogen ٠
- premium formula, designed for golf course use
- contains potassium for turf stress resistance

Net Weight XX.XX lbs (XX.X kg)

This product contains 0.XXX lb. of Pendimethalin per lb. of product.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

FIRST AID

If swallowed: Call A poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious formarkin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

if inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-t-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may contact 1-800-757-8951 for emergency medical treatment information.

Personal Protective Equipment

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical resistant gloves, made of waterproof materials, such as butyl rubber >14 mils, nitrile rubber >14 mils or neoprene rubber>14 mils, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining personal protection equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash personal protection equipment separately from other laundry. 439

9198-177 Page 2 of 7

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling t his product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Environmental Hazards: This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spills, either collect for use or dispose of properly.

ACTIVE INGREDIENT:		
Pendimethalin†		. 0.75%
INERT INGREDIENTS:		99.25%
	Total	100.00%

†CAS #40487-42-1 EPA Reg. No. 9198-177 EPA Est 538-OH-1<u>S</u>, 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u> Underlined letter is first letter used in run code on bag

Guaranteed Analysis

The Andersons Lawn Fertilizer Division, Inc. PO Box 119 Maumee, OH 43537

 RIGHT GUSSET
 XXXX
 Andersons
 XX-XX-XX

 Solf Course
 ANDERSONS Turf Fertilizer Plus Preemergent Weed Control

 LEFT GUSSET
 XXXX
 Andersons

 XXXX
 Andersons
 XX-XX-XX

 Golf Course
 ANDERSONS Turf Fertilizer Plus Preemergent Weed Control

 LEFT GUSSET
 XX-XX-XX

 Golf Course
 ANDERSONS Turf Fertilizer Plus Preemergent Weed Control

Prevents sprouting of the following grassy and dicot weeds and provides [a feeding of potassium –OR— a controlled-release nitrogen feeding]:

Grassy Weeds Crabgrass Foxtail Goosegrass *Poa annua* Barnyardgrass Fall panicum

- Dicot Weeds Chickweed Oxalis Knotweed Prostrate Bpostene Cudweed
- Hop clover Henbit eveningprimrose

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Workers Protection Standard 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls; chemical-resistant gloves, made of waterproof materials, such as butyl rubber>14 mils, nitirle rubber>14 mils, or neoprene rubber>14 mils; shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to use of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The Worker Protection Standard applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not allow people (other than applicator) or pets on treatment are during application. Do not enter treatment areas until spray has dried or dusts have settled.

For use on any turfgrass site (lawns, sod, turf areas) including, but not limited to: grounds or lawns around residential and commercial establishments, golf courses, parks, athletic fields, schools, cemeteries, roadsides and sod farms.

For use on established turfgrasses including bentgrass, bermudagrass, and *Poa annua* (except putting greens and tees), Kentucky bluegrass, perennial ryegrass, fine fescue, tall fescue, St. Augustinegrass, bahiagrass, zoysiagrass, centipedegrass and blends of the grasses. See "Bermudagrass, Bentgrass and *Poa annua* Precautions" and "Limitation of Liability" statements.

Not for use on bentgrass, Poa annua and bermudagrass putting greens and tees, or on dichondra. Where bentgrass, bentgrass-containing turf and Poa annua are the desired species, a light rate application only is recommended.

How/When to Use

For control of annual grassy and broadleaf weeds such as crabgrass, goosegrass, foxtail, barnyardgrass, fall panicum, *Poa annua*, oxalis, knotweed, purslane, and prostrate spruge, apply in spring before they sprout.

To prevent *Poa annua* and fall germinating chickweed, apply product to dry foliage in late summer/early fall(before germination). Repeat application yearly for continued control. A repeat application made after *Poa annua* treatment should not be sooner than 4 months.

Where lower infestations are expected, the lighter rates may be used.

Apply product uniformly to dry foliage at the suggested rate with a properly calibrated spreader. For best results, water after application $(\frac{1}{4} - \frac{1}{2})$ inch) to remove granules from the foliage and to move the product to the soil surface for an effective chemical barrier. Do not destroy the chemical barrier created at the soil surface by raking or aerifying as a segment to application. Allow at least a four month space between the applications except when repeat applications are necessary after 6-8 weeks.

Do not mow treated area until product has been watered in and turf foliage has dried.

Precautions

Do not use on bentgrass, *Poa annua* and bermudagrass putting greens and tees, or on dichondra. Where bentgrass and bentgrass-containing turf and *Poa annua* are the desired species, a light rate application only is recommended.

On cool season turfgrasses avoid applications when temperatures are regularly in the 80's.

This product may cause discoloration and thinning where overapplications have been made if the turfgrass is under sever stress conditions (disease, drought, low temperature – below 40°F, scalping, and excessive soil moisture).

Do not apply to dormant bentgrass and *Poa Annua* (turf that is not actively growing or has experienced frost).

When any preemergence herbicide is applied to dormant bermudagrass, green-up may be delayed 2 to 3 weeks in the spring. The delay in green-up may be extensive in low-cut bermudagrass and on sandy soils.

As with most other preemergence herbicides, application of this product to bermudagrass overseeded with cool season turfgrass species may injure and thin the overseeding.

Do not apply to bentgrass of Poa annua after late summer.

Avoid application to cement, stone, clothing or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse with water.

If metallic surfaces (golf course equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5-10 MPH) due to its staining potential.

\$

Properties of All Dinitroanaline (DNA) Products

May cause temporary slowing of turf fill-in and stolon-rhizome rooting where turf has been thinned. Requires a waiting period before seeding or sprigging.

Seeding or Sprigging intervals after Treatment

Delay seeding by 3 months and sprigging by 5 months after application. Prior to planting, for best results, the soil surface should be disturbed or worked to dilute any remaining chemical residue.

Treatment Interval after Seeding or Sprigging

On newly planted areas, wait until the grass has been mowed at least 4 times and has filled in before making an application.

Notes

Do not apply more than a cumulative total of 400 lbs. of product/acre (3.0 lbs. active ingredient/acre) per year on bentgrass and *Poa annua*; 800 lbs. of product/acre (6.0 lbs. active ingredient/acre) per year on cool season turfgrass; and 1200 lbs. of product/acre (9.0 lbs. active ingredient/acre) per year on warm season turfgrasses.

Turfgrass Species	Weeds	Rates	Comments
Cool Season Grasses	Crabgrass Foxtail	200 – 266 lbs./acre as the initial application prior to	Apply a repeat application of 167 –
Kentucky bluegrass	Poa annua	weed germination	200 lbs/acre after 6 -
Perennial ryegrass	Barnyardgras		8 weeks for
Fine fescue	Sall panicum		extended control or
Tall fescue	Oxalis		where heavy weed
	Prostrate		infestations are
	spurge Purslane	-	expected
	Knotweed		
	Chickweed		
	Goosegrass	200 - 266 lbs./acre in the	
		spring prior to weed	·
		germination. Apply a	
		repeat application after 6	
		- 8 weeks at 200 - 233	
Bentgrass and	Croharaaa	Ibs./acre 200 lbs./acre in the	Apply a report
established Poa	Crabgrass Foxtail	spring prior to weed	Apply a repeat application of 167 –
Annua (1/2 inch height	Poa annua	germination	200 lbs/acre after 6 –
or taller). Not for use	Barnyardgras	3	8 weeks for
on greens and tees	Sall panicum		extended control or
	Oxalis		where heavy weed
	Prostrate		infestations are
	spurge		expected
	Purslane		
	Knotweed Chickweed		
	Goosegrass	200 lbs./acre in the	fersterne sementen av 1.145 militeter er sementer for senter for the sementer of the sementer
	000009,000	spring prior to weed	
	ļ	germination with a repeat	
		application of 200	
		Ibs./acre after 6 – 8	

weeks

9198-177 Page 6 of 7

Warm Season Grasses Bermudagrass St. Augustinegrass Bahiaigrass Zoysiagrass	Crabgrass Foxtail <i>Poa annua</i> Barnyardgras Sall panicum Oxalis	200 – 266 lbs./acre prior to weed germination	Apply a repeat application of 167 – 200 lbs./acre after 6 – 8 weeks for extended control or where heavy weed
Centipedegrass (401 lbs./acre rate or less) Tall fescue	Prostrate spurge Purslane Knotweed		infestations are expected
	Chickweed		
(Not for use on greens			
and tees)		OR	
-		(OPTIONAL WORDING)	
		266 lbs./acre may be	
		used prior to weed	
		germination with a repeat	
		application of 200 lbs./acre after 4 months	
		where weeds germinate	
		over an extended period.	
		(Do not use this high rate	
		on centipedegrass)	
	Goosegrass	200 - 266 lbs./acre prior	
	Cudweed	to weed germination with	
	Hop clover	a repeat application of	
	Evening-	200 – 266 lbs./acre after 6	
	primrose	– 8 weeks.	
	Henbit		
	OR	(NOTE TO EPA - OPTIONAL	
	Goosegrass	200 – 266 lbs./acre prior to weed germination	Apply a repeat application of 200 – 266 lbs./acre to extend control of goosegrass or if the lower rate was used
			initially
	Cudweed Hop clover Evening- Primrose Henbit	200 - 266 lbs./acre prior to weed germination	Apply a repeat application of 200 – 233lbs./acre after 6 – 8 weeks if the lower rate was used
			initially

Storage and disposal

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag boy folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

8 7 9

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application. Do not adjust rates in order to meet fertilizer requirements of your soil.

50 lbs. treat 11,000 ft²($\frac{1}{4}$ acre) at the 200 lbs product/acre rate (equivalent to 1 $\frac{1}{2}$ lbs active ingredient/acre and X lbs N/1,000 sq ft)

			REC		ED RATE	E RANGE e)
SPREADER	GROUND OR PTO SPEAD	WIDTH OF COVERAGE	167	200	233	266
Gandy - 30"	X mph	Overlap	X	X	X	X
Scotts Rotaries* R-7, R-7X R-8, R-8A (cone 8)	X mph	XX detet	X	X	X	X
Lely Model	X mph	XX feet	X	X	X	X
Vicon	X mph	XX feet	X	X	X	X

*Use discharge hole cover #13030 (already attached to the PT-10 and PT-11 models). For the R-7X model use with adjustable pattern slide ¼ closed. Lely models WTR, WFR, HR and 1250. PT) at 450 rpm. Metric coverage: 22.68 kg treats 1022 m² at the 200 lbs product/acre rate

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVamd102902)

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Date Printed	4/15/04
Date Approved	6/18/03
Supersedes	Transfer
Label changes	Notification – front panel claims
Filename	9198-177
Label code	(RVamd102902)