



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAR 13 2007

Ms. Dawn L. Walters
Product Registration
The Andersons Lawn Fert. Div., Inc
Fert. PO Box 120
Maumee, OH 43537

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "The Andersons Turf Products Fertilizer with
0.75% ProPendi Herbicide"
EPA Reg. No. 9198-177
Application Dated January 9, 2007

Dear: Ms. Walters,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 01/9/07 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

284



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-177	2. EPA Product Manager Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Andersons Turf Fertilizer Plus Preemergent Weed Control	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification of Alternate Brand Names per PR Notice 98-10 : The Andersons Turf Products Fertilizer with 0.75% ProPendi Herbicide

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions
 On Label

6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 334-262-2766
-------------------------	-----------------------------------	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.

2. Signature Dawn Walters	3. Title Regulatory Administrator	6. Date Application Received (Stamped)
4. Typed Name Dawn L. Walters	5. Date 1/9/07	

374



The Andersons, Inc.
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

January 9, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
1200 Pennsylvania Ave., NW
Washington, D.C. 20460-001

Subject: NOTIFICATION - Additional Brand Name
RE: Andersons Turf Fertilizer Plus Preemergent Weed Control
EPA Reg. No. 9198-177

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market an additional product under the subject basic registration. The additional brand name is:

The Andersons Turf Products Fertilizer with 0.75% ProPendi™ Herbicide

One copy of the draft label is enclosed.


Enclosed is a self-addressed card indicating the acceptance or rejection of this notification. Please complete the card and return via mail.

If there are any questions, please contact me.

Sincerely,
The Andersons Lawn Fertilizer Division, Inc.

Dawn L. Walters
Dawn L. Walters
Regulatory Administrator
Phone 334-262-2766
Fax 334-265-5703
Email dawn_walters@andersonsinc.com

enclosure





Turf Products

Fertilizer

with 0.75% ProPendi™ Herbicide

26-3-11

Preemergent control of crabgrass, goosegrass, foxtail, chickweed, oxalis, spurge, knotweed, *Poa annua* and other weeds as listed

- Contains NS-52™ for controlled release nitrogen feeding
- Contains potassium for turf stress resistance

ACTIVE INGREDIENT:

Pendimethalin

0.75%

INERT INGREDIENTS:

99.25%

Total 100.00%

4087421

Reg. No. 9198-117

EPA Est. No. 9198-OH-11L, 9198-OH-2E, 9198-AL-001

Undertinted later is first letter used in run code on bag

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate food or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

FIRST AID

If swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going to treatment. You may contact 1-800-757-8951 for emergency medical treatment information.

Personal Protective Equipment

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical resistant gloves, made of waterproof materials, such as butyl rubber >14 mils, nitrile rubber >14 mils or neoprene rubber >14 mils, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining personal protection equipment (PPE). If no such instructions for washing, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Engineering Controls:

When handles are used enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4)-(6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Environmental Hazards:

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. In case of spill, other control for use or disposal of product.

GUARANTEED ANALYSIS

Total Nitrogen (N)	26.00%
7.16% Ammoniacal Nitrogen (N)	
18.84% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	3.00%
Soluble Potash (K ₂ O)	11.00%
Sulfur (S)	5.40%
0.50% Free Sulfur (S)	
4.90% Combined Sulfur (S)	
Plant nutrients derived from ammonium phosphate, urea, ammonium sulfate, polymeric coated sulfur coated urea and potassium chloride	
0.20% Slowly available nitrogen from polymeric coated sulfur coated urea	
Chlorine (Cl) Max.	9.30%
U.S. Patent Nos. 5,705,794; 5,889,470	
Licensed under one or more of the following U.S. Patents: 5,830,742; 4,098,441	F 262

Prevents sprouting of the following grassy and dicot weeds and provides a controlled-release nitrogen feeding:

Grassy Weeds:
Crabgrass
Chickweed
Foxtail
Goosegrass
Poa annua
Barnyardgrass
Fall panicum

Dicot Weeds:
Oxalis
Knotweed
Prostrate spurge
Purslane
Cutweed
Hop clover
Herb
Eveningprimrose

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers onto treated areas during the restricted entry interval (REI) of 24 hours.
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves, made of waterproof materials, such as butyl rubber >14 mils, nitrile rubber >14 mils, or neoprene rubber >14 mils; shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS
The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The Worker Protection Standard applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.
Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dusts have settled.

For use on any turfgrass site (lawns, sod, turf areas) including, but not limited to: grounds or lawns around residential and commercial establishments, golf courses, parks, athletic fields, schools, campuses, roadsides and cool lawns.

For use on established turfgrasses including bentgrass, bermudagrass, and *Poa annua* (except putting greens and tees), Kentucky bluegrass, perennial ryegrass, fine fescue, tall fescue, St. Augustinegrass, bahiagrass, zoysiagrass, carpetgrass and blends of the grasses. See Bermudagrass, Bahiagrass and *Poa annua* sections and "Limitation of Liability" statement.

Not for use on bermudagrass, *Poa annua* and bahiagrass putting greens and tees, or on dichondra. Where bentgrass, bermudagrass-containing turf and *Poa annua* are the desired species, a light application only is recommended.

HOW/WHEN TO USE

For control of annual grassy and broadleaf weeds such as crabgrass, goosegrass, foxtail, barnyardgrass, fall panicum, *Poa annua*, oxalis, knotweed, purslane, and prostrate spurge, apply in spring before they sprout.
To prevent *Poa annua* and fall germinating chickweed, apply product to dry (clage in late summer/early fall) (before germination). Repeat application yearly for continued control. A repeat application made after *Poa annua* treatment should not be sooner than 4 months.

Where lower infestations are expected, the lighter rates may be used.
Apply product uniformly to dry foliage at the suggested rate with a properly calibrated spreader. For best results, water after application (1/4-1/2 inch) to remove granules from the foliage and to move the product to the soil surface for an effective chemical barrier. Do not destroy the chemical barrier created at the soil surface by tilling or aerifying as a segment to application. Allow at least a four month space between the applications except when repeat applications are necessary after 6-8 weeks.

Do not mow treated area until product has been watered in and turf foliage has dried.

Precautions
Do not use on bermudagrass, *Poa annua* and bahiagrass putting greens and tees, or on dichondra. Where bentgrass and bermudagrass-containing turf and *Poa annua* are the desired species, a light rate application only is recommended.

On cool season turfgrasses avoid applications when temperatures are regularly in the 60's.
This product may cause discoloration and thinning where over-applications have been made in the turfgrass in under severe stress conditions (disease, drought, low temperature - below 40°F, scalping, and excessive soil moisture).

Do not apply to dormant bahiagrass and *Poa annua* turf that is not actively growing or has experienced frost.
When any preemergence herbicide is applied to dormant bermudagrass, green-up may be delayed 2 to 3 weeks in the spring. The delay in green-up may be additive in low-cut bermudagrass and on sandy soils.

As with most other preemergence herbicides, application of this product to bermudagrass overseeded with cool season turfgrass species may injure and thin the overseeding.
Do not apply to bermudagrass or *Poa annua* after late summer.

Avoid application to cement, stone, clothing or shoes. If contact occurs, brush off particles to prevent staining. If necessary, rinse with water. If metallic surfaces (oil course equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5-10 MPH) due to its staining potential.

Properties of All Dichloromethane (DM) Products
May cause temporary slowing of turf firm and station/home rooting where turf has been thinned. Requires a weeding period before seeding or sprigging.
Seeding or Sprigging Intervals after Treatment
Delay seeding by 3 months and sprigging by 5 months after application. Prior to planting, for best results, the soil surface should be disturbed or worked to eliminate any remaining chemical residue.
Treatment Interval after Seeding or Sprigging
On newly planted areas, wait until the grass has been mowed at least 4 times and has filled in before making an application.

Notes
Do not apply more than a cumulative total of 400 lbs. of product/acre (8.0 lbs. active ingredient/acre) per year on bermudagrass and *Poa annua*, 800 lbs. of product/acre (8.0 lbs. active ingredient/acre) per year on cool season turfgrasses, and 1,200 lbs. of product/acre (8.0 lbs. active ingredient/acre) per year on warm season turfgrasses.

Turfgrass Species	Weeds	Rates	Comments
Cool Season Grasses Kentucky bluegrass Perennial ryegrass Fine fescue Tall fescue	Crabgrass Foxtail <i>Poa annua</i> Barnyardgrass Fall panicum Oxalis Prostrate spurge Purslane Knotweed Chickweed	200-265 lbs/acre 36 lbs. initial application prior to weed germination	Apply a repeat application of 167-200 lbs/acre after 6-8 weeks for extended control or where heavy weed infestations are expected
	Goosegrass	200-265 lbs/acre in the spring prior to weed germination. A repeat application after 6-8 weeks	
Bermudagrass and established <i>Poa annua</i> (1/2 inch height or taller). Not for use on greens and tees.	Crabgrass Foxtail <i>Poa annua</i> Barnyardgrass Fall panicum Oxalis Prostrate spurge Purslane Knotweed Chickweed	200 lbs/acre in the spring prior to weed germination	Apply a repeat application of 167-200 lbs/acre after 6-8 weeks for extended control or where heavy weed infestations are expected
	Goosegrass	200 lbs/acre in the spring prior to weed germination with a repeat application of 200 lbs/acre after 6-8 weeks	
Warm Season Grasses Bermudagrass St. Augustinegrass Bahiagrass Zoysiagrass Carpetgrass 1401 (before late or tees) Tall fescue (Not for use on greens and tees)	Crabgrass Foxtail <i>Poa annua</i> Barnyardgrass Fall panicum Oxalis Prostrate spurge Purslane Knotweed Chickweed	200-265 lbs/acre prior to weed germination	Apply a repeat application of 167-200 lbs/acre after 6-8 weeks for extended control or where heavy weed infestations are expected
	Goosegrass	200-265 lbs/acre prior to weed germination with a repeat application of 200 lbs/acre after 6-8 weeks	

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store in a clean, dry place. Reuse opened bag by folding top down and securing. **PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	Suggested Spreader Settings			
			LIGHT RATE 1.25 lbs. ai/acre	LOW RATE 1.50 lbs. ai/acre	MEDIUM RATE 1.75 lbs. ai/acre	HIGH RATE 2.00 lbs. ai/acre
Andersons AccoPro 2000, SR 2000 (cone 4)	3 mph	12 feet	K U2	L 3/4	M U2	N
Andersons AccoPro 1000	3 mph	12 feet	K U2	L 3/4	M U2	N
Scotts R-8, R-8A (cone 4)	3 mph	12 feet	J U2	K V4	L	L U2
Lyle Models WFR, WFR, HR, 1259 (PTO at 450 rpm) Pattern III	4.5 mph	40 feet	5 3/4	6	6 U2	7
Vacon OS Series	4.5 mph	36 feet	28	33	36	39

IMPORTANT: READ BEFORE USE: Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If items are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Warranty Disclaimer and Limitation of Liability.
WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY: Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, a manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES in lieu of adequate price or replacement of product, at Purcher's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.
LEGAL RIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (R)46102902

Manufactured by
The Andersons Lawn Fertilizer Division, Inc.
P. O. Box 119, Maumee, OH 43537
SGN 215
Net Wt. 50 Lbs. (22.68 kg)
Treats Up To 13,000 Sq. Ft.

This product contains 0.0075 lb. of pendimethalin per lb. of product.

A7 (APTLBKPDNAB)

APT265PD5

1784