UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 26 2002

Ms Dawn L. Walters The Andersons, Inc. P.O. Box 119 Maumee, Ohio 43537

Subject: Andersons Golf Products Fungicide V

EPA Reg. No. 9198-182

Submission dated June 12, 2002

Dear Ms. Walters:

The revised product supplemental labeling referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable provided the following conditions are met:

- 1) Revise the sentence "Prevents and controls Pythium Blight and gray snow mold." to "Prevents and controls Pythium Blight and gray snow mold on golf course greens and fairways." The label needs to be clear on the registered use sites.
- 2) Insert the following as the first sentence in the "Storage and Disposal Section" of the label: "Do not contaminate water, food or feed by storage and disposal." This sentence should then be deleted from the "Pesticide Disposal" section.
- 3) Add the following to the "Pesticide Disposal" section on page 2: "Call your local or state solid waste agency or call 1-800-CLEANUP if you have questions."

Submit one copy of the revised final printed label before releasing the product for shipment. A stamped copy of the label is enclosed for your records. If you have questions about this label review, please contact Dennis McNeilly at (703) 308-6742 or electronically at mcneilly.dennis@epa.gov.

Sincerely,

Mary L. Waller

Product Manager (21)

Fungicide Branch

Registration Division (7505C)

Enclosures: stamped label

Andersons™ Golf Products Fungicide V

Prevents and controls Pythium blight and gray snow mold

ACTIVE INGREDIENTS:

INERT INGREDIENTS: 93.75%

Total

EPA Reg. No. 9198-182

EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag

SEP 26 2002

with COMMENTS

In EPA Letter Dated

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: May irritate eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not graze or feed clippings from treated areas to livestock.

FIRST AID

If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison

control center or doctor for treatment advice.

If swallowed Call a poison control center or doctor for treatment advice. Have person sip a glass

> of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-

20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled Move person to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to mouth if possible. Call a poison

control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

GUSSETS: [Note: gusset information is optional, depending on bag type]

RIGHT GUSSET

Andersons Golf Products Fungicide X {product code}

LEFT GUSSET

Andersons Golf Products Fungicide X {product code}

TOP GUSSET

Andersons Golf Products Fungicide X {product code}

BOTTOM GUSSET

Andersons Golf Products Fungicide X {product code}

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Prevents and controls:

Pythium blight

gray snow mold

Whenever used on greens and fairways, apply to moist foliage in the morning or evening. Sprinkle lightly just before traffic resumes to avoid pickup of material on shoes, golf balls, or maintenance equipment.

To prevent Pythium blight -- apply at the RECOMMENDED RATE to moist foliage when high temperature and humidity favor development. Repeat at 5-7 day intervals as long as these weather conditions persist.

To control Pythium blight -- apply at the RECOMMENDED RATE to moist foliage as soon as disease activity is observed; repeat at 5-7 day intervals during high temperature and humidity conditions.

In case of severe disease attack, apply at the DOUBLE RATE to moist foliage and continue RECOMMENDED RATE applications at 5-7 day intervals during high temperature and humidity conditions.

On new seedings, apply at the RECOMMENDED RATE after sowing seed; at first signs of disease, apply to moist foliage of newly germinated grass and repeat at 7-10 intervals if evidence of disease persists.

When treating to control Pythium blight, do not fertilizer or water heavily until disease activity is arrested; prolonged contact with foliage enhances effectiveness.

Gray snow mold -- apply at the RECOMMENDED RATE to dry or moist foliage prior to the first heavy snow (early Winter). Repeat in mid-Winter if turf is free of snow. A final treatment in late Winter as the snow melts extends protection.

In areas where snow cover is present the entire Winter, apply at the DOUBLE RATE prior to the first snow and at the RECOMMENDED RATE snow melts in the Spring.

Storage and Disposal

STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or be incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (Rvnot032302)

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application.

32.75 lbs. treats 11,000 ft² at the RECOMMENDED RATE

32.75 lbs. treats 5,500 ft² at the DOUBLE RATE

SPREADER SETTING

SPREADER	GROUND OR PTO SPEAD	WIDTH OF COVERAGE	RECOMMENDED	DOUBLE
Scotts Drop Type	X mph	Overlap wheels	X	Χ
Scotts Rotaries	X mph	XX feet	X	Χ
Lely Models (see below)	X mph	XX feet	Χ	X

Lely models WTR, WFR, HR and 1250. PTO at 450 rpm.

Note to EPA: actual spreader models may vary depending on market demand and availability

Note to EPA: Metric information is optional, depending on market:

Metric coverage: 14.86 kg treats 1022m² at the RECOMMENDED RATE and 511 m² at the DOUBLE RATE

Net Weight 32.75 lbs. (14.86 kg) Covers up to 11,000 Sq. Ft.

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.

d/b/a Free Flow Fertilizer

PO Box 119

Maumee, OH 43537

{product code}

Date Printed	6/12/02
Date Approved	Transfer
Supersedes	
Label Changes	Amendment - first aid; delete rec for pro use
Filename	9198-182
Label Code	RVnot032302