

9198-186

02/27/2002

1/13

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 9198-186	2. EPA Product Manager Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) St. Augustine Weed Control Plus Fertilizer	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>FEB 27 2002</u>	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

#### Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Minor Label Change per PR Notice 98-10 : see attached letter

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 334-262-2766
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  <b>(Stamped)</b>
2. Signature <i>Dawn L. Walters</i>	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date <i>11/6/01</i>	

2/13

NOTIFICATION  
FEB 27 2002

MASTER LABEL – RANGE LABEL (HIGH END OF RANGE)  
FRONT PANEL

Andersons BRAND

# ST. AUGUSTINE WEED CONTROL PLUS FERTILIZER

- Controls weeds in St. Augustine, zoysia, centipede and carpetgrass
- Provides controlled release nitrogen feeding

Net Weight 55.0 lbs (24.95 kg)

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals:** Harmful if swallowed. Avoid inhalation or contact with eyes. Keep away from feed or food products.

**Personal Protective Equipment**

Applicators and other handlers must wear: Long-sleeved shirt and long pants, waterproof gloves, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining personal protection equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash personal protection equipment separately from other laundry.

**User Safety Recommendations:**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Environmental Hazards:** On compact, slowly draining soils (particularly the Dallas, Ft. Worth area), avoid application on rootzone of trees and shrubs. Atrazine leaches readily and accepted label rates have been found to result in contamination of water supplies by way of groundwater. Therefore users are advised to avoid use of atrazine in well drained soils particularly in areas having high groundwater tables. All crops – This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

**ACTIVE INGREDIENT:**

Atrazine† .....	1.32%
<b>OTHER INGREDIENTS:</b> .....	<b>96.68%</b>
Total	100.00%

†CAS #1912-24-9

EPA Reg. No. 9198-186

EPA Est 538-OH-1S, 9198-OH-1M, 9198-OH-2B, 9198-AL-001A, 39578-TX-1E

Underlined letter used is first letter of run code on end of bag

Treats up to 11,000 Square Feet


Recommended for Use by Professional Turfgrass Managers

BACK PANEL

---

XXXX  
GUSSETS

Andersons logo  
St. Augustine Weed Control Plus Fertilizer



**ST. AUGUSTINE WEED CONTROL PLUS FERTILIZER**

Guaranteed Analysis

Total nitrogen (N).....	XX%
Available phosphate ((P <sub>2</sub> O <sub>5</sub> ).....	X%
Soluble potash (K <sub>2</sub> O).....	X%

Derived from: {fertilizer ingredients}

Note: guaranteed analysis on final label will reflect fertilizer components and required layout by AAPFCO

Optional for products being sold into the state of Washington:

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>

Product of USA

U.S. Patent No. X,XXX,XXX

The Andersons Lawn Fertilizer Division, Inc.

PO Box 119

Maumee, OH 43537

**Directions for use**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Workers Protection Standard 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, waterproof gloves, shoes plus socks.

Controls weeds listed below plus fertilizes the turf:

Apply to control the following weeds any time they are growing. If complete control is not obtained, a second treatment may be required 2 months after the first.

## BACK PANEL

Annual sowthistle	Florida pusley
Black medic	Fragrant cudweed (rabbit-tobacco)
Blue toadflax	Henbit
Buckhorn plantain	Lippia (matchweed)
Burclover	Oxalis ( common yellow woodsorrel)
Carolina geranium (cranesbill)	Red sorrel
Common chickweed	Rescuegrass
Common dandelion	Shepherdspurse
Common purslane	Stinging nettle
Cutleaf eveningprimrose	Venus lookingglass
Dichondra	Virginia pepperweed
Dollarweed	Wild mustard
Florida betony	

Apply in the fall to control winter weed such as henbit, chickweed, rabbit-tobacco, and eveningprimrose.

Apply in January, February or early March to prevent germination of the following annual weeds. Product does not control established plants of these weeds.

Crabgrass ( <i>Digitaria serotina</i> )	Sedges (from seed)
Bull paspalum	Spotted spurge

Make all applications to dry foliage only. If maximum daytime temperature is 80°F or above, water sufficiently to rinse particles off the grass blades.

Application can be made to newly sprigged St. Augustine and zoysia turf. Prior to this treatment, however, water should be applied to settle the soil around the strips.

### Use Limitations

Do not apply to lawns of bahia, bluegrass, bentgrass, dichondra, ryegrass, tall fescue, bermudagrass or mixed lawns containing any of these grasses.

Do not use on centipede or carpetgrass turf during the period of winter dormancy (approximately October 15 to March 15), except in Florida.

Do not apply to newly seeded zoysia, centipede or carpetgrass until after the turf has been mowed at least twice.

Do not plant sprigs for one month or sow new grass seed for six months following application of this product.

Do not apply on bedding plants, flowers, garden plants or ornamental trees and shrubs.

Where winter overseeding is planned, do not treat the turf during the preceding 6 months. Application the following spring hastens conversion to the summer turf while controlling weeds and feeding the grass.

### Storage and disposal

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing

BACK PANEL

**PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

<b>Suggested Spreader Settings</b>			
To provide proper distribution calibrate spreader before application.			
55.0 lbs. treats 11,000 ft <sup>2</sup> at the RECOMMENDED RATE			
<b>SPREADER</b>	<b>GROUND OR PTO SPEED</b>	<b>WIDTH OF COVERAGE</b>	<b>RECOMMENDED RATE</b>
Scotts Drop Type	X mph	Overlap wheels	X
Scotts Rotaries R-7, R-7X* R-8, R-8A (cone 9)	X mph	XX feet	X
AccuPro, SR-2000 (Cone 9)	X mph	XX feet	X
Gandy (30")	X mph	Overlap wheels	X
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	X mph	XX feet	X
Vicon (03 Series, Standard spout)	X mph	XX feet	X

\*Slide 1/4 closed.

*Note to EPA: actual spreader models may vary depending on market demand and availability*

*Optional: (depending on market)*

Metric coverage: 24.95 kg treats 1022 m<sup>2</sup> at the RECOMMENDED RATE

**IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

(APtrans/Rvnot1110501)

BACK PANEL

---

Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
D/b/a Free Flow Fertilizer  
PO Box 119  
Maumee, OH 43537

---

Date Printed	11/6/01
Date Approved	Transfer
Supersedes	Transfer
Label Changes	Notification – change name, warranty, revise to Andersons
Filename	9198-186 high end
Label Code	APtrans/Rvnot110501

8/13

MASTER LABEL – RANGE LABEL (LOW END OF RANGE)  
FRONT PANEL

NOTIFICATION  
FEB 27 2002

Andersons BRAND

# ST. AUGUSTINE WEED CONTROL PLUS FERTILIZER

- Controls weeds in St. Augustine, zoysia, centipede and carpetgrass
- Provides controlled release nitrogen feeding

Net Weight 63 ½ lbs (20.80 kg)

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals:** Harmful if swallowed. Avoid inhalation or contact with eyes. Keep away from feed or food products.

### Personal Protective Equipment

Applicators and other handlers must wear: Long-sleeved shirt and long pants, waterproof gloves, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining personal protection equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash personal protection equipment separately from other laundry.

### User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Environmental Hazards:** On compact, slowly draining soils (particularly the Dallas, Ft. Worth area), avoid application on rootzone of trees and shrubs. Atrazine leaches readily and accepted label rates have been found to result in contamination of water supplies by way of groundwater. Therefore users are advised to avoid use of atrazine in well drained soils particularly in areas having high groundwater tables. All crops – This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

### ACTIVE INGREDIENT:

Atrazine† ..... 0.79%

OTHER INGREDIENTS: ..... 99.21%

Total 100.00%

†CAS #1912-24-9

EPA Reg. No. 9198-186

EPA Est 538-OH-1S, 9198-OH-1M, 9198-OH-2B, 9198-AL-001A, 39578-TX-1E

Underlined letter used is first letter of run code on end of bag

Treats up to 11,000 Square Feet

Recommended for Use by Professional Turfgrass Managers




9/13

BACK PANEL

---

XXXX  
**GUSSETS**

Andersons logo  
St. Augustine Weed Control Plus Fertilizer



10/13

BACK PANEL

**ST. AUGUSTINE WEED CONTROL PLUS FERTILIZER**

**Guaranteed Analysis**

Total nitrogen (N).....	XX%
Available phosphate ((P <sub>2</sub> O <sub>5</sub> ).....	X%
Soluble potash (K <sub>2</sub> O).....	X%

Derived from: {fertilizer ingredients}

*Note: guaranteed analysis on final label will reflect fertilizer components and required layout by AAPFCO*

*Optional for products being sold into the state of Washington:*  
Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>

Product of USA  
U.S. Patent No. X,XXX,XXX

The Andersons Lawn Fertilizer Division, Inc.  
PO Box 119  
Maumee, OH 43537

**Directions for use**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**  
 Use this product only in accordance with its labeling and with the Workers Protection Standard 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, waterproof gloves, shoes plus socks.

Controls weeds listed below plus fertilizes the turf:

Apply to control the following weeds any time they are growing. If complete control is not obtained, a second treatment may be required 2 months after the first.

BACK PANEL

Annual sowthistle	Florida pusley
Black medic	Fragrant cudweed (rabbit-tobacco)
Blue toadflax	Henbit
Buckhorn plantain	Lippia (matchweed)
Burclover	Oxalis ( common yellow woodsorrel)
Carolina geranium (cranesbill)	Red sorrel
Common chickweed	Rescuegrass
Common dandelion	Shepherdspurse
Common purslane	Stinging nettle
Cutleaf eveningprimrose	Venus lookingglass
Dichondra	Virginia pepperweed
Dollarweed	Wild mustard
Florida betony	

Apply in the fall to control winter weed such as henbit, chickweed, rabbit-tobacco, and eveningprimrose.

Apply in January, February or early March to prevent germination of the following annual weeds. Product does not control established plants of these weeds.

Crabgrass (Digitaria serotina)	Sedges (from seed)
Bull paspalum	Spotted spurge

Make all applications to dry foliage only. If maximum daytime temperature is 80°F or above, water sufficiently to rinse particles off the grass blades.

Application can be made to newly sprigged St. Augustine and zoysia turf. Prior to this treatment, however, water should be applied to settle the soil around the strips.

**Use Limitations**

Do not apply to lawns of bahia, bluegrass, bentgrass, dichondra, ryegrass, tall fescue, bermudagrass or mixed lawns containing any of these grasses.

Do not use on centipede or carpetgrass turf during the period of winter dormancy (approximately October 15 to March 15), except in Florida.

Do not apply to newly seeded zoysia, centipede or carpetgrass until after the turf has been mowed at least twice.

Do not plant sprigs for one month or sow new grass seed for six months following application of this product.

Do not apply on bedding plants, flowers, garden plants or ornamental trees and shrubs.

Where winter overseeding is planned, do not treat the turf during the preceding 6 months. Application the following spring hastens conversion to the summer turf while controlling weeds and feeding the grass.

**Storage and disposal**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

BACK PANEL

**PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

<b>Suggested Spreader Settings</b>			
To provide proper distribution calibrate spreader before application.			
63 ½ lbs. treats 11,000 ft <sup>2</sup> at the RECOMMENDED RATE			
<b>SPREADER</b>	<b>GROUND OR PTO SPEED</b>	<b>WIDTH OF COVERAGE</b>	<b>RECOMMENDED RATE</b>
Scotts Drop Type	X mph	Overlap wheels	X
Scotts Rotaries R-7, R-7X* R-8, R-8A (cone 9)	X mph	XX feet	X
AccuPro, SR-2000 (Cone 9)	X mph	XX feet	X
Gandy (30")	X mph	Overlap wheels	X
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	X mph	XX feet	X
Vicon (03 Series, Standard spout)	X mph	XX feet	X

\*Slide ¼ closed.

*Note to EPA: actual spreader models may vary depending on market demand and availability*

*Optional: (depending on market)*

Metric coverage: 24.95 kg treats 1022 m<sup>2</sup> at the RECOMMENDED RATE

**IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:


**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

(APtrans/Rvnot1110501)



BACK PANEL

---

Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
D/b/a Free Flow Fertilizer  
PO Box 119  
Maumee, OH 43537

---

Date Printed	11/6/01
Date Approved	Transfer
Supersedes	Transfer
Label Changes	Notification – change name, warranty, revise to Andersons
Filename	9198-186
Label Code	APtrans/Rvnot110501