

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 18, 2010

Ms. Debbie Ziehr The Andersons, Inc. P.O. Box 119 Maumee, OH 43537

Subject:

Application for Pesticide Notification (PRN 98-10) – Minor Label Changes

Andersons Golf Products Fertilizer Plus Fungicide VII

EPA Reg. No. 9198-196

Your Application Dated April 2, 2010

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 2, 2010 for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions of	א חי	everse before compre	ting form.			Form Apr	provec	OMB No.	2070-006	O. Approval expires 2-28-9	
United States Environmental Protection Ag Washington, DC 20460				460	ency /			Registration Amendment Other		OPP Identifier Number	
			Applicati	on for F	estici	de - Sect	tion	1			
1. Company/Product Number			2. EPA Product Manager				3. Pr	3. Proposed Classification			
9198-196				Kish					None Restricted		
Company/Product (Name) Andersons Golf Products Fertilizer Plus Fungicide VII					PM# 22						
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 Check if this is a new address				Saci	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name ection - II						
				360	1 1						
Amendment - Explain below. Resubmission in response to Agency letter dated					Final printed labels in repsonse to Agency letter dated "Me Too" Application. NOTIFICATION					ICATION	
Notification - Expla	ain i	oelow.				Other - Exp	lain b	elow.	JUN	1 8 2010	
This notification is consistent made to the labeling or the co further understand that if this violation of FIFRA and I may I	nfide notifi	ential statement of formul cation is not consistent w	a of this product. ith the guidance	I understand of PR Notice under sectio	I that it is a 98-10 and ns 12 and	violation of 18 the requiremen 14 of FIFRA.	U.S.C.	Sec. 1001 to v	villfully make	and no other changes have beer any false statement to EPA. I 152.46, this product may be in	
	<u> </u>			Sect	ion - I						
1. Material This Product \ Child-Resistant Packaging		Be Packaged In: Unit Packaging		Water	Soluble P	ackaging		2 Type of	f Container		
Yes Yes No No				Yes ✓ No			7	Metal			
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per . container	If "Yes Packag					Paper Other (Specify)		
3. Location of Net Conten	ts l	nformation	4. Size(s) Re	tail Contair	ner		5. La	cation of La		ons	
✓ Label Container			00 2,000 ibs.			On Lab	Label				
6. Manner in Which Label	is /	Affixed to Product	Lithor Paper Stend	graph glued iiled			r <u>p</u> c	ocket			
			-		on - l'			<u> </u>			
1. Contact Point Comple	te i	tems directly below t	for identification	T .	dual to b	e contacted,	if nec	essary, to p		· · · · · · · · · · · · · · · · · · ·	
Name Debbie Ziehr			Title Regulatory Administrator			Telephone No. (Include Area Code)					
	any	nents I have made on knowlinglly false or aw.		i ali attachi					- 0 0	6. Rete Application Received	
2. Signature Debbie Ziehr			I Regulatory Administrator			00 00000 00000					
4. Typed Name		0		5. Date							
Debbie Ziehr			4/2/2010					0000			



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

April 2, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT:

Andersons Golf Products Fertilizer Plus Fungicide VII

EPA Reg. No. 9198-196

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed with changes marked in blue.

We have added the following optional marketing claims:

• Extends color response through controlled-release nitrogen

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr Regulatory Administrator Phone: 419-891-6671

Fax: 419-891-2745

Email: debbie_ziehr@andersonsinc.com

Enclosures

Andersons Golf Course Brand

Andersons Golf Products Fertilizer Plus Fungicide VII

- Suppresses Poa annua growth in bentgrass, zoysiagrass, Kentucky bluegrass, and Kentucky bluegrass/perennial ryegrass fairways, tees, and roughs and bentgrass greens
- Encourages preferential and aggressive growth of bentgrass, zoysiagrass, Kentucky bluegrass, and perennial ryegrass into adjacent Poa annua areas
- Extends color response through controlled-release nitrogen feeding and growth modification from Nutralene® technology
- Extends color response through controlled-release nitrogen

Net Weight 9.15 lbs (4.15 kg)

NOTIFICATION

JUN 1 8 2010

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

<u>Hazards to Humans and Domestic Animals</u>: CAUTION. Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Causes eye irritation. Do not contaminate feed or foodstuffs. Do not graze treated areas. Do not feed clippings to livestock.

FIRST AID

If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison

control center or doctor for treatment advice

If swallowed Call a poison control center or doctor for treatment advice. Have person sip a glass

of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-

20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled Move person to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to mouth if possible. Call a poison

control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Personal Protective Equipment

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof material, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the tollet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.



o

<u>Environmental Hazards</u>: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to steep slopes near water or when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters.

ACTIVE INGREDIENT:

Paclobutrazol ($\underline{+}$)-($\underline{R}^*,\underline{R}^*$)-B-[(4-chlorophenyl)methyl]-a-(1,1-

dimethylethyl)-1H-1,2,4-triazole-1-ethanol 1.38%
INERT INGREDIENTS: 98.62%

Total 100.00%

Guaranteed Analysis

Plant nutrients derived from:

For products being sold into states which require metal information on fertilizers:

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com./

EPA Reg. No. 9198-196

EPA Est No. 538-OH-1S, 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag

US Pat Nos. 3,705,794 and 3,989,470

Product of USA

{Note to EPA: The following gussett information is optional, depending on bag style:}

Andersons Golf

Fertilizer with TGR™

Product Code

UPC

Products brand

Poa annua Control

RIGHT GUSSET:

Andersons Golf

Fertilizer with TGR™

Product Code

UPC

Products brand

Poa annua Control

LEFT GUSSET:

Andersons Golf Products brand Fertilizer with TGR™

Poa annua Control

Product Code

UPC

0000

Andersons Golf Products BRAND

Fertilizer With TGR™ Poa annua control

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

POA ANNUA CONTROL

For suppression of *Poa annua* in bentgrass, zoysiagrass, Kentucky bluegrass, and Kentucky bluegrass/perennial ryegrass fairways, tees and roughs, and bentgrass greens. Repeat applications in a programmed approach will result in the gradual elimination of *Poa annua* as a major component of the turfgrass stand. Once the desired level of *Poa annua* is obtained, annual applications and appropriate management practices will help prevent *Poa annua* from reestablishing as a major management problem.

WHAT TO EXPECT

The growth and competitive ability of *Poa annua* will be reduced within 1-2 weeks of an application. The shoot and leaf tissue will become discolored (yellow to brown) for 3-8 weeks following the onset of growth regulation. Growth reduction of *Poa annua* will last for at least 3-8 weeks. During this period, growth of bentgrass, zoysiagrass, Kentucky bluegrass, and perennial ryegrass will be stimulated to "crowd out" the weakened *Poa annua*. Creeping bentgrasses will be more effective than Colonial bentgrass varieties in aggressively encroaching *Poa annua* areas. On bentgrass greens, growth reduction of *Poa annua* may last longer than 8 weeks and in some cases *Poa annua* discoloration may not occur during this growth reduction period.

The formation of *Poa annua* seedheads will not be prevented, but spring and previous fall applications will stunt the growth of the seedhead stalk. Applications made just prior to seedhead emergence will greatly reduce the visibility of seedheads for 3-5 weeks.

Regreening/regrowth of *Poa annua* will occur 4-8 weeks after application. Bentgrass, Kentucky bluegrass, and perennial ryegrass color will be enhanced for 6-12 weeks under non-stress conditions.

Stress conditions following application may result in temporary undesirable color changes of bentgrass and Kentucky bluegrass. Avoid these conditions by irrigating and apply at the recommended time.

Treatments will not have any detrimental effects on turfgrass root growth under normal growing. conditions and when used as directed.

The degree of *Poa annua* control will be influenced by turfgrass management practices, climate, so soil type, bentgrass variety, and *Poa annua* biotype.

0 C C C C C

c

PROGRAM SCHEDULING

Use any time when *Poa annua* is actively growing. Avoid applications during stressful conditions since the extent of discoloration on *Poa annua* and other desirable grasses may be unacceptable.

<u>Fairways and roughs</u>: Repeat late summer/early fall followed by spring applications are recommended for gradual *Poa annua* control. Avoid applications during stressful conditions.

<u>Greens and tees</u>: Apply one or two weeks prior to *Poa annua* seedhead emergence to reduce seedhead visibility and encourage bentgrass growth and coverage. Repeat applications can be made under non-stress conditions at least two weeks after *Poa annua* has recovered from any discoloration.

For long-term control in areas containing a high initial percentage of *Poa annua* contamination, repeat applications over a 2 to 3 year period may be required before the desirable grasses predominate.

Moderate soil moisture conditions should be present before and after applications to achieve the best regulating effect (see precautions concerning saturated soil conditions). For best results, avoid applications during extreme soil temperature and moisture conditions.

Spring applications should be delayed until any observable effects from preemergent control applications on bentgrass growth, color and quality have subsided.

Where large areas of the desirable turf have been thinned from winter-damage, disease or insects, withhold application until desired fill-in and rooting of the turf stand is achieved.

Continue normal cultural practices after application. However, do not aerify and topdress greens while *Poa annua* is undergoing growth regulation. Allow aerification treatments to heal before applying product.

When *Poa annua* populations have been reduced to the desired level, annual late summer/early fall applications are recommended where continuous long-term control is desired.

HOW TO USE

Apply to dry foliage. For best results, water in (at least ¼ inch) within 48 hours after application.

Adjust the application rate according to the percent of Poa annua contamination.

Poa annua Contamination Level	Recommended Application Rate
High (50-70%) Poa annua population density	LIGHT (for less overall discoloration of Poa annua
Low (less than 50%) <i>Poa annua</i> population density	NORMAL (for quicker removal)

ADDITIONAL PROGRAM SCHEDULING

Overseeding is recommended to hasten conversion from *Poa annua* to the more desirable open grasses. To avoid stunting growth of the desirable seedlings allow at least 2 weeks following treatment before overseeding, and in newly overseeded areas, make treatments at least 6 weeks after overseeding.

If crabgrass or other annual weeds have been a problem in the past, an application of the appropriate preemergent control product should be made before using this product.

0000

່ວ

e

0000

0000

If a weed, disease or insect problem occurs after application, apply a recommended control product in the same manner as is normally practiced, since the use of this product is compatible with the existing control products.

If Embark® is used for *Poa annua* seedhead control, apply this product at least 14 days after Embark® use to avoid potential discoloration of bentgrass and Kentucky bluegrass.

Avoid fall applications during onset of turfgrass dormancy to prevent fall and early spring discoloration of bentgrass and Kentucky bluegrass. Subsequent renewed growth and spring mowings will eliminate this potential discoloration.

Applications made in the fall after the desirable grasses have ceased growing may result in less color response and reduced or delayed activity in affecting *Poa annua* but will provide both a greening response on the desirable grasses as well as growth suppression of *Poa annua* the following spring.

Collecting clippings and the use of lightweight equipment throughout the year will enhance the long-term performance of treatments.

*Embark® is a registered trademark of PBI Gordon Corporation.

PRECAUTIONS

Not for use on hybrid bermudagrass areas or sod farms.

Not for use on athletic fields under heavy traffic or where maximum growth potential of the turf is desired.

<u>Do not</u> apply to Kentucky bluegrass collars and other areas around greens where consistent turf height and color are desired.

<u>Not</u> for use around shrubs, fruit trees, flowers or vegetable plants; however, applications to turf areas under the tree canopies will not affect or harm trees.

<u>Do not</u> use during periods of extreme environmental stress, such as heat, drought, or cold, or during heavy insect or disease activity.

Frequent irrigation after application throughout hot and dry weather conditions will help prevent potential discoloration of bentgrass and Kentucky bluegrass and ensure continued aggressive growth of the desirable grasses into *Poa annua* areas.

Heavy rainfall or irrigation after application in areas where the soil is already saturated may cause the active ingredient to move laterally on steep slopes and collect in low areas. These areas may undergo more severe growth control for a longer period of time. To avoid this response, <u>do not</u> apply when soil is already saturated.

Do <u>not</u> use spreader settings other than those recommended. Improper rates may cause undesirable turf growth control and areas may discolor temporarily.

When large areas of the desirable turf have been thinned from winter damage, disease, or insects, withhold application until desired fill-in and rooting of the turf stand is achieved:

Use in areas containing greater than 70% *Poa annua* will result in more widespread discolorations or the fairway and green and may not appear acceptable to the user. Use of other cultural techniques are encouraged to lower the percentage of *Poa annua* below the 70% level.

د د د د د د د د د د

00000

0000

င္စိစ္စစ္စစ္ခ်

GROWTH REGULATION OF LAWN TURFGRASSES

For growth regulation of well maintained, lawn-height commercial, industrial and residential bluegrass, ryegrass and *Poa annua* turfgrass areas that are on regular fertilizer programs.

WHAT TO EXPECT

Applications made at the "NORMAL" rate between March 1 - April 30 (Spring) or September 1 - October 31 (Fall) will result in reduced vertical growth, mowing frequencies and clipping yields of lawn-height bluegrass, ryegrass and *Poa annua* turfgrass areas. Also realized will be improved and extended color and the overall improvement in turfgrass quality.

PRECAUTIONS

Do not make more than 2 Spring and 1 Fall application per year.

Do not make applications to turf areas containing more than 50% Poa annua.

Do not make applications outside the March 1 – April 30 or September 1 – October 31 periods.

Do not use during the recommended period if extreme environmental stresses such as heat, drought or cold or if heavy insect or disease pressure are present.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

{Note to EPA: actual spreader models may vary depending on market demand and availability. Metric information is optional depending on market}

9.15 lbs	Recomme vide proper distribut s. (4.15 kg) treats 1 ss. (4.15 kg) treats 1	1,000 ft² (1/4 ac	reader befor re/1022m²) a	it Normal rate	9		
0.1012		Width of Coverage	Spreader Settings 6000				
Spreader	Ground or		L	ight	Normalo o e "		
•	PTO Speed		1/3 X	2/3 X	1/2 X	10% c	
Scotts Rotaries**						0000	
R-7, R-7X*	3 mph	XX ft	X	x ;	Specie	İΧ ζ	
R-8A (cone X)	3 mph	XX ft	X	X 3	X	eX €	
Lely Models (see below)	4.5 mph	XX ft	X	X	X10 6 6	Xuoca	
Vicon	4.5 mph	XX ft	X	X	Xe	ο Χ . c	
***************************************		***************************************		(;	LLLL	- C C	



Lely models WTR, WFR, HR and 1250. PTO at 450 RPM.

*Move slide to 1/4 closed position

** For more uniform coverage on greens, apply at half the light (1/3X) and normal (1/2X) rates and use half widths (5 ½ ft.) to achieve the intended Light and Normal application rate.

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swatch widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVamd082102)

Manufactured by The Andersons Lawn Fertilizer Division, Inc. D/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Date Printed	4/2/2010	
Date Approved	10/8/2002	
Supersedes	10/8/2002	
Label Changes	Notification – optional marketing claim	
Filename	9198-196 high end	7-1
Label Code	RVnot040210	

