

9198-201

06/10/2009

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mrs. Debbie Ziehr
Regulatory Administrator
The Anderson Lawn Fert. Div., Inc.
d/b/a Free Flow Fert.
P.O. Box 119
Maumee, OH 43537

JUN 10 2009

RE: Notification of Alternate Brand Name: **Andersons Golf Products Contec DG
Dispersing Granule Technology 9-0-18 with
TGR Poa Annu Control**

EPA Registration Number: 9198-201
Date of Submission: April 2, 2009

Dear Mrs. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 2, 2009, for the product **High K Fertilizer with TGR Poa Annu Control**. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-201	2. EPA Product Manager Tompkins	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) High K Fertilizer with TGR Poa Annu Control	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. P.O. Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. _____ Product Name _____ JUN 10 2009	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: Andersons Golf Products Contec DG Dispersing Granule Technolgoey 9-0-18 with TGR Poa Annu Control

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 10 - 2,000 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other Pocket	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-891-6673
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Administrator	
4. Typed Name Debbie Ziehr	5. Date 4/2/09	



The Andersons, Inc.
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

April 2, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: NOTIFICATION - Additional Brand Name
RE: High K Fertilizer with TGR Poa Annua Control
EPA Reg. No. 9198-201

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand name is:

**Andersons Golf Products Contec DG Dispersing Granule Technology
9-0-18 with TGR Poa Annua Control**

One copy of the draft label is enclosed.


If there are any questions regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr
Regulatory Administrator
Phone #419-891-6671
Fax #419-891-2745
Email: Debbie_ziehr@andersonsinc.com


Enclosure



NOTIFICATION

Andersons
GOLF PRODUCTS.

Contec DG®



Dispersing Granule Technology

9-0-18

with TGR™ Poa Annuu Control

- **Suppresses Poa annua growth in bentgrass, zoysiagrass, Kentucky bluegrass, and Kentucky bluegrass/perennial ryegrass fairways, tees, and roughs and bentgrass greens**
- **Encourages preferential and aggressive growth of bentgrass, zoysiagrass, Kentucky bluegrass, and perennial ryegrass in adjacent Poa annua areas**
- **Extends color response through controlled-release nitrogen feeding and growth modification**

GUARANTEED ANALYSIS		ACTIVE INGREDIENT:	
Total Nitrogen (N)	9.00%	Pachlobutrazol	0.34%
3.15% Ammoniacal Nitrogen		OTHER INGREDIENTS:	99.66%
0.87% Urea Nitrogen		Total	100.00%
2.28% Water Insoluble Nitrogen		ICAS#76738-64-2	
2.01% Other Water Soluble Nitrogen		EPA Reg. No. 9198-201	
Soluble Potash (K ₂ O)	18.00%	EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A	
Sulfur (S)	6.12%	(Underlined letter is first letter used in run code on end of bag.)	
6.12% Combined Sulfur (S)		Product of USA	
Iron (Fe)	0.30%		
0.30% Water Soluble Iron (Fe)			
Manganese (Mn)	6.00%		
6.00% Water Soluble Manganese (Mn)			
Plant nutrients derived from ammonium sulfate, potassium sulfate, methylene urea, ferrous sulfate and manganese sulfate.			
7.50% Slowly available nitrogen from methylene urea.	F292		

Visit our website: AndersonsGolfProducts.com

SGN 80

Net Wt 40 lbs (18.14 kg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Causes eye irritation. Do not graze treated areas. Do not feed clippings to livestock.

FIRST AID
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-6951 for emergency medical treatment information.

Environmental Hazards: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to steep slopes near water or when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For suppression of Poa annua in bentgrass, zoysiagrass, Kentucky bluegrass, and Kentucky bluegrass/perennial ryegrass fairways, tees and roughs, and bentgrass greens. Repeat applications in a programmed approach will result in the gradual elimination of Poa annua as a major component of the turfgrass stand. Once the desired level of Poa annua is obtained, annual applications and appropriate management practices will help prevent Poa annua from reestablishing as a major management problem.

What to expect
The growth and competitive ability of Poa annua will be reduced within 1-2 weeks of an application. The shoot and leaf tissue will become discolored (yellow to brown) for 3-6 weeks following the onset of growth regulation. Growth reduction of Poa annua will last for at least 3-6 weeks. During this period, growth of bentgrass, zoysiagrass, Kentucky bluegrass, and perennial ryegrass will be stimulated to "crowd out" the weakened Poa annua. Creeping bentgrasses will be more effective than Colonial bentgrass varieties in aggressively encroaching Poa annua areas. On bentgrass greens, growth reduction of Poa annua may last longer than 6 weeks, and in some cases Poa annua discoloration may not occur during this growth reduction period.

The formation of Poa annua seedheads will not be prevented, but spring and previous fall applications will stunt the growth of the seedhead stalk. Applications made just prior to seedhead emergence will greatly reduce the visibility of seedheads for 3-5 weeks.

Regreening/regrowth of Poa annua will occur 4-8 weeks after application. Bentgrass, Kentucky bluegrass, and perennial ryegrass color will be enhanced for 6-12 weeks under non-stress conditions.

Stress conditions following application may result in temporary undesirable color changes of bentgrass and Kentucky bluegrass. Avoid these conditions by irrigating and apply at the recommended time.

Treatments will not have any detrimental effects on turfgrass root growth under normal growing conditions and when used as directed.

The degree of Poa annua control will be influenced by turfgrass management practices, climate, soil type, bentgrass variety, and Poa annua biotype.

Program Scheduling
Use any time when Poa annua is actively growing. Avoid applications during stressful conditions since the extent of discoloration on Poa annua and other desirable grasses may be unacceptable.

Fairways and roughs: Repeat late summer/early fall followed by spring applications are recommended for gradual Poa annua control. Avoid applications during stressful conditions.

Fairways and tees: Apply one or two weeks prior to Poa annua seedhead emergence to reduce seedhead visibility and encourage bentgrass growth and coverage. Repeat applications can be made under non-stress conditions at least two weeks after Poa annua has recovered from any discoloration.

For long-term control in areas containing a high initial percentage of Poa annua contamination, repeat applications over a 2 to 3 year period may be required before the desirable grasses predominate.

Moderate soil moisture conditions should be present before and after application to achieve the best regulating effect (see precautions concerning soil moisture conditions). For best results, avoid applications during extreme soil temperatures and moisture conditions.

Spring applications should be delayed until any observable effects from pre-emergent control applications on bentgrass growth, color and quality have subsided.

Where large areas of the desirable turf have been thinned from winter damage, disease or insects, withhold application until desired fill-in and rooting of the turf stand is achieved.

Continue normal cultural practices after application. However, do not aerify and topdress greens while Poa annua is undergoing growth regulation. Allow aeration treatments to heal before applying product.

When Poa annua populations have been reduced to the desired level, annual late summer/early fall applications are recommended where continuous long-term control is desired.

How to use:
Apply to dry foliage. For best results, water in (at least 1/4 inch) within 48 hours after application. Adjust the application rate according to the percent of Poa annua contamination.

Poa annua Contamination Level	Recommended Application Rate
High (50-70%) Poa annua population density	LOW (for less overall discoloration of Poa annua)
Low (less than 50%) Poa annua population density	MEDIUM (for quicker removal)

Additional Program Scheduling
Overseeding is recommended to hasten conversion from Poa annua to the more desirable grasses. To avoid starting growth of the desirable seedlings allow at least 2 weeks following treatment before overseeding, and in newly overseeded areas, make treatments at least 6 weeks after overseeding.

If grasses or other annual weeds have been a problem in the past, an application of the appropriate pre-emergent control product should be made before using this product.

If a weed, disease or insect problem occurs after application, apply a recommended control product in the same manner as is normally practiced, since the use of this product is compatible with the existing control products.

If Embark® is used for Poa annua seedhead control, apply this product at least 14 days after Embark® use to avoid potential discoloration of bentgrass and Kentucky bluegrass.

Avoid fall applications during onset of turfgrass dormancy to prevent fall and early spring discoloration of bentgrass and Kentucky bluegrass. Subsequent renewed growth and spring mowings will eliminate this potential discoloration.

Applications made in the fall after the desirable grasses have ceased growing may result in less color response and reduced or delayed activity in affecting Poa annua but will provide both a greening response on the desirable grasses as well as growth suppression of Poa annua the following spring.

Collecting clippings and the use of lightweight equipment throughout the year will enhance the long-term performance of treatments.

SUGGESTED SPREADER SETTINGS

These suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

40 lbs (18.14 kg) treats 18,000 sq. ft. (0.41 acre) at the HALF RATE

40 lbs (18.14 kg) treats 12,000 sq. ft. (0.28 acre) at the FULL RATE

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			HALF RATE	FULL RATE
The Andersons SR-2000, AccuPro 2000 (Cone 9)	3 mph	9 feet	H 1/2	J 1/2
Scotts Rotaries R-8, R-8A (Cone 9)	3 mph	9 feet	H	1 1/2
Lely Model W (PTO at 450 rpm) Pattern II-B	4.5 mph	26 feet	3 1/4	4 1/4
Vicon (03 Series)	4.5 mph	22 feet	14	19

PRECAUTIONS

Not for use on hybrid bermudagrass areas or sod farms. Not for use on athletic fields where excessive wear is expected. Do not apply to Kentucky bluegrass collars and other grass areas where consistent turf height and color are desired.

Not for use around lawns, fruit trees, flowers or vegetable plants, however, applications to turf are safe under the canopy of well established large trees.

Do not use during periods of extreme environmental stress, such as heat, drought, or cold, or during heavy insect or disease activity.

Frequent irrigation after application throughout hot and dry weather conditions will help prevent potential discoloration of bentgrass and Kentucky bluegrass and ensure continued aggressive growth of the desirable grasses into Poa annua areas.

Heavy rainfall or irrigation after application in areas where the soil is already saturated may cause the active ingredient to move laterally on steep slopes and collect in low areas. These areas may require more severe growth control for a longer period of time. To avoid this response, do not apply when soil is already saturated.

Do not use spreader settings other than those recommended. Improper rates may cause undesirable turf growth control and areas may discolor temporarily.

When large areas of the desirable turf have been thinned from winter damage, disease, or insects, withhold application until desired fill-in and rooting of the turf stand is achieved.

Use in areas containing greater than 70% Poa annua will result in more widespread discoloration of the fairway and green and may not appear acceptable to the user. Use of other cultural techniques are encouraged to lower the percentage of Poa annua below the 70% level.

Storage and Disposal
Do not contaminate water, food, or feed by storage and disposal. PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:
Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:
Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, the Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to return of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (FVand050605)

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>

Product of USA
Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P.O. Box 119, Maumee, OH 43537
www.andersonsgolfproducts.com
Andersons Golf Products, Contec DG and TGR are registered trademarks of The Andersons, Inc. Contec is a registered trademark of PBI-Gordon Corporation.

AGC95WMDGPA4

(BLKP1929B) - C9



b/h