### PLEASE NOTE

This image contains more than one label approved for this product on this date.

91	98-203	rtina form	01/	14/2000	). DDIOVAC	i OMRNa 2	070 <b>-008</b> 6	D. Approval expire	2.28-9I
<b>≎EPA</b>	Environmenta	Jnited States		1.8111	~	Registrat Amendm Other	tion	OPP Identifier N	
		Application	on for Pest	cide - Se	ction	l .	-		
1. Company/Product Number 9198-203	bor		2. EF Mille	PA Product Ma er	snager			None Re	ion estricted
4. Company/Product (Nam Turf Starter Plus Preemerg			РМ# 23						
5. Name and Address of A The Andersons Law Fert. PO Box 119 Maumee, OH 4353	n Fert. Div., Inc. d	-	low (b)(i) to: EP/	A Reg. No.	t is sim	illar or identio	cal in co	FIFRA Section 3 mposition and la	
Check ii ti	ns is a riew address		Section	duct Name					
Notification - Expla	sponse to Agency letter in below.	ry. (For section	n I and Section I	Agency le "Me Too"  Other - Ex	otter dat 'Applica cplain be	ation. alow.		VAN 1 6 2002	
. This notification is consistent confidentical statement of for	ons - This is a transferred reg t with the provisions of PR No mula of this product. I under with the terms of PR Notice 9 and 14 of FIFRA.	otice 98-10 and Ef	PA regualtions at 40 olation of 18 U.S.C.	CFR 152.46 and Sec. 1001 to will t may be in viola	d no other fully make	r changes have b a any false staten	nent to EPA	L. I further undersant	
1. Material This Product V						Г			
Child-Resistant Packaging Yes No Certification must submitted	Unit Packaging  Yes  No  If "Yes" Unit Packaging wgt.	No. per container	Water Solubl Yes No If "Yes" Package wgt	No. per contain		2. Type of C	Metal Metal Plastic Glass Paper Other (S	pecify)	
J. Location of Net Content	s Information Container	4. Size(s) Ret 5	eil Container 0#, 1000#, 200	10#	5. Lo	On Label	Directio	ns	
6. Manner in Which Label i	s Affixed to Product	Lithogr Paper Stenci	raph glued led	Oth	<b>e</b> r			<b>▼</b>	
			Section -	IV					
1. Contact Point (Complet	te items directly below f	or identificatio	n of individual to	be contacted	i, if nec	essary, to pro	cess this	application.)	
Name Dawn L. Walters			Titte Regulatory Ad	ministrator			<b>elephone</b> 334-262-2	No. (Include Area 766	Code
	tements I have made on any knowlinglly false or e law.		all attachments				plete.	6. Cate Application Received (Stamped	
2. Signature Datum Hulletu	aD .		3. Title Regulatory Adm	inistrator				* ^ * *	• •
4. Typed Name Dawn L. Walters			5. Date	30/01				·	•

#### RANGE MASTER LABEL

#### FRONT PANEL

#### TURF STARTER PLUS PREEMERGENT WEED CONTROL

- · Provides initial green-up
- Provides preemergent control or suppression of crabgrass, Poa annua, gooesegrass and foxtail during bermudagrass sprigging
- · Provides a feeding of fertilizer, high in phosphorus to encourage turf establishment
- Scotts® Slow Release Polymer Encapsulated Fertilizer
- Controlled release Poly-S® nitrogen provides uniform growth and extended feeding

#### OPTIONAL FRONT PANEL CLAIMS

- Poly-S technology
- · Provides preemergent control or suppression of crabgrass, Poa annua, goosegrass and foxtail
- Provides a feeding of fertilizer
- Provides a light nitrogen feeding
- Selective control of sprouting annual broadleaf weeds

**NOTIFICATION** 

Net Weight XX.XX lbs (XX.XX kg)

JAN 16 2002

## KEEP OUT OF REACH OF CHILDREN WARNING PRECAUTIONARY STATEMENTS

<u>Hazards to Humans and Domestic Animals</u>: WARNING. May be fatal is swallowed. Causes substantial but temporary eye injury. Wear goggles or safety glasses when apply ting this product. Cause skin irritation. Do no get into eyes, on skin, or on clothing. Wear protective clothing including long-sleeved shirt and gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medial attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

<u>Environmental Hazards</u>: This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### **ACTIVE INGREDIENT:**

 Oxadiazon ∓
 0.92 - 1.5%

 INERT INGREDIENTS:
 98.50 - 99.08%

 Total
 100.00%

 ∓ CAS No. 19666-30-9

EPA Reg. No. 9198-203

EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag

#### TURF STARTER PLUS PREEMERGENT WEED CONTROL

Guaranteed Analysis (XX-XX-X) Total Nitrogen (N) X.X% ammoniacal nitrogen X.X% urea nitrogen			
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	XX%		
Soluble Potash (K2O)	XX%		
Sulfur (S) free			
Derived from:			
Chlorine (Cl) Max	XX%		
Product of USA			
For Sale to, Use and S		Turf Maintenance Personnel only.	
	Not for Use on Hom	e Lawns	
GUSSETS (optional, depending Andersons Golf Products logo		lus Preemergent Weed Control	
DIRECTIONS FOR USE			
It is a violation of Federal Law to	use this product in a	manner inconsistent with its labeling.	
Not for use on turf being grown production, or for research purp		ercial use as sod, or for commercial see	d
		rsiagrass, Seashore paspalum* (see or preemergent control or suppression o	of.
Crabgrass Goosegrass *Not currently registered in Calif	Yellow foxtail Green foxtail	Poa annua	
· -	5111 <b>,</b>		
		product per acre (1.5 to 3.0 lbs. Al/acre) to sin bermudagrass, zoysiagrass, and S	
<ul> <li>After application of this prod Augustinegrass, wait until th application of other PROTUI products.</li> </ul>	e grass has filled in ar RF herbicide, combina	bermudagrass, zoysiagrass, and St.  Id the stolons have rooted down before tion fertilizer/herbicide or growth regulate	ог
<ul> <li>On Seashore paspalum mal</li> </ul>			
· For established turf, apply a	t to lbs. c	of product per acre (3.0 to 4.0 lbs. Al/acre	e).

#### When to Use

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

#### **Precautions**

Avoid contact with flowers and shrubs.

This product should not be used on established putting greens and tees because of the varied cultural practices used.

Do not apply product to moist turfgrass foliage.

This product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.

On Seashore paspalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.

Irrigate immediately after application for best results.

Seeding into treated areas should be delayed until 4 months after treatment.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wasters are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

#### WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

#### **LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. Rvnot102501

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

#### **BACK PANEL**

the second secon		ded Spreader				
	proper distributio	n calibrate sp	reader before	e application		
lbs. treats _	ft² at the XXX I					
lbs. treats	$_{f ft}^2$ at the XXX It					
lbs. treats	ft <sup>2</sup> at the XXX lbs	s, product/acre				
	Ground or PTO Speed	Width of Coverage	Spreader Settings			
Spreader			Lbs. product/acre			
			Half Rate	Light Rate	Medium Rate	
Scotts Rotaries**						
R-7, R-7X*	3 mph	XX ft	X	X	X	
R-8A (cone X)	3 mph	XX ft	X	Χ	X	
Lely Models (see below)	4.5 mph	XX ft	X	Х	X	
Vicon	4.5 mph	XX ft	X	X	X	

Lely models WTR, WFR, HR and 1250. PTO at 450 RPM.

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

#### (OPTIONAL DIRECTIONS FOR USE ON COOL AND WARM SEASON SPECIES)

#### **Directions for Use**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed  $\cdot$  production, or for research purposes.

For use on established bermudagrass, bluegrass, bentgrass, buffalograss, perennial ryegrass, St. Augustinegrass, Seashore paspalum\*, tall fescue and zoysia turgrasses for preemergent control or suppression of the following sprouting weeds:

Sprouting Grassy Weeds

Carpetgrass

Crabgrass

Green foxtail

Goosegrass

Poa annua\*

Yellow foxtail

\*Not currently registered in California

**Sprouting Dicot Weeds** 

Florida pusley

Oxalis

pigweed

Stinging nettle

Virginia buttonweed

#### How to use

Provides control of sprouting annual grassy and dicot weeds in established turf, thus eliminating the development of large weed plants that smother the desirable turfgrasses.

Allow one week between the application of this and other control products. (This guideline can be relaxed where severe insect or disease attack requires immediate treatment).

After this product has been applied for two or three consecutive years and annual grassy weeds have been effectively controlled further application should be withheld until need is established.

Prior to seeding or sprigging, the soil surface should be disturbed or worked to dilute any remaining chemical residue.

Not for use on dichondra, centipedegrass, red fescue and Poa annua if it is the desired species.

<sup>\*</sup>Move slide to 1/4 closed position

<sup>\*\*</sup> For more uniform coverage on greens, apply at half the light (1/3X) and normal (1/2X) rates and use half widths (5 ½ ft.) to achieve the intended Light and Normal application rate.

Disturbance of the soil surface after application of this product will disrupt the herbicide barrier and reduce the effectiveness.

Irrigate immediately after application for best results.

#### When to use

Crabgrass and Goosegrass Control: For preemergent control, apply XXX to XXX pounds of product per acre (1.5 to 4.0 pounds of active ingredient/acre) in early spring prior to weed seed germination. Applications made after March or April may not be fully effective. If the half rate is used (XXX lbs. product/A or 1.5 lbs. Al/acre), a repeat application of XXX lbs. (half rate) of product in 6 to 10 weeks is recommended.

Annual Bluegrass Control: For preemergent control, apply XXX – XXX pounds of product per acre (2.0 – 4.0 pounds of active ingredient/acre) in late summer to early fall or in early spring prior to seed germination.

Virginia buttonweed, Pigweed, Florida Pusley, Oxalis, Stinging Nettle, and Carpetgrass Control: For preemergent control of these weeds, apply XXX pounds of product per acre (4.0 pounds of Al/acre) in early spring prior to weed seed germination.

#### **Precautions**

Avoid contact with flowers and shrubs.

This product should not be used on established putting greens and tees because of the varied cultural practices used.

Do not apply product to moist turfgrass foliage.

This product may cause discoloration of bentgrass, bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.

For bentgrass and St. Augustinegrass, do not exceed the rate of XXX lbs. of product per acre (3.0 lbs. of Al/acre).

Do not apply to bentgrass turf mowed at less than 3/8 inch.

Do not apply this product to newly seeded areas.

Seeding into treated areas should be delayed until 4 months after treatment.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wasters are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### **IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

#### WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

#### **LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. RVnot102501

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

_		nmended Spreader					
		ribution calibrate sp					
lbs. treats X,XXX ft² at the HALF RATE (X.XX lbs. N/M) 1.5 lbs. ai/A							
		at the LIGHT RATE					
		the MEDIUM RAT					
lbs. trea	ts X,XXX ft² a	t the HEAVY RATE	(X.XX lbs. N	/M) 4.0 lbs. ai	/A		
Ground or Spreader Settings							
Spreader	PTO	Width of	Lbs. product/acre				
	Speed	Speed Coverage		Light Rate	Medium Rate		
Scotts Drop	3 mph	Overlap wheels	X	Х	Х		
Gandy	3 mph	Overlap wheels	X	X	X		
Scotts Rotaries**							
R-7, R-7X*	3 mph	XX ft	X	X	Х ,		
R-8A (cone X)	3 mph	XX ft	X	X	X		
Lely Models (see below)	4.5 mph	XX ft	X	X	X		
Vicon (Model 02)	4.5 mph	XX ft	Х	X	Х		
Vicon (Model 03)	4.5 mph	XX ft	X	X	X		
Lely models WTR, WFR,	HR and 1250.	PTO at 450 RPM.					
*For the R-7X model, use	adjustable pa	ttern slide ¼ closed	t				

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

Date Printed	10/25/01	•	•
Date Approved	Transfer	€. €	;
Supersedes	Transfer	6. 4	•
Label Changes	Notification – warranty		
Filename	9198-203		
Label Code	Rvnot102501		

# NEXT

# LABEL

9198-203 Form Approved. OMB No. 2070-0060 **OPP Identifier Number** Registration **United States Environmental Protection Agency** Amendment Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 9198-203 Miller Restricted None 4. Company/Product (Name) PM# Turf Starter Plus Preemergent Weed Control 23 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow (b)(i), my product is similar or identical in composition and labeling Fert. PO Box 119 EPA Reg. No. \_\_\_ Maumee, OH 43537 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated \_\_\_\_ "Me Too" Application. NOTIFICATION Notification - Explain below. Other - Explain below. JAN 1 0 2000 Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of Alternate Brand Name per PR Notice 98-10 : 15-5-10 Fertilizer Plus 1.0% Ronstar This notification is consistent with the provisions of PR Notice 98-10 and EPA regualtions at 40 CFR 152.46 and no other changes have been made to the labeling or the confidentioal statement of formula of this product. I underthad that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further undersant that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Water Soluble Packaging Unit Packaging 2. Type of Container Child-Resistant Packaging Matal Yes Yes **Plastic** No No No Glass Paper No. per If "Yes" If "Yes" No. per Certification must Unit Packaging wgt. container Other (Specify) container Package wgt ¬ submitted s. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label 1,000 16. Container Pocket 6. Manner in Which Lebel is Affixed to Product Other Lithograph Paper glu Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Telephone No. (Include Area Code) Name Regulatory Administrator 334-262-2766 Dawn L. Walters 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature Dawn & whiters Regulatory Administrator

5. Date

10/30/01

4. Typed Name

Dawn L. Walters



### 15-5-10 Fertilizer Plus 1.0% RONSTAR\*

Net Wt. 1,000 Lb. (453.59 kg)

Provides preemergent control or suppression of crabgrass,
 Pas minus, goodegrass, and foxtall
 Provides a light nitrogen leading

FOR SALE TO, USE AND STORAGE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL ONLY NOT FOR USE ON HOME LAWNS

Gueranteed Analysis (15-5-10)	F292
I OTE N. I/QUET (N)	15.00%
1.96% Ammoniscal Nitrogen 13.04% Urea Nitrogen*	
Available Phosphale (P.O.)	5.00%
Boluble Potesh (KC) Bullur (S)	10.00%
Butur (S)	2.43%
2.43% Free Sulfur	
Plant nutrients derived from diammonium phosphate, unea, p chloride, polymer coaled sulfur-coated urea.	OCKREDUTO
Chlorine (Ci) Max	6.46%
- "C.O?"4 Słowiy systiable circosen from polymer coeled authur :	couten Linkii.

ACTIVE INGREDIENT: Total 100.9%
EPA Reg. No. 9198-208
EPA SST, The control of the second of t

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARUS 10 nursures and DUMED in American setting the product. Causes when septing this product. Causes all inhaled. Causes autostantial but temporary eye injury. Wear goodles or safety disease when septing this product. Causes aid inhaled. Do not get in eyes, on eith, or on dicting. Wear products disting including the period after an adverse when rending. Wear through the product of the set wash before made.

If SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Onlink promptly a large quantities of water. Avoid alconol. If IN EYES: Hold eyellds open and flush with a steady, certile stream of water for 15 minutes. Get medical attention. If ON SKIN: Wash with plemy of soop and water. Get medical attention, II INVALED; Permove victim to treat air. If not breathing, of entitions reportation, preserved mouth-to-mouth. Get medical attention. NOTE TO PHYSIGAN: Probable mycoset dame go may contraintdicate the use of gastric lavage.

This postdote is toxic to fain. Use with care when applying to areas selectin to any body of water. Do not contaming water by distaining of soutement or dispose! of wasters. Do not apply directly to water, or to areas where surface water to to intertical areas below the mean high water merk.

it is a violation of Pertaral law to use this product in a manner incomplete with its labeling.

Not for use on surficial law to use this product in a manner incomplete with its labeling.

Not for use on surficial law to use this product in a manner incomplete with its labeling.

Not for use on established or springed bermutinguage, boyelagman, Seemons paspalum\* (see precautions), and St. Augustinegrass other sorted for presented on the production of appropriate or particular and st. Augustinegrass other sorted to the presented of appropriate or particular and st. Augustinegrass other sorted to the presented of appropriate or particular and st. Augustinegrass other sorted to the presented of the production of appropriate or particular and st. Augustinegrass other sorted to the presented of the production of appropriate or particular and st. Augustinegrass other sorted to the presented of the production of appropriate or particular and st. Augustinegrass other sorted to the presented of the production of t

crabgrass gnosegrass

yellow foxtali green foxtali

Pos annus

"Apply prior to or after sprigging 200 to 300 lbs. of product per sore (2.0 to 3.0 lbs. Al/acre) for suppression or control of fished annual grassy weeds in bermudagness, zoystagrass, and 6t. Augustinegrass, zoystagrass, and 6t. Augustinegrass, zoystagrass, and 6t. Augustinegrass, zoystagrass, and 6t. Augustinegrass, wait until the grass has filled in and the shoots have noted down before application of order. PROTURE herbicats, combination fertilizer/herbicate or growth regulator products.

On Saleshore people; in make application 10-14 days where springing.
For established surf, apply at 202 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre).

White N TO List.

Use this product to control or suppress the listed armusi grassy weeds when setablishing new furf areas or when treating setablished furf that has been trinned from winter injury, insects, diseases or other factors.

	SUDGESTED SPEEADER SETTINGS							
50 its freets 10,890 ft 50 to, treats 8,712 ft 50 bs. treats 7,250 ft	at the 250 bs. product/	nove (2.6 lbs. al/A)	700 Line.	SPREADER SETTINGS  [SPREADER SETTINGS]	100 LDL			
BEREAGER Scrie Polities	GROUND EPERD	WIDTH OF SCYERAIM	(2.0 the eVA) 0.00 the eVA	12.5 los es/A) Call the sign	(2.0 be at/A)			
R-7 R-7X* R-6A, AcquiPro &	3 mph	128	K	L 1/2	N			
SPI-S000(come 4)	3 man	13.2	M 1/2	NIR	p			
Vicion (92 models)	4.5 mph 4.5 mph	40 R 50 R	71 40	81 45	8 1/2 / 49			
Vicori (03 madels) For the R-7X model, use Laty models WTR, WFR	4.5 mph schutable pattern side 1/ HFF and 1250 PTC at 45	36 £ 4 Giosed. 10 rpm.	33	37	42			

#### **PRECAUTIONS**

Avoid contact with flowers and shrubs.
This product should not be used on established putting greens and see because of the varied dullural practices used.
On not apply product to most turigrase foliage.
This product to most turigrase foliage.
This product the yous ediscoloration of bermutagnase and St. Augustnegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.
On Seashors paspalum was 10-14 days after aprigging before application. An application made close to the time of sprigging may cause objectionable injury.
If it is not reased areas should be delayed until 4 months after treatment.

#### STORAGE AND DISPOSAL

STOPAGE AND DISPOSAL.

Co not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clasm, dry place. Placed opened big by folding top down and securing. PESTICIDE DISPOSAL: Pesticide wastes are toxic improper disposal of excess pesticide or rinaste is a violation of Federal law. If these wastes cannot or disposal of of by usin according to label instructions, contact your State Pesticide or Environmental Control Agency, or two. If these wastes cannot or disposal of by usin according to label instructions, or state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the reserved EPA reproses office for publication. CONTAINED DESPOSAL: Completely empty big into application equipment. Then dispose of empty pag in a sankery landfill or by incineration, or, if allowed by State and local sustroities, by burning if burned stay out of smokes.

INFORTATION MEAD SEPTINE DISE.

Read the entire Diservices for the and the Watering Obstations and Limitation of Liability.

By using this product, user or Buyer sodepts the introduct of section.

WARRANTY DISCLARISER and LIBITATION of SABELTY.

Manufacturer warrants that this product conforms in the observation on the label and is reservably fit for the purposes stated on the label when used in safet accordance with it is discontinued. Manufacturer making and DIFER EXPERSE OR INFLIED WARRANTY OF MERCHANTABLITY OR PRINCIPLE THRESS FOR A PARTICULAR PURPOSE. Where per insisting, it is Manufacturer's intent to LIBIT ANY LIBITITY FOR SPECIAL, COMSEQUENTIAL ECONOMIC DAMAGES to return of purposes price or posteries of product, at Suyar's choice. Manufacturer DISCLARIAS ANY LIBITITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRATY
TO CASEL DIRECTIONS. Use contrary to table detections is not permitted.

TOTAL P.02

NOTIFICATION

# NEXT

# LABEL

9198 -	203 reverse before completing form.	01/10	12002	Form Ap	prove	1QMB No	. 2070-006	O. Approvel expires 2-28
<b>\$EPA</b>	United States Environmental Protection Agency Washington, DC 20460				Registra Amenda  Other			OPP Identifier Number
	Applicat	ion for F	Pestici	de - Sec	tion	J		
1. Company/Product Number 9198-203	•		2. EPA Miller	Product Man	ager		3. Pr	oposed Classification
4. Company/Product (Name) Turf Starter Plus Preemerger			PM# 23					
Fert. PO Box 119 Maumee, OH 43537	plicant (Include ZIP Code) Fert. Div., Inc. d/b/a Free l	Flow	(b)(i), n to: EPA F		is sim	nilar or ider		FIFRA Section 3(c)(3) imposition and labeling
	, The state of the	Sect	tion -					
Notification - Explain  Explanation: Use addition Notification of Alternate Brand This notification is consistent labeling or the confidentioal s EPA. I further undersant that	onse to Agency letter dated	20 Fertilizer  10 and EPA I underthad to  ith the terms	Plus 1.0% regualtion hat it is a of PR No	s at 40 CFR violation of 18 tice 98-10 an	ler dat Application be 152.46 8 U.S.	ation. elow. 6 and no oth C. Sec. 100	JAN er changes	nake any false statement to
		Sect	ion - I	ìf .				
1. Material This Product Will Child-Resistant Packaging Yes No Certification must he submitted	Be Packaged In:  Unit Packaging  Yes  No  If "Yes"  Unit Packaging wgt.  No. per container			No. per container		2. Type o	Metal Plastic Glass Paper Other (S	
	ontainer	etail Contain			["	cation of La		ons
6. Manner in Which Label is	Affixed to Product V Litho Pape Sten	ograph er glued ciled		[ ] Other	•			•
		Secti	on - I\	1				
1. Contact Point /Complete	items directly below for identificat	ion of individ	dual to be	contacted,	if nec	essery, to p	rocess this	application.)
Name Dawn L. Walters		Titte Regulato	ry Admir	nistrator			Telephon 334-262-2	e No. (Include Area Code) 2766
	Certific ments I have made on this form an y knowlinglly false or misleading st aw.	d all attachr						B. Cate Application     Received     (Stamped)

3. Title

5. Date

Regulatory Administrator

10/30/01

Dawn & Walters

4. Typed Name

Dawn L. Walters

### 5-5-20 Fertilizer Plus 1.0% RONSTAR\*

Net Wt. 50 Lb. (22.68 kg)

. Provides preemergent control or suppression of crabgress,
One works consequences, and fordell

· Provides a light nitrogen feeding

#### FOR SALE TO, USE AND STORAGE BY PROFES-SIGNAL TURF MAINTENANCE PERSONNEL ONLY

#### NOT FOR USE ON HOME LAWNS

Total	Nitrogen (N)	F292 5.00%	ACTIVE INGREDIENT	1.0%
	1,96% Ammoniscal Nitrogen		Other ingredients:	99.0%
	3.04% Urea Nitrogen		Total	100.0%
Avail	3.04% Urea Nitrogen able Prosphate (P <sub>2</sub> O <sub>2</sub> )	5.00%	EPA Reg. No. 9198-203	***************************************
Solul	ole Potash (K,O)	20.00%	EPA Est. No. 9198-OH-1M, 911	98-OH-2 <u>8, 9198-AL-001A</u> .
			Underlined letter is first letter us	sed in run code on bag.
	nutrients derived from urea, diammonium phosphate and pote		TCAS # 19666-30-8	
chior	de.		*****	
			Product of USA	@ 1997. World Rights Reserved.
Chin	ton (CI \ blav	0.000	Manager is a registered fracti	anask of Ohana - Bardona

#### KEEP OUT OF REACH OF CHILDREN WARNING

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. May be fatal if inhaled. Causes substantial but temporary eye hitury. Weer paggles or servey glasses when applying this product. Causes sign initiation. Do not get in eyes, on skin, or on clothing. Weer products from slightly with sosp and water after handling. Remove contaminated clothing and the wash force in age.

If SWALLOWED: Call a doctor or get medical intention. Do not induce vomiting or give envirting by mouth to an unconscious person. Drink promptly a large quantities of water. Avoid stochol. If IN BYES: hold eyelids open and flush with a steady, pentie stream of water for 15 minutes. Got medical attention. IF QN BKIN: Wash with plenty of soap and water. Get medical attention, If INALED: Remove votation to free air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If IN TO PYRACLED: Remove votation to free air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If TO PYRACLED: Pennove votation to free air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If TO PYRACLED: Pennove votation to free air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If TO PYRACLED: Pennove votation to free air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If TO PYRACLED: Pennove votation to free air. If not breathing, give artificial respiration, preferably mouth-to-mouth-mouth. Get medical attention, it is not to respon to respirate the use of gastric lavage.

This pesticide is toxic to fish. Use with care when applying to areas adiabate to reproduct or to intertical areas below the mean high water mark.

POR TO USE

\*\*Not currently registered in California.\*\*

\*\*Not currently registered in California.\*\*

\*\*HOW TO USE\*\*

- Apply prior to or after aprigging 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Allacre) for suppression or compol of listed annual grassy weeds in bermudagness, 20yslagrass, and 8t. Augustinegrass, 20yslagrass, and 8t. Augustinegrass, 20yslagrass, and 8t. Augustinegrass, wilk until the grass has filled in and the stolons have rooted down before application or other PROTURF herbidde, constitution fertilizentherbidde or growth regulator products.

  On Seathors perpalum make application 10-14 days after aprigging.

  For sensitisfied turf, apply at 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Not per acre).

  When to use:

  Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been finned from victor in the control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been finned from victor in the control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been finned from victor in the control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been finned from victor in the control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that her been finned from victor in the control or suppress the listed annual grassy weeds to the control or suppress to the control or suppress the control or suppress the control or suppress to the control or suppress to the control or suppress the c

BUGGESTED SPREADER SETTINGS							
50 his treate 10,890 P <sup>6</sup> at 9	he 200 the newbooks	non (O.O. Bus. aVA)	To provid	e proper distribution calibrate apress	nothechque enothechel		
50 bs. treats 10,890 P* at the 200 bs. product/spre (2,0 bs. sVA) 50 bs. treats 5,712 ft* at the 250 bs. product/spre (2,6 bs. aVA)				SPREADER SETTINGS			
50 the treats 7,260 ff at the	e 300 ba. productrac	re (S.O Iba, aVA)	200 Libe.	(MOLDA)	300 Lbs.		
			Products	Prod/sore	Procleare		
	around or	WIDTH OF	(2.8 ibe al/A)	(A.S also al(A.)	(A.E ed E.E)		
SPREADER E	TO SPEED	COVERAGE	2.23 lbs. 1036	0.99 km, 1869	DE NO		
P-7, P-7X	3 mah	12 %	ı	J 1/2	Ł		
P-6A (cone 9)	á nyon	13 R	Ĺ.	M 1/2	Ō_		
AccurPro & SIFF-2000 (come 9) Lety Models	3 mar	15 Ř	Ñ 1/2	N 1/2	O 1/E		
(Bee briow)	4.5 man	40 R	61/ž1	# \$A! !	71/21		
Vicen (Ož modela)	4.5 mph	80 K	30	42	47		
Vicon (US models) "For the FF7X model use actual	4.5 mph	36 E	81	35	39		
Lely models WTR WFR SHR a	nd 1250. FTO at 450	Parts.					

#### PRECAUTIONS

- Avoid contact with flowers and shrubs.
  This product should not be used on established putting greene and less because of the verted cultural practices used.
  Octogl apply product to motify surgrass foliage.
  This product may cause decoharded not between the surgrass of the series of the terrocrary and will normally be outgrown within 2 to 3 we. On Seasons pascelum wait 10-14 days after sprigging before application. An application made does to the time of aprigging may cause objectionable injury.
  Infiguis immediately after application for best results.
  Secong more resided areas should be deleged until 4 months after treatment.

#### STORAGE AND DISPOSAL

Do not contaminate write, food, or feed by storage or discoses.

STORAGE AND DISPOSAL

STORAGE: Store in a clean, day place. Reseal opened bug by folding top down and securing. PESTICIDE DISPOSAL: Pesticide wastes are tosto. Improper disposal or store in a clean, day place. Reseal opened bug by folding top down and securing. PESTICIDE DISPOSAL: Pesticide wastes are tosto. Improper disposal or stores pesticide or finates in a vicinitian of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA regional office for guidence. CONTAINER DISPOSAL: Completely empty bug into application equipment. Then dispose of empty bug in a sentary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of emoks.

IMPORTANT: READ BEFORE USE:
READ THE ENTIRE DIRECTIONS FOR USE AND THE WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY BEFORE USING THIS PRODUCT, IF TERMS
ARE NOT ACCEPTABLE, RETURN THE UNCORNED PRODUCT CONTAINER AT ONCE. BY USING THIS PRODUCT, USER OR BUYER ACCEPTS THE
FOLLOWING WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:

WARRANTY DISCLAIMER and LIMITATION of LLABRUTY:

Manufacturer warrants that this product conforms to the chamical description on the label and is reasonably fit for the purposes stated on the label when used in strict:

Accordance with the directory. Warrantecturer makes NO OTHER DIFFIESS OR IMPLIED WARRANTY OF MERCHANTABULTY OR FITNESS FOR A PARTICULY, R C C C C PURPOSE. Where permissible, it is Manufacturer's Intent to LLIMITANY LABBILITY FOR PECIAL, CONSECURITATIO, OR INCIDENTAL ECONOMIC DAMAGES OF INTENT OF THE PRODUCT OF

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATEJJURISDICTION TO STATEJJURISDICTION. (RVNot102501)

Manufactured by: The Andersone Lawn Fertilizer Division, Inc., P.O. Box 118, Maumes, OH 43837

Attention: This product contains a chemical known to the State of California to cause cancer.

K1 (BLKH8164B)

AGC8687

TOTAL P.02