Please read instruction Approved. OMB No. 2070-0060. Registration **United States Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 9198-203 Miller PM# 4. Company/Product (Name) Turf Starter Plus Preemergent Weed Control 23 5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 EPA Reg. No. \_\_\_ Maumee, OH 43537

Approval expire **OPP Identifier Number** 

NOTIFICATION



# 21-0-20 Fertilizer Plus 1.5% RONSTAR\*

Net Wt. 50 Lb. (22.68 kg)

Provides preemergent control or suppression of crabgrass,     Poe annus, goosegrass, and foxtali     Provides a light nitrogen feeding	L
--	---

FOR SALE TO, USE AND STORAGE BY PROFES-SIONAL TURF MAINTENANCE PERSONNEL ONLY

NOT FOR USE ON HOME LAWNS

Guaranteed Analysis (21-0-20) F292	ACTIVE INGREDIENT:
Total Nitrogen (N)	Oxadiazont 1.5%
21.00% Urea Nitrogen*	Other Ingredients:98.5%
Soluble Potash (K,O)	Total 100.0%
Sulfur (S)	EPA Reg. No. 9198-203 +CAS # 19666-30-9
4.26% Free Sulfur	EPA EST, NO. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A.
Plant nutrients derived from polymer coated sulfur coated urea, urea,	UNDERLINED LETTER & FIRST LETTER USED IN RUN CODE ON BAG.
potassium chloride. Chlorine (Cl) Max	This product and/or its use is covered by one or more of the following US patents and loreign counterparts thereof: US Pat No 5,219,465; 5,300,135
Chlorine (Cl) Max	
	The Andersons Golf Products logo is a trademark of The Andersons Agriservices, Inc. Ronster is a registered trademark of Rhône - Poulenc.

## KEEP OUT OF REACH OF CHILDREN **WARNING**

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING. May be fatal if inhaled. Causes substantial but temporary eye injury. Wear goggles or safety glasses when applying this product. Causes skin imitation. Do not get in eyes, on skin, or on clothing. Wear protective clothing including long-steeved shirt and gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give arrything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, getatin solution, or if these are not available, first large quantities of water. Avoid alcohol. IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF INHALED: Remove victim to freeh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a menner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For use on established or sprigged bermudegrass, zoysiegrass, Seashore paspalum\* (see precautions), and St. Augustinegrass ornamental turf for preemergent control or suppression of sprouting: crabgrass

yellow foxtail green foxtail goosegrass

Poa annua

"Not currently registered in California.

#### **HOW TO USE**

\*Apply prior to or after sprigging 133 to 200 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre) for suppression or control of listed annual grassy weeds in bermudagrass, zoysiegrass, and St. Augustinegrass, and St. Augustinegrass, and St. Augustinegrass, wait until the grass has fifled in and the stolons have rooted down before application of other PROTURF herbicide, combination fertilizer/herbicide or growth regulator products.

\*\*On Seashore paspelum make application 10-14 days after sprigging.\*\*
\*\*For established turf, apply at 133 to 200 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre).

\*\*WHEN TO USE\*

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insacts, diseases or other factors.

SUGGESTED SPREADER SETTINGS								
50 lbs. treats 16,375 ff at the 133 lbs. product/acre (2.0 lbs. ai/A) 50 lbs. treats 13,120° at the 168 lbs. product/acre (2.5 lbs. ai/A) to lbs. treats 10,890 ff at the 200 lbs. product/acre (3.0 lbs. ai/A)		To provide proper distribution calibrate spreader before application  SPREADER SETTINGS  133 Lbs. Prod/scre Prod/scre  200 Lb Prod/scre Prod/scre						
SPREADER Scotts Rotaries R-8A, Accu Pro &	GROUND SPEED	WIDTH OF COVERAGE	(2.0 lbs aVA) 0.64 lbs, N/M	(2.5 lbs ai/A) 0.80 lbs. N/M	(3.0 be al/A 0.96 be. NA			
SR-2000(cone 4) Lety Models	3 mph	13 ft	K	L	L 1/2			
(See below)	4.5 mph	36 N	7 1	73/41	8 3/4			
Vicon (03 models)	4.5 mph	28 ft	30	35	39			

## **PRECAUTIONS**

Avoid contact with flowers and shrubs.

Avoid contract with nowers and surface.
This product should not be used on established putting greens and tees because of the varied cultural practices used.
Do not apply product no moist turigrass foliage.
This product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.
On Seashore paspalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause obtodies the latest and the season of the time of sprigging may cause.

objectionable injury.

Imigate immediately after application for best results.
Seeding into treated areas should be delayed until 4 months after treatment.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or frinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waster representative at the nearest EPA regional office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by inconeration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

IMPORTANT: READ BEFORE USE:
Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:
Manufacturer warrants that the product conforms to the chancil description on the label and is reasonably lit for the purposes stated on the label when used in strict accurulance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Whate permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTIAL ECONOMIC DIAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION Manufactured by: The Andersons Lawn Fertilizer Division, Inc., P.O. Box 119, Maumee, OH 43537 (RVnot102501) Attention: This product contains a chemical known to the State of California to cause cancer. B2 (BLKHS164B)