PLEASE NOTE

This image contains more than one label approved for this product on this date.

\$EPA	Environmental Pr	i States Otection Ag n, DC 20460	gency	V	Registra Amenda Other		OPP Identifier Number
	Арі	olication fo	r Pesticide - Sec	tion	I		
1. Company/Product Nur 9198-203	mber		2. EPA Product Man Miller	ager		1	posed Classification
4. Company/Product (Na Turf Fertilizer Plus Preer			PM# 23				
		Free Flow	· ·	s sim	nilar or ident	tical in co	FIFRA Section 3(c)(3) mposition and labeling
Check if	this is a new address		Product Name				***
		Se	ction - Il				
Notification - Exp	response to Agency letter date		Agency lett "Me Too" A Other - Exp	er dat Applic	ation,	N	OTIFICATION AR 5 2002
This notification is consistabeling or the confidentiato EPA. I further understable	Brand Name per PR Notice 98-1 stent with the provisions of PR No al statement of formula of this pro and that if this notification is not ect to enforcement action and pe	otice 98-10 and E oduct. I understa consistent with the enalties under sec	PA regulations at 40 CFR nd that it is a violation of 1 e terms of PR Notice 98-1 tions 12 and 14 of FIFRA.	152.4 8 U.S. 0 and	6 and no othe .C. Sec. 1001	r changes h to willfully r	make any false statement
	^^=	Se	ction - III				
1. Material This Product Child-Resistant Packagin Yes No Certification must we submitted	g Unit Packaging Yes ✓ No If "Yes" No	p. per If "Y	er Soluble Packaging Yes No No No. per Lage wgt container	and the second s	2. Type of	Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Conte	nts Information 4. S	ize(s) Retail Con 5(teiner) lbs.	5. Lo	Cation of Lab		ns
6. Manner in Which Labe		Lithograph Paper glued Stenciled	Other	Po	ocket		•
			ction - IV				
1. Contact Point (Compl	ete items directly below for ide	ntification of ind	ividual to be contacted,	if nec	essary, to pr	ocess this	application.)
Name Dawn L. Walters		Title Regula	atory Administrator			Telephone 334-262-2	No. ('nc'ude Area Code) 766

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or

5. Date

Regulatory Administrator

3/1/02

Dawn L. Walters

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

both under applicable law.

Durinicultur

4. Typed Name

White - EPA File Copy (original)

Yellow - Applicant Copy

6. Date Application

(Stamped)

Received



Fertilizer

18-0-18

with RONSTAR Herbicide

FOR SALE TO, USE AND STORAGE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL ONLY.

NOT FOR USE ON HOME LAWNS

- Provides preemergent control or suppression of crabgrass, Poe annua, geosegrass, and foxfall
- Provides a nitrogen and potassium feeding

Guaranteed Analysis	
Total Nitrogen (N)	18.00%
9.00% Ammoniacal Nitrogen	
9.00% Urea Nitrogen*	
Soluble Potash (K ₂ O)	18.00%
Total Sulfur (S)	10.29%
3.65% Free Sulfur	
Plant nutrients derived from ammonium sulfate, polymer coated sulfur coated ures and po	tassium chloride
Chiorine (CI) Max	
9.00% Slowly available nitrogen from polymer coated sulfur coated ures.	
The Andersons Golf Products logo is a tradement of The Andersons Agrisenvices, Inc.; Ronatzr is a registered trademar	k of Aventie
	Foon

Active Ingredient:		
		1.0%
		9.0%
Total	10	
EPA Rag. No. 9198-203	EPA Est. No. 9198-OH-1M, 9198-OH-28, 9198-AL-	
1CAS # 19666-30-9	Underlined letter is first letter used in run	

This product and/or its use is covered by one or more of the following US patents and toreign counterparts thereof US Pat No 5.219.465; 5,300,135.

information regarding the contents and levels of metals in this product is available on the internet at hito-flywers requirementations com/.

Attention: This product contains a chemical known to the State of California to cause cancer.

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING. May be fasts if inhaled. Causes substantial but temporary eye injury. Wear goggles or safety glasses when applying this product. Causes akin inflation. Do not get in eyes, on skin, or on clothing.

Wear protective clothing including long-sleeved shirt and gloves when handling. Wash thoroughly with scap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF SWALLOWED: Call a doctor or get medical ettention. Do not induce vorniting or give enything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, getatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. IF IN EYES: Hold eyelids open and

flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF ON SKIN: Wash with plenty of scap and water. Get medical attention. IF NNHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric larage.

Environmental Hazards

This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intentidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- For use on established or sprigged bermudagrass, zoysiagrass, Seashore pespelum* (see precautions), and St. Augustinegrass ornamental turf for preemergent control or suppression of sprouting:

crabgrass

yellow foxtail

Poa annua

goosegrass
*Not currently registered in California.

HOW TO USE

- Apply prior to or effer aprigging 200 to 300 fbs. of product per acre (2.0 to 3.0 fbs. Al/acre) for suppression or control of fisted annual grassy weeds in bermudagrass, zoysia grass, and St. Augustinegrass.
- After application of this product on newly sprigged bermudagrass, zoysiagrass, and St.
 Augustinegrass, with until the grass has filled in and the stolons have rooted down before application of other PROTURF herbicide, combination fertilizer/herbicide or growth regulator products.
- On Seashore paspelum make application 10-14 days after sprigging.
- . For established turf, apply at 200 to 300 fbs. of product per acre (2.0 to 3.0 fbs. Al/acre).

WHEN TO USE

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter Injury, insects, diseases or other factors.

PRECAUTIONS

- . Avoid contact with flowers and shrube.
- This product should not be used on established putting greens and tees because of the varied cultural practices used.
- . Do not apply product to moist turfgrass foliage.
- This product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.
- On Seashore paspalum wait 10-14 days after sprigging before application. An application made
- close to the time of sprigging may cause objectionable injury.
- Imgate immediately after application for best results.
 Seeding into treated areas should be delayed until 4 months after treatment

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseel opened beg by folding top down and securing. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsete is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a senitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE.

Read the entire Directions for Use and the Werranty Disclaimer and Limitetion of Lieblity before using this product. If terms are not acceptable, maintible imposened pmduct continier at once. By using this product, user or Buyer accepts the following Wallanty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, about the purposes stated on the label when used in strict accordance with the directions. The Manufacturer makes NO OTHER EXPRESS OR IMPLED WAPPANTY CT ME RCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissuble, it is Manufacture, a when to I.MIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCID-INTAL EL ONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's chrich. Man facturer PISC AIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.,

P.O. Box 119

Maumee, OH 43537

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application. 50 lbs. treats 10,890 sq. ft. at 200 lbs. product/acre (2.0 lbs. at/A) 50 lbs. treats 8,712 sq. ft. at 250 lbs. product/acre (2.5 lbs. ai/A) 50 lbs. treats 7,260 sq. ft. at 300 lbs. product/acre (3.0 lbs. ai/A)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	200 Lbs/A RATE	250 Lba/A RATE	300 Lbs/A RATE
Scotts Rotaries R-8A (cone 2) AcculPro &	3 mph	11 ft.	K	L	L 3/4
SR-2000 (cone 2)	3 mph	11 ft.	K 3/4	L 1/2	M 1/2
Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm	4.5 mph	42 ft.	6 1/2 IIC	7 HC	7 1/2 HC
Vicon (03 Series, Stanard Spout)	4.5 mph	36 ft.	36	41	43

TREATS UP TO 10,890 SQUARE FEET Net Wt. 50 Lbs. (22.68 kg)

B2 (AGCBLKPBRNB)

AGC186R5

NOTIFICATION

MAR | 5 2002

NEXT

LABEL

9198-203

Please read instructions on reverse before completing form.

03/15/2002

1	Registration Amendment
j	Amendment

OPP Identifier Number

\$EPA	Environmenta Washi	I Protection			Amend			
		Application	n for Pestici	de - Secti	on I			
1. Company/Product Numbe 9198-203	r		2. EPA Miller	Product Manag	er	į,	None	ssification
4. Company/Product (Name) Turf Fertilizer Plus Preemerg			PM# 23					nestricted
5. Name and Address of App The Andersons Lawn Fert. PO Box 119 Maumee, OH 43537			OW (b)(i), n to: EPA F	ny product is	iw. In accorda similar or iden	tical in co	mposition	and labeling
			Section - I					
Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency letter	dated			plication.	e to	NOTIFIC	CATION 5 2002
Explanation: Use addition Notification of Alternate Bran This notification is consistent labeling or the confidential st to EPA. I further understand FIFRA and I may be subject.	d Name per PR Notice with the provisions of F atement of formula of th that if this notification is	98-10 : Anders PR Notice 98-10 his product. I und s not consistent v	sons Golf Products and EPA regulation derstand that it is a with the terms of PF	ns at 40 CFR 15 violation of 18 R Notice 98-10	2.46 and no othe J.S.C. Sec. 1001	r changes to willfully	make any fa	alse statement
7.			Section - II	1				
1. Material This Product Will	Be Packaged In:							
Child-Resistant Packaging Yes No Certification must submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble P Yes No If "Yes" Package wgt	No. per container	2. Type of	Metal Plastic Glass Paper Other (5		
3. Location of Net Contents	Information ontainer	4. Size(s) Reta	il Container 50 lbs.	5	Location of Lab		ons	
6. Manner in Which Label is	Affixed to Product	Lithogra Papar g Stencile	aph Iued ed	Other	Pocket		•	
			Section - IV	/				
1. Contact Point /Complete	items directly below f	or identification	of individual to be	contacted, if	necessary, to pr	ocess this	application	.)
Name Dawn L. Walters			Fitle Regulatory Admin	istrator		Telephon 334-262-2		de Area Code)
I certify that the stater I acknowledge that an both under applicable I	y knowlinglly false or i		Il attachments the				6. Jate Al Receive {S*a	· 1
2. Signature Micro & White		_	. Title Regulatory Adminis	trator				
4. Typed Name Dawn L. Walters		5.	. Date	1/02				



Fertilizer

15-5-10

with RONSTAR Herbickde

FOR SALE TO, USE AND STORAGE BY PROFESSIONAL TURF
MAINTENANCE PERSONNEL ONLY.

VOTIFICATION

MAR i 5 2002

NOT FOR USE ON HOME LAWNS

- Provides preemergent control or suppression of crabgrass, Poe annue, goosegrass, and foxfait
- · Provides a light nitrogen feeding

Commenced Analysis	··	
Guaranteed Analysis		
iotal Nitrogen (N)		15.00%
1.96% Ammoniacal Nitrogen		
13.04% Ures Nitrogen*		
		5.00%
Soluble Details (K_O)		10.00%
College (C)		
Summ (S)		2.43%
2.43% Free Sulfur		
Plant nutrients derived from diammonia	um phosphate, urea, potassium chloride and polymer coal	led
sulfur coated urea.		
Chlorine (CI) Max	************************************	8.46%
*8 0% Signally Appellable Millerman from	m Polymer Coated Sulfur Coated Urea	0.4070
		F963
	of The Andersons Agrison/cos. Inc.; Romain is a registered trademark of Ave	- F292
The Andersone Golf Producte logo is a tradement o		+ F292
The Andersons Golf Producte logo is a trademark of Active Ingredient;	of The Andersons Agrisentices, Im.; Romber is a registered trademark of Aven	
The Antersons Golf Products togo is a tradement of Active Ingredient; Oxadiazon†	If The Andersons Agriculture, Inc.; Romain is a registered trademark of Ave	1.0%
The Antersons Golf Products togo is a tradement of Active Ingredient; Oxadiazon†	of The Andersons Agrisentices, Im.; Romber is a registered trademark of Aven	
The Andersons Gof Products togo is a tradement of Active Ingredient; Oxediazon† Other Ingredients;	I The Andersons Agricuntoss, Inc.; Romate is a registered trademant of Ave	1.0% 99.0%
The Andersons Golf Products topo is a trademark of Active Ingredient: Oxadiazon† Other Ingredients: Total	If The Andersons Agritentions, Inc.; Romalar is a registered trademark of Aver	1.0% 99.0% 100.0%
The Andersons Gof Products togo is a tradement of Active Ingradient: Oxadiazon† Other Ingradients:	I The Andersons Agricuntoss, Inc.; Romate is a registered trademant of Ave	1.0% 99.0% 100.0% AL-001A

This product and/or its use is covered by one or more of the following US patents and foreign counterparts thereof: US Pat No 5,219,465; 5,300,135.

information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com/.

Attention: This product contains a chemical known to the State of California to cause cancer.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. May be fatal if inhaled. Causes substantial but temporary eye injury. Wear goggles or astiety plasses when applying this product. Causes skin inflation. Do not get in eyes, on skin, or on clothing. Wear protective clothing including long-seeved shirt and gloves when handling. Wash thoroughly with soep and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Transferrent.

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vorniting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, getatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. IF SN EYES: Hold eyelids open and

flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF ON SKIN: Wash with plenty of scap and water, Get medical attention. IF NNALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of qastric lavage.

Environmental Hazarda

This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of weter. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intentidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a menner inconsistent with its labeling.

- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research ournoses.
- For use on established or sprigged bermudagrass, zoysiagrass, Seashore paspelum* (see pre cautions), and St. Augustinegrass ornamental turf for preemergent control or suppression of sprouding.

crabgrass goosegrass yellow foxtail green foxtail Poa annua

"Not currently registered in California.

HOW TO USE

- Apply prior to or after sprigging 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre) for suppression or control of listed annual grassy weeds in bermudagrass, zoysia grass, and St. Augustinegrass.
- After application of this product on newly sprigged bermudegrass, zoysiegrass, and St.
 Augustinegrass, wait until the grass has filled in and the stolons have rooted down before application of other PROTURF herbicide, combination fertilizer/herbicide or growth regulator products.
- On Seashore paspalum make application 10-14 days after sprigging.
- For established turf, apply at 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre).
 WHEN TO USE

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

PRECAUTIONS

- Avoid contact with flowers and shrubs.
- This product should not be used on established putting greens and tees because of the varied cultural practices used.
- . Do not apply product to moist surfgrass foliage.
- This product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.
- On Seashore pespalam wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.
- · Irrigate immediately after application for best results.
- Seeding into treated areas should be delayed until 4 months after treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry piace. Reseal opened beg by folding top down and securing. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to tabel instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for quidance.

CONTAINER DISPOSAL: Completely empty beg into application equipment. Then dispose of empty beg in a senitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stary out of smoke,

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Ush and the Wenterty Pischalman and Limithtion of Limithiy before using this product. If terms are not acceptable, totum the unopened product container at onc... By using using product, user or Buyer accepts the following Wairenty Dischalmen and Limithtion of Liabitry:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when user in which reproduces with the directions, about the makes NO OTHER EXPRESS OR IMPLIED WALFARTY CF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where pennissable, it as Manufacturer is intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL EFONOMIC DAMAGES to retund of purchase price or replacement of product, at Buyer's chiic.). Mar facturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.,

P.O. Box 119

Maumee, OH 43537

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application. 50 lbs. treats 10,890 sq. ft. at 200 lbs. product/acre (2.0 lbs. ai/A) 50 lbs. treats 8,712 sq. ft. at 250 lbs. product/acre (2.5 lbs. ai/A) 50 lbs. treats 7,280 sq. ft. at 300 lbs. product/acre (3.0 lbs. ai/A)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	200 Lbs/A RATE	250 Lbe/A RATE	300 Lbs/A RATE
Scotts Rotaries					
R-8A (cone 2) AccuPro &	3 mph	11 ft.	K	: L	L 3/4
SR-2000 (cone 2)	3 mph	11 ft.	K 3/4	L 1/2	M 1/2
Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm	4.5 mph	42 ft	6 1/2 IIC	7 HC	7 1/2 IIC
Vicon (03 Series, Stanard Spout)	4.5 mph	36 ft.	36	41	43

TREATS UP TO 10,890 SQUARE FEET Net Wt. 50 Lbs. (22.68 kg)

82- (AGCBLKPBRNB)

AGC8684-1

NEXT

LABEL

Please read instructions on reverse before completing form.

						- ()
m	Approved.	OMB No.	2070-0060.	Approval e	xpires :	2-28-

United States

 Registration
Amendmen
Other

OPP Identifier Number

VCFA	Environmental Washii	II Protectior ington, DC 2046		V	Amendme Other	nt 3
		Application	n for Pestici	de - Section	n !	
1. Company/Product Number 9198-203	;		2. EPA Miller	Product Menager		3. Proposed Classification None Restricted
 Company/Product (Name) Turf Fertilizer Plus Preemerg 			PM# 23			
5. Name and Address of App The Andersons Lawn Fert. PO Box 119 Maumee, OH 43537	•	-	6. Exp (b)(i), rr to:	ny product is sir		with FIFRA Section 3(c)(3) in composition and labeling
Check if this	is a new address		Produ	ict Name	APPARENT SECTION AND SECTION ASSESSMENT ASS	
			Section - I			
Amendment - Explain	below.	dated		Final printed labo Agency letter da "Me Too" Applic		
Notification - Explain				Other - Explain b		NOTIFICATION
labeling or the confidential sta	d Name per PR Notice with the provisions of P atement of formula of th that if this notification is	98-10 : Anderso PR Notice 98-10 a his product. I und s not consistent w	ons Golf Products and EPA regulation derstand that it is a with the terms of PR	ns at 40 CFR 152.4 violation of 18 U.S R Notice 98-10 and) with Ronstar Herb 46 and no other cha 5.C. Sec. 1001 to w	MAR I 5 2002 bicide anges have been made to the villfully make any false statement his product may be in violation of
			Section - I	11		
1. Material This Product Will	Be Packaged In:					
Child-Resistant Packaging Yes No Certification must Submitted	Ves No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble P. Yes No If "Yes" Package wgt	No. per container	V PI GI Pr	ntainer letal lastic less aper ther (Specify)
3. Location of Net Contents I	Information ontainer	4. Size(s) Retail	il Container 50 lbs.	5. Li	ocation of Label D)irections
6. Manner in Which Label is a	Affixed to Product	Lithograp Paper glo Stencileo	ph ued d	V Other P	ocket	•
			Section - IN	V		
1. Contact Point (Complete)	items directly below fo	or identification	of individual to be	contacted, if nec	cessary, to proces	s this application.)
Name Dawn L. Walters		1	îtie Regulatory Admin	nistrator	Tole 334	ephone No{Inckide Area Code} 4-262-2766' ccc. '
I certify that the staten I acknowledge that any both under applicable I	y knowlinglly false or r		ll attachments the			
2. Signature Dawn X 1 White	.vw	J -	. Ti tle Regulatory Adminis	strator	• • • •	
4. Typed Name Dawn L. Walters		5.	Date 3	11/02		**************************************



10-22-10

with RONSTAR Herbicide

FOR SALE TO, USE AND STORAGE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL ONLY.

NOT FOR USE ON HOME LAWNS

- Provides preemergent control or suppression of crabgrass, Pos annua, goosegrass, and foxfall
- Provides # high phosphorus feeding

Guaranined Arithysis	
Total Nitrogen (N)	10 00%
10.00% Ammoniacal Nitrogen	
Available Phosphate (P2O5)	22.00%
Soluble Potash (K2O)	10 00%
Total Suffur (S)	1 504
1.59% Combined Sulfur	. (,38%)
Plent nutrients derived from diammonium phosphate, ammonium phosphate and potass	
	. 8.46%
Chlorime (CI) Max. The Andersone Golf Products logo is a tradement of The Andersone Agriservices, Inc.: Royatar is a requirement resder	

Active Ingredient:		
Oxadiazon†	**********	1.0%
		99.0%
Total,		100.0%
EPA Reg. No. 9198-203	EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-A	L-001A
†CAS # 19666-30-9	Underlined letter is first letter used in ru	n code.

This product ender its use is covered by one or more of the following US patents and loneign counterparts thereof: US Pat No 5.219,465: 5,300,135

information regarding the contents and levels of metals in that product is evaluate on the internet

at http://www.mgulatory-info-ap.com/

Attention: This product contains a chemical known to the State of California to cause cancer.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. May be fetal if inhaled. Causes substantial but temporary aye injury. Wear goggles or safety glasses when applying this product. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Wear protective clothing including long-sleeved shirt and gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vorniting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, geletin solution, or if these are not available, drink large quantities of water. Avoid attention. IF IN EYES: Hold eyelids open and flush with a steady, gentile stream of water for 15 minutes. Get medical attention. IF ON SKIN: Wash with plenty of scap and water. Get medical attention. IF NHALED: Remove victim to fresh air. If not breath-

ing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. NOTE TO PHYSI-CIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wasters. Do not apply directly to water, or to areas where surface water is present or to intertitial areas below the mean high water mark.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Not for use on furf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- For use on established or sprigged bermudagrass, zoysiagrass, Seashore paspalum* (see precautions), and St. Augustinegrass ornamental turf for preemergent control or suppression of sprouting;

craograss coosedrass yellow foxtail

Poa annua

*Not currently registered in California.

HOW TO USE

- Apply prior to or after sprigging 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre) for suppression or control of listed annual grassy weeds in bermudagrass, zoysia grass, and St. Augustinegrass.
- After application of this product on newly sprigged bermudagrass, zoysiagrass, and St.
 Augustinegrass, wait until the grass has filled in and the stolons have rooted down before application of other PROTURF herbicide, combination fertilizer/herbicide or growth regulator oraducts.
- On Seashors paspaken make application 10-14 days after sprigging
- For established turf, apply at 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Al/acre).
 WHEN TO USE

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

PRECAUTIONS

- Avoid contact with flowers and shrubs.
- This product should not be used on established putting greens and tees because of the varied million practices used.
- Do not apply product to moist surfaces foliage.
- This product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.
- On Seashore pespalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.
- · Irrigate immediately after application for best results.
- Seeding into treated areas should be delayed until 4 months after treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened beg by folding top down and securing. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hezardous Waste representative at the nearest EPA regional office for quidance.

CONTAINER DISPOSAL: Completely empty bag into application aquipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning, if burned, stay out of smoke.

IMPORTANT: READ BEFORE USC.

Read the entire Directions for Use and the Warranty Disclaimer and Limitetion of Lientity cefore using this product. If terms are not acceptable, in turn the imagened product continer at once. By using this product, user or Buyer accepts the following Wallant, Disclaimer and United on Liebling:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict promotence with the directions. Manufacturer makes NO OTHER EXPRESS OR IMP IED WAPPANTY CS MFRCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where pern.s..ble, it, s.M.,..uda..bure. s intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCID-INTAL EL CHOMIC DAM-AGES to refund of purchase price or replacement of product, at Buyer's chrict. Mart facturer "ISC" AIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by

The Andersons Lawn Fertilizer Division, Inc.,

P.O. Box 119

Maumee, OH 43537

Suggested Spreader Settings

To provide proper distribution celibrate spreader before application. 50 lbs. treets 10,990 sq. ft. at 200 lbs. product/acre (2.0 lbs. st/A) 50 lbs. breats 8,712 sq. ft. at 250 lbs. product/acre (2.5 lbs. si/A) 50 lbs. breats 7,260 sq. ft. at 300 lbs. product/acre (3.0 lbs. ai/A)

SPREADER	GROUND SPEED	WIOTH OF COVERAGE	200 Lbs/A RATE	250 Lbs/A RATE	300 Lbs/A RATE
Scotts Rotaries R-8A (cone 2) AccuPro &	3 mph	11 ft.	к	L	L 3/4
SR-2000 (cone 2)	3 mph	51 ft.	K 3/4	L 1/2	M 1/2
Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm	4.5 mph	42 ft.	6 1/2 IIC	7 IIC	7 1/2 IIC
Vicon (03 Series, Stanard Spout)	4.5 mph	36 ft.	36	41	43

TREATS UP TO 10,890 SQUARE FEET Net Wt. 50 Lbs. (22.68 kg)

B2- (AGCBLKPBRNB)

AGC10R50