

9198-203

3/13/2007

114



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Dawn L. Walters
Product Registration
The Andersons Lawn Fert. Div., Inc
Fert. PO Box 119
Maumee, OH 43537

MAR 13 2007

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "ALACO Fertilizer with 1% Oxa-Pro Herbicide"
EPA Reg. No. 9198-203
Application Dated February 19, 2007

Dear: Ms. Walters,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 02/19/07 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-203	2. EPA Product Manager Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Turf Starter Plus Preemergent Weed Control	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10 : ALACO Fertilizer with 1% Oxa-Pro Herbicide

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-351-3717
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Dawn L. Walters, dany</i>	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 2-19-07	



The Andersons, Inc.
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

February 15, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
1200 Pennsylvania Ave., NW
Washington, D.C. 20460-001

Subject: NOTIFICATION - Additional Brand Name

RE: Turf Starter Plus Preemergent Weed Control
EPA Reg. No. 9198-203

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market an additional product under the subject basic registration. The additional brand name is:

ALACO Fertilizer with 1% Oxa-Pro Herbicide

One copy of the draft label is enclosed.

Enclosed is a self-addressed card indicating the acceptance or rejection of this notification. Please complete the card and return via mail.


If there are any questions, please contact me.

Sincerely,
The Andersons Lawn Fertilizer Division, Inc.

Dawn L. Walters, daz

Dawn L. Walters
Regulatory Administrator
Phone 419-351-3717
Email dawn_walters@andersonsinc.com

enclosure





Fertilizer with 1% Oxa-Pro™ Herbicide

FOR SALE TO, USE AND STORAGE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL ONLY.

NOT FOR USE ON HOME LAWNS

15-5-10

- Contains RONSTAR® pre-emergent herbicide.
- Provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass, and foxtail
- Contains NS-52™ slow release nitrogen

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

If used no enticement is adequate, because a solution para que se es exigente a seriedad en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals: Causes eye and skin irritation. Harmful if inhaled. Do not get on skin or on clothing. Avoid contact with eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Applicators and other handlers must wear over short-sleeved shirt and short pants, waterproof gloves, a chemical-resistant apron when cleaning equipment, protective eyewear, chemical resistant headgear for overhead exposure and chemical-resistant footwear plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash body thoroughly and put on clean clothing.

FIRST AID
If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, as soon as possible. Continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN:
Probable mucosal damage may contraindicate the use of gastric lavage.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-557-8851 for emergency medical treatment information.

Environmental Hazards
This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

ACTIVE INGREDIENT:
Oxidiazon..... 1.00%
OTHER INGREDIENTS:
..... 99.00%
TCAS # 19665-30-9..... 100.00%

EPA Reg. No. 9198-203
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Undefined letter is first letter used in run code on bag.

Guaranteed Analysis

Total Nitrogen (N)..... 15.00%
13.04% (ammoniacal Nitrogen (N))
Available Phosphate (P₂O₅)..... 5.00%
Soluble Potash (K₂O)..... 10.00%
Plant nutrients derived from ammonium phosphate, potassium chloride, urea and polymer coated sulfur coated urea.
Cobalt (ppm)..... 8.46%
*8.00% Slowly available nitrogen from polymer coated sulfur coated urea.

ALACO, the ALACO logo, Oxa-Pro and NS-52 are trademarks of The Andersons Agriservices, Inc.
Flow is a registered trademark of Bayer CropScience, The Andersons logo is a registered trademark of The Andersons Agriservices, Inc.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment, and PPE. All other use requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls over short-sleeved shirt and short pants, waterproof gloves, chemical-resistant footwear plus socks and chemical-resistant headgear for overhead exposure.

Non-Agricultural Use Requirements
The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, and greenhouses.

For use on established or sprigged bermudagrass, zoysiagrass, Seashore paspalum* (see precautions), and St. Augustinegrass ornamental turf for preemergent control or suppression of sprouting.

crabgrass
goosegrass
yellow boxtail
green foxtail
Poa annua

*Not currently registered in California.

HOW TO USE

Apply prior to or after sprigging 150 to 300 lbs. of product per acre (1.5 to 3.0 lbs. Al/acre) for suppression or control of listed annual, grassy weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.

After application of this product on newly sprigged bermudagrass, zoysiagrass, and St. Augustinegrass, wait until the grass has filled in and the stolons have rooted down before application of other herbicide, combination fertilizer/ herbicide or growth regulator products.

On Seashore paspalum make application 10-14 days after sprigging.

For established turf, apply at 300 to 400 lbs. of product per acre (3.0 to 4.0 lbs. Al/acre).

WHEN TO USE

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

PRECAUTIONS

- Avoid contact with flowers and shrubs.
- This product should not be used on established putting greens and tees because of the varied cultural practices used.
- Do not apply product to moist grass foliage.
- This product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.

- On Seashore paspalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.
- Irrigate immediately after application for best results.
- Seeding into treated areas should be delayed until 4 months after treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.
STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mix, or empty container is a violation of Federal Law. These wastes cannot be disposed of by use according to local or state regulations. For more information, contact your State Pesticide Control Agency, or the Pesticides Waste Management Division at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If buyer is not acceptable, return the unopened product container at once. By using this product, user or farmer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES TO THAT OF THE PURCHASE PRICE PER GROSS WEIGHT OF THE PRODUCT. Manufacturer does not assume ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE JURISDICTION TO STATE JURISDICTION. (R16mdf121603)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LIGHT RATE a/l/a	LOW RATE a/l/a	MEDIUM RATE a/l/a	SPREADER SETTINGS		
						SPREADER	GROUND SPEED	WIDTH OF COVERAGE
Andersons AccuPro 2000, SR-2000 (cone 2)	3 mph	12 feet	K	L	M			
Scotts AccuPro 1090	3 mph	12 feet	K	L	M			
Scotts R-6, R-6A (cone 2)	3 mph	12 feet	J 1/2	K 1/4	L			
Lely Models WTR, WFR, HR, 1250 Pattern I-C	4.5 mph	41 feet	6	6 3/4	7 1/2			
Yates (G3 Series)	4.5 mph	36 feet	33	37	42			

Suggested Spreader Settings
These suggested spreader settings are not intended to replace calibration.

50 lbs. treats 10,800 sq. ft. (0.25 acre) at 200 lbs. product/acre - LIGHT RATE (4.58 lbs./1,000 Sq. Ft.)
50 lbs. treats 8,700 sq. ft. (0.20 acre) at 250 lbs. product/acre - LOW RATE (5.74 lbs./1,000 Sq. Ft.)
50 lbs. treats 7,200 sq. ft. (0.17 acre) at 300 lbs. product/acre - MEDIUM RATE (6.89 lbs./1,000 Sq. Ft.)

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P.O. Box 119, Maumee, OH 43537
www.andersonslawnproducts.com



Density = 64.7 lbs/cubic ft.
Treats up to 10,800 Sq. Ft.
Net Wt. 50 Lbs (22.68 kg)

ALA156XD5

87 (SLKP1929B)

414