

9198-203

5/21/2007

114



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOTIFICATION

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAY 21 2007

Ms. Dawn L. Walters
Product Registration
The Andersons Lawn Fert. Div., Inc
Fert. PO Box 120
Maumee, OH 43537

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "Andersons Golf Products Turf Fertilizer 22-4-11
with Ronstar Herbicide"
EPA Reg. No. 9198-203
Application Dated January 11, 2007

Dear Ms Walters:

The Agency is in receipt of your 1/11/07 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Andersons Golf Products Turf Fertilizer

22-4-11

with RONSTAR® Herbicide

FOR SALE TO, USE AND STORAGE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL ONLY. NOT FOR USE ON HOME LAWNS

- Excellent starter fertilizer analysis
Provides excellent control or suppression of crabgrass, Poa annua, goosegrass, and foxtail
Contains ammonium sulfate

KEEP OUT OF REACH OF CHILDREN
WARNING: AVOID

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail)

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals: Causes eye and skin irritation. Harmful if inhaled. Do not get on skin or on clothing. Avoid contact with eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Applications and other handlers must wear covers over short-sleeved shirt and short pants, waterproof gloves, a chemical-resistant apron when cleaning equipment, protective eyewear, chemical resistant head-gear for overhead exposure and chemical-resistant footwear plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash body thoroughly and put on clean clothing.

FIRST AID
If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN:
Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

This pesticide is toxic to fish. Use with care when applying to areas adjacent to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

ACTIVE INGREDIENT: Oxadiazon 1.00%
OTHER INGREDIENTS: 99.00%
Total 100.00%

EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
EPA Reg. No. 9198-203

This product and/or its use is covered by one or more of the following US patents and foreign counterparts thereof:
US Pat No 5,219,465; 5,300,135

Guaranteed Analysis table showing Total Nitrogen (N) 22.00%, Ammoniacal Nitrogen 12.98%, Urea Nitrogen 3.08%, Other Inorganic Nitrogen 4.00%, Other Inorganic Nitrogen Available Phosphate (P2O5) 11.00%, Soluble Phosphorus (P2O5) 3.74%, Sulfur (S) 3.74%, Combined Sulfur (S) 3.74%, Plant nutrients derived from ammonium phosphate, urea, potassium sulfate, methylene ureas.

The Andersons Golf Products logo is a trademark of The Andersons Agribusiness, Inc. Ronstar is a registered trademark of Bayer CropScience.

Attention: This product contains a chemical known to the State of California to cause cancer.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. DIRECTIONS FOR USE

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Any protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. The standard contains specific requirements for safety data sheets, hazard communication, notification and emergency assistance. It also contains specific instructions and other provisions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls over short-sleeved shirt and short pants, waterproof gloves, chemical-resistant footwear plus socks and chemical-resistant headgear for overhead exposure.

Non-Agricultural Use Requirements
The requirements in this box apply to uses of the product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, sod farms or greenhouses.

For use on established or sprigged bermudagrass, zoysiagrass, Seashore paspalum* (see precautions), and St. Augustinegrass ornamental turf for preemergent control or suppression of sprouting:

Table with 2 columns: Crabgrass, goosegrass; Yellow foxtail, green foxtail; Poa annua

*Not currently registered in California.

HOW TO USE

- Apply prior to or after sprigging 150 to 300 lb. of product per acre (1.5 to 3.0 lbs. A/acre) for suppression or control of listed annual grassy weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.
After application of this product on newly sprigged bermudagrass, zoysiagrass, and St. Augustinegrass, wait until the grass has filled in and the sprigors have rooted down before application of other herbicides, combination fertilizers or growth regulator products.
On Seashore paspalum make application 10-14 days after sprigging.
For established turf, apply at 300 to 400 lb. of product per acre (3.0 to 4.0 lbs. A/acre).

WHEN TO USE

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

PRECAUTIONS

- Avoid contact with flowers and shrubs.
This product should not be used on established putting greens and tees because of the varied cultural practices used.
Do not apply product to moist turfgrass foliage.
The product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.
On Seashore paspalum wait 10-14 days after sprigging before application. An application made above

- to the time of springing may cause objectionable injury.
Ingrate immediately after application for best results.
Seeding into treated areas should be delayed until 4 mcs. after treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Operations and Emergency Response (HWEP) Division of the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Completely empty bag into application equipment if it is to be reused. If bag is to be discarded, contact your State or local authorities, by burning, if burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:
Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE JURISDICTION TO STATE JURISDICTION. (R/MS/0121903)

Suggested Spreader Settings table with columns: Spreader, Ground Speed, Width of Coverage, Light Rate, Low Rate, Med Rate. Includes models like Andersons AccuPro 1000, AccuPro SR-2000, Scotts ProSeries, etc.

Manufactured by: The Andersons Lawn Fertilizer Division, Inc., P.O. Box 119, Maumee, OH 43537

SGN 215
Treats up to 10,800 Sq. Ft.
Net Wt. 50 Lbs (22.68 kg)

AGC22WR15

DS (AGCBLKPB18) 1B