

9198-203

5/23/2008

114



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Dawn Walters
Product Registration
The Andersons Lawn Fert. Div., Inc
PO Box 119
Maumee, OH 43537

MAY 23 2008

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "Andersons Golf Products Fertilizer with Oxa-Pro
Herbicide"
EPA Reg. No. 9198-203
Application Dated May 9, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 05/09/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-203	2. EPA Product Manager Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Fertilizer with 1.0% Ronstar®	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: Andersons Golf Products® Fertilizer with Oxa-Pro™ Herbicide

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 15 - 2,000 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other Pocket	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-897-6790
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Dawn L. Walters</i>	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 5/9/08	



The Andersons, Inc.
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

May 9, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: NOTIFICATION - Additional Brand Name

RE: The Andersons Fertilizer with 1.0% Ronstar®
EPA Reg. No. 9198-203

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand name is:

Andersons Golf Products® Fertilizer with Oxa-Pro™ Herbicide


One copy of the draft label is enclosed.

If there are any questions regarding this notification, please contact me.

Sincerely,
The Andersons Lawn Fertilizer Division, Inc.

Dawn L. Walters
Dawn L. Walters
Regulatory Administrator
Phone 419-897-6790
Fax 419-891-2745
Email dawn_walters@andersonsinc.com

Enclosure





Fertilizer

with Oxa-Pro™ Herbicide

For Sale to, Use and Storage by Professional Turf Maintenance Personnel only.
Not for sale to or use by homeowners/consumers.
Not for Use on Home Lawns

16-5-10

- Provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail during Bermudagrass springing.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

Harmful to Humans and Domestic Animals: Causes moderate eye irritation. Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Long-sleeved shirt, and long pants, and
- Shoes, plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

• Avoid breathing dust, fumes, mist, spray, or vapors. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes. Then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed

Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-35-8951 for emergency medical treatment information.

Environmental Hazards: This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

ACTIVE INGREDIENT

Oxadiazon 1.0%
Other Ingredients 99.0%
Total 100.0%

TCAS Number 19686-30-9

EPA Reg. No. 9198-203

EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9199-AL-001A

Underlined letter is first letter used in run code on bag

GUARANTEED ANALYSIS

Total Nitrogen (N) 16.00%
 1.95% Ammoniacal Nitrogen
 14.04% Urea Nitrogen
 Available Phosphorus (P₂O₅) 5.00%
 0.00%
 Soluble Phosphorus (P₂O₅) 8.45%
 Plant nutrients derived from ammonium phosphate, urea, potassium chloride and polymer coated sulfur coated urea.
 Chelated (Ch) Max. 8.45%
 8.45% Slowly available nitrogen from polymer coated sulfur coated urea

F282

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ep.com>

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard sets forth the minimum requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls, shoes plus socks, and chemical resistant gloves made of any waterproof material.

Non-Agricultural Use Requirements

Use of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, sod farms or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated areas (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

TURF USES

For use on established or sprigged Bermudagrass, Zoysiagrass, Seashore paspalum* (see precautions), Tropic Lalo (paspalum hybridum), St. Augustinegrass, Perennial Bluegrass, Perennial Ryegrass and Tall Fescue turf, such as lawns, parks, golf courses and sod farms. Use for preemergent control or suppression of sprouting.

Weed Grasses:

Crabgrass Yellow foxtail
Goosegrass Green foxtail
Annual Sedge* Annual Bluegrass (Poa annua)
Field Sandbar*

Broadleaf Weeds:

Common Purslane Veronica Speedwell
Florida Pusley Virginia Blueweed Common Groundsel
Stinging Nettle

*Not currently registered in California

How to Use

- Apply prior to or after springing, 150 to 200 lbs. of product per acre (1.5 to 2.0 lbs. Allicare) for suppression or control of listed annual weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.
- Apply 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Allicare) for control of listed annual weeds during bermudagrass, zoysiagrass, seashore paspalum and tropic lalo (paspalum hybridum) establishment from springs*
- After application of this product on newly sprigged bermudagrass, zoysiagrass, and St. Augustinegrass, wait until the grass has established and the sods have rooted in before application of other herbicides, or growth regulator products.
- On Seashore paspalum, apply 100 to 150 lbs. of product per acre (1.0 to 1.5 lbs. Allicare).
- For established turf, apply at 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Allicare).

When to Use
This product is control or suppress the listed annual weeds when establishing new turf areas or when treating established turf that has been limited from winter injury, insects, diseases or other factors.

Bermudagrass - make application immediately prior to or immediately after springing.
Zoysiagrass and St. Augustinegrass - make application prior to or after springing.

Seashore Paspalum - make application 10 to 14 days after springing. Applications made close to the time of springing may cause oblique-necked Seashore Paspalum injury.

Tropic Lalo application must be made 0 to 12 days after springing. Do not use in areas where endangered Hawaiian Goose (Nesofregata) or Hawaiian Monk Seal (Monachus mozambicus) may feed.

For best results, water-in the product as soon as practical after application.

*Not currently registered in California

PRECAUTIONS

Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.

Avoid contact with flowers and shrubs.

Do not apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.

This product should not be used on putting greens or tees because of the potential for cultural practices used.
Do not apply to Bermudagrass turf mowed less than 3/8 inch.
Do not apply to wet turf as discoloration may occur.
For St. Augustinegrass and Bermudagrass turf, do not exceed the rate of 24C.b.c.-f.7 aoz. (2.4 pounds Allicare).
This product may cause temporary discoloration of Bermudagrass, Bermudagrass and St. Augustinegrass. This is normally out-grown within 2-3 weeks.

On Seashore Paspalum wait 10-14 days after springing before application. An application made close to the time of springing may cause objectionable injury.

Do not apply to Dichondra or Centipedegrass.

Do not apply more than 300 lbs. of product per acre (3.0 lb. Allicare) per single application.

Do not apply more than 600 lbs. of product per acre (6.0 lbs. Allicare) per year except in cases where there is heavy weed infestation. If areas of heavy weed infestation, do not apply more than 800 lbs. of product per acre (8.0 lbs. Allicare) per year.

Disturbance of the soil surface after application may disrupt the herbicide barrier and reduce effectiveness.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **PESTICIDE STORAGE:** Store in clean, dry place. Reseal opened bag by folding top down and securing. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, or rinse is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Triple-rinse. If available, if not available, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire label for this product. The Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. To be in strict compliance with applicable law, by using this product, user or buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is, reasonably fit, for the purposes stated on the label when used in strict accordance with the directions on the label and in compliance with applicable law. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is the purchaser's responsibility to verify that this product is suitable for the intended use. MANUFACTURER DOES NOT WARRANT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES, INCLUDING LOSS OF PROFITS, LOSS OF BUSINESS OR REVENUE, OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Any claim for compensation for such damages is not permitted.

LEGAL RIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/ JURISDICTION TO STATE/JURISDICTION. (RWE#070106)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SUGGESTED SPREADER SETTINGS			
			LOW RATE 1.5 lbs. a/A	MEDIUM RATE 2.0 lbs. a/A	HIGH RATE 2.5 lbs. a/A	HEAVY RATE 3.0 lbs. a/A
Andersens AccuPro 2000, SH-2000 (tens 5)	3 mph	11 feet	1.94	1.94	L	M 1/4
Scots B-8M (tens 5)	3 mph	11 feet	1.12	1.12	J 1/4	K
Lely Models WTR, WFR, HR, U250 (170 or 150 ppm) Patern 115	4.5 mph	32 feet	4.14	5	5 1/2	6 1/4
Veen 03 Series	4.5 mph	36 feet	32	36	39	43

These suggested spreader settings are not intended to replace calibration.

50 lbs. treats 14,000 sq. ft. (0.33 acre) at the 150 lbs. production rate - LOW RATE (0.45 lb./1,000 sq. ft.)

50 lbs. treats 8,700 sq. ft. (0.20 acre) at the 250 lbs. production rate - MEDIUM RATE (0.74 lb./1,000 sq. ft.)

50 lbs. treats 7,200 sq. ft. (0.17 acre) at the 300 lbs. production rate - HIGH RATE (0.88 lb./1,000 sq. ft.)

50 lbs. treats 6,000 sq. ft. (0.14 acre) at the 400 lbs. production rate - HEAVY RATE (1.16 lb./1,000 sq. ft.)

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

Manufactured by:

The Andersens Lawn Fertilizer Division, Inc.


PO Box 119, Maumee, OH 43537

www.andersensgolproducts.com

Andersens Golf Products is a registered trademark of The Andersens, Inc.; Oxa-Pro is a trademark of The Andersens, Inc.

SGN 215

Net Wt 50 Lbs (22.68 kg)



0 31865 31086 1 7

AGC166XD5

EB (AGCBLKPRBN; 1B)

4/4