

## **PLEASE NOTE**

**This image contains more than one label  
approved for this product on this date.**

9198-203

3/11/2009

118



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

11/8/113

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Debbie Ziehr  
Regulatory Coordinator  
The Andersons Lawn Fert. Div., Inc.  
d/b/a Free Flow Fertilizer.  
P.O. Box 119  
Maumee, OH 43537

MAR 11 2009

RE: Notification to Revise the Warranty Statement  
EPA Registration Number: 9198-203  
Date of Submission: December 11, 2008

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, December 11, 2008, for the product, The Andersons Fertilizer with 1% Ronstar. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-203	2. EPA Product Manager Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Fertilizer with 1% Ronstar	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div. Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical to EPA Reg. No. <u>MAR 11 2009</u> Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Label change per PR Notice 98-10: Revised warranty per EPA guidance. See cover letter for details

this notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 153.10 and 40 CFR 152.46 and not other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On label <input type="checkbox"/> On label accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-891-6671
<p align="center"><b>Certification</b></p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.</p>		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Administrator	
4. Typed Name Debbie Ziehr	5. Date 12/11/08	



**The Andersons, Inc.**

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

December 11, 2008

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
US Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

**RE:** Notification of Minor Label Change  
**SUBJECT:** The Andersons Fertilizer with 1% Ronstar  
EPA Reg. No. 9198-203

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. A copy of the revised labeling is enclosed with the additions underlined and marked in blue and deletions marked in red strikeout.

We are proposing to revise the warranty statement per Agency's Guidance on Warranty Statements, dated October 10, 2006.

Previous warranty:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes ~~NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.~~ Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

Revised warranty:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. ~~Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.~~ To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr  
Regulatory Administrator  
Phone: 419-897-6671  
Fax: 419-891-2745  
Email: [debbie\\_ziehr@andersonsinc.com](mailto:debbie_ziehr@andersonsinc.com)

Enclosures

cccccc  
c c c  
cccccc  
c c  
cccccc  
c c c c  
cccccc  
c c c c  
cccccc

418

# THE ANDERSONS FERTILIZER WITH 1.0% RONSTAR®

For Sale to, Use and Storage by Professional Turf Maintenance Personnel only. Not for sale to or use by homeowners/consumers.  
Not for Use on Home Lawns

### OPTIONAL FRONT PANEL CLAIMS

- Provides initial green-up
- Provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail during bermudagrass sprigging
- Provides a feeding of fertilizer, high in phosphorus to encourage turf establishment
- Scotts® Slow Release Polymer Encapsulated Fertilizer
- Controlled release Poly-S® nitrogen provides uniform growth and extended feeding
- Poly-S technology
- Provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail
- Provides a feeding of fertilizer
- Provides a light nitrogen feeding
- Selective control of sprouting annual broadleaf weeds
- Provides a nitrogen feeding
- Utilizes SFT™ technology
- SFT™ technology will reduce the potential for turf discoloration and injury compared to conventional fertilizer & Ronstar products
- Contains {brand name} slow release nitrogen
- Contains Ronstar® pre-emergent herbicide
- SGN XXX
- Utilizes Ronstar® herbicide which can be used prior to sprigging warm season turf without "tacking down" concerns
- Uniformly sized granules minimize particle segregation, which contributes to more accurate distribution and better results
- Contains Ronstar® herbicide, which provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail during Bermudagrass sprigging
- Contains {brand name} herbicide, based on the active ingredient oxadiazon, which provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail during Bermudagrass sprigging

Net Weight XX lbs (XX.XX kg)  
Treats up to XX Sq. Ft.

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail.)

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals:** Causes moderate eye irritation. Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants, and
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.



**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls, shoes plus socks, and chemical resistant gloves made of any waterproof material.

**Non-Agricultural Use Requirements**

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, sod farms or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated areas (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

**TURF USES**

For use on established or sprigged Bermudagrass, Zoysiagrass, Seashore paspalum\* (see precautions), Tropic Lalo (paspalum hieronymil), St. Augustinegrass, perennial Bluegrass, Perennial Ryegrass and Tall Fescue turf; such as fairways, parks, golf courses and sod farms. Use for preemergent control or suppression of sprouting:

**Weed Grasses:**

Crabgrass	Yellow foxtail	Barnyardgrass	Annual Bluegrass ( <i>Poa annua</i> )*
Goosegrass	Green foxtail	Carpetgrass	Field Sandbur*
Annual Sedge*			

**Broadleaf Weeds:**

Oxalis	Petty Spurge	Common Purslane	Veronica Speedwell
Florida Pusley	Stinging Nettle	Pigweed	Common Groundsel
Virginia Buttonweed			

\*Not currently registered in California

**How to Use**

- Apply prior to or after sprigging 150 to 200 lbs. of product per acre (1.5 to 2.0 lbs. AI/acre) for suppression or control of listed annual weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.
- Apply 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. AI/acre) for control of listed annual weeds during bermudagrass, zoysiagrass, seashore paspalum and tropic lalo (paspalum hieronymil) establishment from sprigs\*
- After application of this product on newly sprigged bermudagrass, zoysiagrass, and St. Augustinegrass, wait until the grass has filled in and the stolons have rooted down before application of other herbicides, or growth regulator products.
- On Seashore paspalum make application 10-14 days after sprigging.
- For established turf, apply at 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. AI/acre).

**When to Use**

Use this product to control or suppress the listed annual weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

- Bermudagrass – make application immediately prior to or immediately after sprigging
- Zoysiagrass and St Augustinegrass – make application prior to or after sprigging
- Seashore Paspalum – make application 10 to 14 days after sprigging. Applications made close to the time of sprigging may cause objectionable Seashore Paspalum injury.
- Tropic Lalo – application must be made 0-12 days after sprigging. Do not use in areas where endangered Hawaiian Goose or nene (*Branta sandvicensis*), Hawaiian duck (*Anas wyvilliana*), Hawaiian Stilt (*Himantopus mexicanus knudseni*) and Hawaiian Moorhen (*Gallinula chloropus sandvicensis*) may feed.

For best results, water-in the product as soon as practical after application.

\*Not currently registered in California

**PRECAUTIONS**

Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.

Avoid contact with flowers and shrubs.

Do not apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.

This product should not be used on putting greens or tees because of the varied cultural practices used.

Do not apply to Bentgrass turf mowed less than 3/8 inch.

Do not apply to wet turf as discoloration may occur.

For St. Augustinegrass and Bentgrass turf, do not exceed the rate of 240 lbs. per acre (2.4 pounds ai/acre).

This product may cause temporary discoloration of Bentgrass, Bermudagrass and St. Augustinegrass. This is normally outgrown within 2-3 weeks.

On Seashore Paspalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.

Do not apply to Dichondra or Centipedegrass.

Do not apply more than 300 lbs. of product per acre (3.0 lbs. AI/acre) per single application.

Do not apply more than 600 lbs. of product per acre (6.0 lbs. AI/acre) per year except in areas where there is heavy weed infestation. If areas of heavy weed infestation, do not apply more than 800 lbs. of product per acre (8.0 lbs. AI/acre) per year.


Disturbance of the soil surface after application may disrupt the herbicide barrier and reduce effectiveness.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in clean, dry place. Reseal opened bag by folding top down and securing. Keep container closed and away from food, feedstuffs, and domestic water supplies.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.





**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

**IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ~~Where permissible~~ **To the extent consistent with applicable law**, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. **To the extent consistent with applicable law**, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot040308)

Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
PO Box 119  
Maumee, OH 43537

Suggested Spreader Settings						
These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.						
___ lbs. treats ___ ft <sup>2</sup> at the 150 lbs. product/acre – LOW RATE						
___ lbs. treats ___ ft <sup>2</sup> at the 200 lbs. product/acre – MEDIUM RATE						
___ lbs. treats ___ ft <sup>2</sup> at the 250 lbs. product/acre - HIGH RATE						
___ lbs. treats ___ ft <sup>2</sup> at the 300 lbs. product/acre – HEAVY RATE						
	Ground Speed	Width of Coverage	Spreader Settings			
			Low Rate 1.5 lbs. ai/A	Medium Rate 2.0 lbs. ai/A	High Rate 2.5 lbs. ai/A	Heavy Rate 3.0 lbs. ai/A
aa	X mph	XX ft/	X	X	X	X
bb	X mph	XX ft	X	X	X	X
cc	X mph	XX ft	X	X	X	X

IMPORTANT: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

ATTENTION: This product contains a chemical known to the State of California to cause cancer.

Date Printed	4/3/08
Date Approved	7/30/07
Supersedes	4/19/04
Label Changes	Notification - container
Filename	9198-203
Label Code	RVnot040308

**NOTIFICATION**

**MAR 11 2009**

**NEXT**

**LABEL**

9198-203

3/11/2009

114



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Debbie Ziehr  
Regulatory Coordinator  
The Andersons Lawn Fert. Div., Inc.  
d/b/a Free Flow Fertilizer.  
P.O. Box 119  
Maumee, OH 43537

MAR 11 2009

RE: Notification of Alternate Brand Name: Andersons Golf Products Fertilizer with 1%  
RONSTAR Herbicide  
EPA Registration Number: 9198-203  
Date of Submission: December 11, 2008

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated December 11, 2008, for the product, The Andersons Fertilizer with 1% Ronstar. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-203	2. EPA Product Manager Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Fertilizer with 1% Ronstar	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Div., Inc., D/B/A Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION  
MAR 6 2009  
NOTIFICATION  
MAR 11 2009

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: Andersons Golf Products Fertilizer with 1% RONSTAR Herbicide

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input checked="" type="checkbox"/> Paper	<input type="checkbox"/> Other (Specify) Poly Bag
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input checked="" type="checkbox"/> Other	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-891-6671
2. Signature 		6. Date Application Received (Stamped)
3. Title Regulatory Administrator		
4. Typed Name Debbie Ziehr		
5. Date December 11, 2008		



NOTIFICATION  
MAR 1 1 2009



# Fertilizer with 1% RONSTAR® Herbicide

For Sale to, Use and Storage by Professional Turf Maintenance Personnel only.  
Not for sale to or use by homeowners/consumers.  
Not for Use On Home Lawns

**5-0-10**

- Contains Ronstar® herbicide, which provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail during Bermudagrass sprigging.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals:** Causes moderate eye irritation. Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

- Wear long-sleeved shirt, and long pants, and shoes plus socks.
- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**FIRST AID**

- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- If swallowed:** Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8885 for emergency medical treatment information.

**Environmental Hazards:** This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or is intended) areas below the mean high water mark.

**ACTIVE INGREDIENT**

Oxazoxon	1.0%
<b>OTHER INGREDIENTS</b>	99.0%
<b>Total</b>	100.0%

®CAS Number: 19665-30-9

EPA Reg. No. 9199-203

EPA Est. No. 9199-OH-1M, 9199-OH-2B, 9199-AL-001A

\*Undefined letter is first letter used in run code on bag

**GUARANTEED ANALYSIS**

Total Nitrogen (N).....	5.00%
Water Soluble Nitrogen.....	10.00%
Soluble Phosphorus (P <sub>2</sub> O <sub>5</sub> ).....	8.46%
Plant nutrients derived from urea and potassium chloride.....	F292
Chlorine (Cl) Max.....	

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

**AGRICULTURAL USE REQUIREMENTS**

This product, when used in accordance with the labeling and with the Worker Protection Standard, 40 CFR part 170. The standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply only to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: coveralls, shoes plus socks, and chemical resistant gloves made of any waterproof material.

**Non-Agricultural Use Requirements**

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, sod farms or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated areas (except those persons involved in the incorporation) until the treated area until the surface is dry after the watering-in.

**TURF USES**

For use on established or sprigged Bermudagrass, Zoysiagrass, Stachytarpheta sp. (see precautions), Tropic Lawn (paspalum hybridum), St. Augustinegrass, perennial Bluegrass, Perennial Ryegrass and Tall Fescue turf, such as lawns, parks, golf courses and sod farms. Use for preemergent control or suppression of sprouting.

- Weed Grasses:**  
 Crabgrass  
 Goosegrass  
 Annual Seede®  
 Broadleaf Weeds:  
 Oxalis  
 Florida Pusley  
 Virginia Buttonweed  
 \*Not currently registered in California

- Annual Bluegrass (Poa annua) Field Sandbur®**  
 Barnyardgrass  
 Carpetgrass  
 Common Purslane  
 Pigweed  
 Common Groundsel

- Apply prior to or after sprigging 150 to 200 lbs. of product per acre (1.5 to 2.0 lbs. Aliazac) for suppression or control of listed annual weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.
- Apply 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Aliazac) for control of listed annual weeds during bermudagrass, zoysiagrass, and St. Augustinegrass.
- For zoysiagrass, stachytarpheta and tropic-lawn (paspalum hybridum) establishment, use 300 lbs. of product per acre (3.0 lbs. Aliazac) for control of listed annual weeds in bermudagrass, zoysiagrass, and St. Augustinegrass. Use until the grass has filled in and the sods have rooted down before application of other herbicides, or growth regulator products.
- On Stachytarpheta make application 10-14 days after sprigging.
- For established turf, apply at 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. Aliazac).

**When to Use**


- Apply to control or suppress the listed annual weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.
- Bermudagrass - make application immediately prior to or immediately after sprigging.
- Zoysiagrass and St. Augustinegrass - make application prior to or after sprigging.
- Stachytarpheta - make application 10 to 14 days after sprigging. Applications made close to the time of sprigging may cause objectionable Stachytarpheta injury.
- Tropic Lawn application must be made 0-12 days after sprigging. Do not use in areas where endangered Hawaiian Goose is present. Do not use in areas where Hawaiian Monk Seal (Pinnipedia merrilli) or Hawaiian Monk Seal (Galapagos monk seal) may feed.

For best results, water-in the product as soon as practical after application.

\*Not currently registered in California

**PRECAUTIONS**

- Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use. Avoid contact with flowers and shrubs.
- Do not apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.
- This product should not be used on putting greens or tees because of the varied cultural practices used.



Do not apply to Bermudagrass turf mowed less than 3/8 inch.

Do not apply to wet turf as discoloration may occur.

For St. Augustinegrass and Bermudagrass, do not exceed the rate of 240 lbs. per acre (2.4 pounds Aliazac).

This product may cause temporary discoloration of Bermudagrass, Bermudagrass and St. Augustinegrass. This is normally out-grown within 2-3 weeks.

On Seashore Paspalum, apply 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.

Do not apply to Dichondra or Centipedegrass.

Do not apply more than 300 lbs. of product per acre (3.0 lbs. Aliazac) per single application.

Do not apply more than 600 lbs. of product per acre (6.0 lbs. Aliazac) per year except in areas where there is heavy weed infestation. If areas of heavy weed infestation, do not apply more than 800 lbs. of product per acre (8.0 lbs. Aliazac) per year. Disturbance of the soil surface after application may disrupt the herbicide barrier and reduce effectiveness.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal. PESTICIDE STORAGE: Store in clean, dry place. Recal opened bag by tiding top down and securing. Keep container closed and away from food, feedstuffs, and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, or residue is a violation of Federal Law. For more information on safe disposal practices, see the label of the pesticide container. Do not reuse or refill this container. Offer for recycling, if available. If not available, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

**IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. To the extent consistent with applicable law, by using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

**WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law, manufacturer makes no other warranty, expressed or implied, and disclaims any liability for special, consequential or incidental economic damages. It is the purchaser's responsibility to read the label and follow the directions. Manufacturer's liability is limited to the purchase price of the product, at Buyer's choice. To the extent consistent with applicable law, manufacturer disclaims any liability for compensatory or other damages arising out of any use, CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:** THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/ JURISDICTION TO STATE/JURISDICTION. (REV07/07/05)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS			
			MEDIUM RATE	HIGH RATE	HEAVY RATE	P / I #
Andersons AccoPro 2000, SR-2000 (core 3)	3 mph	12 feet	M 1/4	0	0	P 1/4
Scotts PMA (core 3)	3 mph	12 feet	L 1/4	N	0	1/4
John Deere WTR, WTR, HR, T250 (P to 4.5-psi) / Palm1	4.5 mph	44 feet	6 1/4	7	7	7.34
Vicon 10 Series	4.5 mph	36 feet	31	35	39	39

**SUGGESTED SPREADER SETTINGS**

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

60 lbs. treats 10,000 sq. ft. at 2.0 lbs. Aliazac per acre. HEAVY RATE (1.5 lbs. treat/1,000 sq. ft.)

80 lbs. treats 8,000 sq. ft. at 2.0 lbs. Aliazac per acre. MEDIUM RATE (2.0 lbs. treat/1,000 sq. ft.)

50 lbs. treats 7,200 sq. ft. at 0.7 lb. Aliazac per acre. HIGH RATE (6.88 lbs. treat/1,000 sq. ft.)

**IMPORTANT:** These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

**ATTENTION:** This product contains a chemical known to the State of California to cause cancer.

Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
PO Box 119, Maumee, OH 43537  
www.andersonsgolfproducts.com

Andersons Golf Products is a registered trademark of The Andersons, Inc. SFT is a trademark of The Andersons, Inc. Forstar is a registered trademark of Bayer.

**SGN 215**  
**Net Wt 50 Lbs (22.68 kg)**



**AGC5R50**  
LB (AGCEL/PBRN, LB)

54