

9198-203

04-27-2012

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Debbie Ziehr  
The Andersons Lawn Fert. Div., Inc.  
P.O. Box 119  
Maumee, OH 43537

APR 27 2012

Subject: Label Notification per PRN 98-10  
Application Dated: January 31, 2012  
EPA Reg. No. 9198-203  
Product Name: 14-21-10 Turf Starter Plus Preemergent Weed Control  
Proposed Alternate Brand Name: Andersons Golf Products Fertilizer with 1% Ronstar  
Herbicide 36-0-0

Dear Ms. Ziehr,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for 14-21-10 Turf Starter Plus Preemergent Weed Control (EPA Reg. No. 9198-203) dated January 31, 2012. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Emily Hartman via email at [hartman.emily@epa.gov](mailto:hartman.emily@epa.gov) or by phone at (703) 347-0189.

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague".

Kathryn V. Montague, Project Manager 23  
Herbicide Division  
Registration Division  
Office of Pesticide Programs

2  
6



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 9198-203	2. EPA Product Manager Montague	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Fertilizer with 1.0% Ronstar	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. P.O. Box 119 Maumee, OH 43537  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: <b>NOTIFICATION</b> EPA Reg. No. _____ <b>APR 27 2012</b> Product Name _____	

**Section - II**

Amendment - Explain below.  Final printed labels in response to Agency letter dated \_\_\_\_\_

Resubmission in response to Agency letter dated \_\_\_\_\_  "Me Too" Application.

Notification - Explain below.  Other - Explain below.

**Explanation: Use additional page(s) if necessary. (For section I and Section II.)**

Notification of Alternate Brand Name per PR Notice 98-10: Andersons Golf Products Fertilizer with 1% Ronstar Herbicide 36-0-0

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information  
 Label  Container

4. Size(s) Retail Container  
50 - 2,000 lbs.

5. Location of Label Directions  
 On Label

6. Manner in Which Label is Affixed to Product  
 Lithograph Paper glued Stenciled  Other \_\_\_\_\_

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) (419) 891-6671
----------------------	-----------------------------------	---

**Certification**  
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature  
*Debbie Ziehr*

3. Title  
Regulatory Administrator

4. Typed Name  
Debbie Ziehr

5. Date  
1/31/2012

6. Date Application Received (Stamped)



**The Andersons Inc.**  
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

January 31, 2012

Document Processing Desk (NOTIF)  
Office of Pesticide Programs - (7504P)  
U. S. Environment Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

**Subject: NOTIFICATION - Additional Brand Name**

**RE: The Andersons Fertilizer with 1.0% Ronstar  
EPA Reg. No. 9198-203**

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand names are as follows:

- 1.) **Andersons Golf Products Fertilizer with 1% Ronstar Herbicide 36-0-0**

One copy of each of the draft labels are enclosed.


If there are any questions regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr  
Regulatory Administrator  
Phone #419-891-6671  
Fax #419-891-2745  
Email: [Debbie\\_ziehr@andersonsinc.com](mailto:Debbie_ziehr@andersonsinc.com)

Enclosure





# Fertilizer with 1% **RONSTAR**® Herbicide 36-0-0

**For Sale to, Use and Storage by Professional Turf Maintenance Personnel only.  
Not for sale to or use by homeowners/consumers.  
Not for Use On Home Lawns**

- Provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass and foxtail during bermudagrass sprigging.
- Provides a nitrogen feeding.

## NOTIFICATION

APR 27 2012

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail.)

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals:** Causes moderate eye irritation. Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt, and long pants, and
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**  
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.  
Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.  
Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### FIRST AID

- If in eyes** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- If swallowed** Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If on skin or clothing** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- If inhaled** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

**Environmental Hazards:** This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

### ACTIVE INGREDIENT

Oxadiazon† .....	1.0%
<b>OTHER INGREDIENTS</b> .....	<b>99.0%</b>
Total .....	100.0%

†CAS Number 19666-30-9

EPA Reg. No. 9198-203  
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A  
Underlined letter is first letter used in run code on bag

4  
6

Total Nitr  
4.  
25.  
6.

Plant nut  
\*6.53% S

FLORID/  
http://ww

FLORID/  
Informati

DIRECTI  
It is a vic

Do not a  
handlers  
responsi

**AGRIC**  
Use thi  
standar  
handler  
assista  
protecti  
are cov

Do not

PPE re  
with an  
gloves

**Non-A**  
The rei  
agricul  
forests

Do not  
applic  
the inc  
treatc

**TURF I**  
For use  
hierony  
courses

**How to**

- App
- listi
- App
- zoy
- Afti
- has
- On
- Foi

**When**  
Use th  
turf the

- Be
- Zo
- Se
- ca
- Trc
- or
- He

For be

\*Not c

**PREC**  
Do no  
Avoid

GUARANTEED ANALYSIS

Total Nitrogen (N) ..... 36.00%
4.27% Urea Nitrogen
25.20% Water Insoluble Nitrogen
6.53% Other Water Soluble Nitrogen\*

Plant nutrients derived from ureaform.
\*6.53% Slowly available nitrogen from ureaform.

F292

FLORIDA APPLICATIONS: We recommend that you follow the Florida Green Industries BMP's at
http://www.flaes.org/pdf/BMP\_Book\_final.pdf

FLORIDA APPLICATIONS: We recommend that you follow the Florida Golf Course BMP's at
http://www.flaes.org/pdf/glfbmp07.pdf
Information regarding the contents and levels of metals in this product is available on the internet at
http://www.regulatory-info-ap.com

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected
handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency
responsible for pesticide regulation. Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This
standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and
handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency
assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal
protective equipment (PPE) and restricted-entry interval. The requirements in this box apply only to uses of this product that
are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact
with anything that has been treated, such as plants, soil or water, is: coveralls, shoes plus socks, and chemical resistant
gloves made of any waterproof material.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for
agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms,
forests, nurseries, sod farms or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the
application, do not enter or allow others to enter the treated areas (except those persons involved in the incorporation) until
the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the
treated area until the surface is dry after the watering-in.

TURF USES

For use on established or sprigged Bermudagrass, Zoysiagrass, Seashore paspalum\* (see precautions), Tropic Lalo (paspalum
hieronymil), St. Augustinegrass, perennial Bluegrass, Perennial Ryegrass and Tall Fescue turf; such as fairways, parks, golf
courses and sod farms. Use for preemergent control or suppression of sprouting:

Table with 4 columns: Weed Grasses, Broadleaf Weeds, and specific weed names like Yellow foxtail, Crabgrass, Oxalis, etc.

\*Not currently registered in California

How to Use

- Apply prior to or after sprigging 150 to 200 lbs. of product per acre (1.5 to 2.0 lbs. AI/acre) for suppression or control of
listed annual weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.
Apply 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. AI/acre) for control of listed annual weeds during bermudagrass,
zoysiagrass, seashore paspalum and tropic lalo (paspalum hieronymil) establishment from sprigs\*
After application of this product on newly sprigged bermudagrass, zoysiagrass, and St. Augustinegrass, wait until the grass
has filled in and the stolons have rooted down before application of other herbicides, or growth regulator products.
On Seashore paspalum make application 10-14 days after sprigging.
For established turf, apply at 200 to 300 lbs. of product per acre (2.0 to 3.0 lbs. AI/acre).

When to Use

Use this product to control or suppress the listed annual weeds when establishing new turf areas or when treating established
turf that has been thinned from winter injury, insects, diseases or other factors.
Bermudagrass - make application immediately prior to or immediately after sprigging.
Zoysiagrass and St. Augustinegrass - make application prior to or after sprigging.
Seashore Paspalum - make application 10 to 14 days after sprigging. Applications made close to the time of sprigging may
cause objectionable Seashore Paspalum injury.
Tropic Lalo - application must be made 0-12 days after sprigging. Do not use in areas where endangered Hawaiian Goose
or nene (Branta sandvicensis), Hawaiian duck (Anas wyvilliana), Hawaiian Stilt (Himantopus mexicanus knudseni) and
Hawaiian Noddy (Gullinula chloropus sandvicensis) may feed.

For best results, water-in the product as soon as practical after application.

\*Not currently registered in California.

PRECAUTIONS

Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.
Avoid contact with flowers and shrubs.

Do not apply to ne
This product shou
Do not apply to Br
Do not apply to wi
For St. Augustineg
This product may
grown within 2-3 v
On Seashore Pas
may cause object
Do not apply to D
Do not apply mor
Do not apply mor
infestation. If are
Disturbance of th

STORAGE AND
Do not contamina
opened bag by fo
PESTICIDE DISP
and may contam
Pesticide or Envir
ance. CONTAINI
this container. Of
if allowed by Stat

IMPORTANT: RE
Read the entire Di
acceptable, return
Buyer accepts the

WARRANTY DIS
Manufacturer war
on the label when
NO OTHER EXPF
Manufacturer's int
of purchase price
ANY LIABILITY FI
Use contrary to la

LEGAL RIGHTS:
THIS LIMITED W
JURISDICTION T

Table with 2 columns: Product Name, Description. Includes Andersons Accul SR-2000, Scotts R-8A, Lely Models WTI, Vicon 03 Series.

IMPORTANT: 1
calibrate your sj
ATTENTION: 1

Andersons Golf P
Ronstar is a regis

Herbicide 36-0-0

Turf Maintenance Personnel only.

Poa annua, goosegrass and foxtail during

NOTIFICATION

APR 27 2012

CHILDREN

que se la explique a susted en detalle.
to explain it to you in detail.)

tion. Harmful if swallowed, absorbed through the
dust. Wash thoroughly with soap and water after
love and wash contaminated clothing before reuse.

h instructions for washables, use detergent and hot

acco or using the toilet.
Then wash thoroughly and put on clean clothing.
the outside of gloves before removing. As soon as

or 15-20 minutes. Remove contacts, if present, after
ison control center or doctor for treatment advice.

ce. Have person sip a glass of water if able to
ison control center or doctor. Do not give anything by

y with plenty of water for 15-20 minutes. Call a poison

ll 911 or an ambulance, then give artificial respiration,
ontrol center or doctor for treatment advice.

l center or doctor or going for treatment. You may also

hen applying to areas adjacent to any body of water.
. Do not apply directly to water, or to areas where
mark.

1.0%
99.0%
100.0%

6  
6

**ANALYSIS**  
..... 36.00%

**F292**

ida Green Industries BMP's at

a Golf Course BMP's at <http://www.flaes.org/pdf/glfbmp07.pdf>  
available on the internet at <http://www.regulatory-info-ap.com>

sistent with its labeling.

ersons, either directly or through drift. Only protected  
s specific to your State or Tribe, consult the agency  
in any type of irrigation system.

orker Protection Standard, 40 CFR part 170. This  
kers on farms, forests, nurseries, and greenhouses and  
ing, decontamination, notification and emergency  
taining to the statements on this label about personal  
ements in this box apply only to uses of this product that

stricted-entry interval (REI) of 12 hours.

the Worker Protection Standard and that involves contact  
: coveralls, shoes plus socks, and chemical resistant

ot within the scope of the Worker Protection Standard for  
his product is used to produce agricultural plants on farms,

re settled. If soil incorporation is required after the  
except those persons involved in the incorporation) until  
by watering-in, do not enter or allow others to enter the

ishore paspalum\* (see precautions), Tropic Lalo (paspalum  
grass and Tall Fescue turf; such as fairways, parks, golf  
of sprouting:

rdgrass Annual Bluegrass (*Poa annua*)\*  
rgrass Field Sandbur\*

on Purslane Veronica Speedwell  
d Common Groundsel

re (1.5 to 2.0 lbs. AI/acre) for suppression or control of  
stinegrass.  
or control of listed annual weeds during bermudagrass,  
(mil) establishment from sprigs\*  
s, zoysiagrass, and St. Augustinegrass, wait until the grass  
of other herbicides, or growth regulator products.  
ging.  
(2.0 to 3.0 lbs. AI/acre).

n establishing new turf areas or when treating established  
er factors.  
ately after sprigging.  
r after sprigging.  
ging. Applications made close to the time of sprigging may

. Do not use in areas where endangered Hawaiian Goose  
Hawaiian Stilt (*Himantopus mexicanus knudseni*) and

caution.

mination of water intended for irrigation and domestic use.

Do not apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.

This product should not be used on putting greens or tees because of the varied cultural practices used.

Do not apply to Bentgrass turf mowed less than 3/8 inch.

Do not apply to wet turf as discoloration may occur.

For St. Augustinegrass and Bentgrass turf, do not exceed the rate of 240 lbs. per acre (2.4 pounds ai/acre).

This product may cause temporary discoloration of Bentgrass, Bermudagrass and St. Augustinegrass. This is normally out-grown within 2-3 weeks.

On Seashore Paspalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.

Do not apply to Dichondra or Centipedegrass.

Do not apply more than 300 lbs. of product per acre (3.0 lbs. AI/acre) per single application.

Do not apply more than 600 lbs. of product per acre (6.0 lbs. AI/acre) per year except in areas where there is heavy weed infestation. If areas of heavy weed infestation, do not apply more than 800 lbs. of product per acre (8.0 lbs. AI/acre) per year.

Disturbance of the soil surface after application may disrupt the herbicide barrier and reduce effectiveness.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal. **PESTICIDE STORAGE:** Store in clean, dry place. Reseal opened bag by folding top down and securing. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

**IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. To the extent consistent with applicable law, by using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law, manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

SUGGESTED SPREADER SETTINGS					
<i>These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.</i>					
50 lbs. treats 10,800 sq. ft. (0.25 acre) at the 200 lbs. product/acre - MEDIUM RATE (4.59 lbs/1,000 sq. ft.)					
50 lbs. treats 8,700 sq. ft. (0.20 acre) at the 250 lbs. product/acre - HIGH RATE (5.74 lbs/1,000 sq. ft.)					
50 lbs. treats 7,200 sq. ft. (0.17 acre) at the 300 lbs. product/acre - HEAVY RATE (6.89 lbs/1,000 sq. ft.)					
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			MEDIUM RATE 2.0 lbs. ai/A	HIGH RATE 2.5 lbs. ai/A	HEAVY RATE 3.0 lbs. ai/A
Andersons AccuPro 2000, SR-2000 (cone 6)	3 mph	10 feet	L	L 3/4	M 3/4
Scotts R-8A (cone 6)	3 mph	10 feet	J 1/2	K 1/4	M
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern III-B	4.5 mph	34 feet	5 1/2	6	7
Vicon O3 Series	4.5 mph	30 feet	23	27	30

**IMPORTANT:** These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

**ATTENTION:** This product contains a chemical known to the State of California to cause cancer.

Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
PO Box 119, Maumee, OH 43537  
[www.andersonsgolfproducts.com](http://www.andersonsgolfproducts.com)

Andersons Golf Products is a registered trademark of The Andersons, Inc.;  
Ronstar is a registered trademark of Bayer.

**SGN 125**  
**Net Wt 50 Lbs (22.68 kg)**



**AGC36WR5**  
A10\* (BLKP1929B)