

9198-204

9/24/2008

1/7



U.S. ENVIRONMENTAL
 PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 Ariel Rios Building
 1200 Pennsylvania Ave., NW
 Washington, D.C. 20460

EPA Registration Number:

9198-204

Date of Issuance:

SEP 24 2008

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Andersons Golf Product Fungicide IX

Name and Address of Registrant (include ZIP Code):

The Andersons, Inc
 P.O. Box 119,
 Maumee OH, 43537

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Decision for Thiophanate Methyl, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Continued on Page 2

Signature of Approving Official:

Shaja B. Joyner, Product Manager Team 20
 Fungicide Branch
 Registration Division (7505P)

Date:

9/24/08

A copy of your label stamped "Accepted" is enclosed for your records. If you have any questions, contact Lisa Jones of my team at (703) 308-9424 or at jones.lisa@epa.gov.

Sincerely,

Shaja B. Joyner
Product Manager (20)
Fungicide Branch
Registration Division (7505P)

Enclosures: 3 December 2007 Preliminary Label Assessment
27 November 2007 Product Chemistry Review
11 July 2006 Product Chemistry Review
10 January 2006 Product Chemistry Review
10 January 2006 Acute Toxicity Review
Stamped copy of label

3/7

Andersons™ Golf Products Fungicide IX

- Provides protection from and control of gray snow mold, *Pythium* blight, dollar spot, brown patch, copper spot and pink snow mold

ACTIVE INGREDIENTS:

Chloroneb, (1,4-Dichloro-2,5-dimethoxybenzene)	3.26%
Thiophanate-methyl,(dimethyl (1,2-phenylene) bis (iminocarbonylthioyl) bis (carbamate))	1.63%

INERT INGREDIENTS:	95.11%
Total	100.00%


U.S. Patent No. 4,028,464

EPA Reg. No. 9198-204

EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag

Product of U.S.A.



KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Loaders, applicators and other handlers must wear: Long sleeve shirt and long pants, shoes plus socks, and chemical resistant gloves made of any waterproof material for applicators using hand held equipment.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Environmental Hazards: This product is toxic to aquatic organisms. Do not apply directly to water, or areas where surface water is present or to intertidal areas below mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

Apply this product only as specified on this label.

Gussets: [Note: gusset information is optional, depending on bag type]

RIGHT GUSSET

Andersons Golf Products Fungicide IX

LEFT GUSSET

Andersons Golf Products Fungicide IX

TOP GUSSET

Andersons Golf Products Fungicide IX

Directions for Use

For use only on golf course tees, greens, collars, aprons, and spot treatment of fairways, as well as professional athletic turf (football, baseball fields, etc.).

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions

Allow one week between the application of this and other control products. (This guideline can be relaxed where severe insect or disease attack requires immediate treatment).

When treating Pythium and brown patch for control on established turf, do not fertilize or water heavily during periods when disease is active.

Do not apply in a brisk wind.

Not for homeowner use. For use only by certified applicators or those under their immediate supervision.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow others to enter until dusts have settled.

Application Instructions

Adapted for use in all areas where listed turf diseases attack turfgrasses. Do not exceed maximum application rates and retreatment intervals listed in the Maximum Use Rates table below.

TO PREVENT GRAY AND PINK SNOW MOLD / Fusarium patch (*microdochium nivale*), apply to dry foliage at the NORMAL or MEDIUM RATE prior to the first snow. Repeat in mid-Winter when turf is free of snow and again immediately after the final snow melts in the Spring. In areas where snow cover is present the entire Winter, apply at the HIGH RATE prior to the first snow and follow with a NORMAL RATE when the snow melts in the Spring, if needed.

TO PREVENT PYTHIUM BLIGHT (when weather conditions are favorable: high temperature and humidity, day and night), apply to moist foliage at the NORMAL or MEDIUM RATE and repeat at the minimum retreatment interval while weather conditions persist.

TO CONTROL ACTIVE PYTHIUM BLIGHT, apply to moist foliage at the MEDIUM RATE as soon as symptoms are observed and repeat as needed if weather conditions remain favorable. For

severe attack, apply a HIGH RATE application to moist foliage and repeat at a NORMAL RATE as needed. If disease symptoms do not subside, use a second HIGH RATE application at minimum treatment interval.

TO PREVENT DOLLAR SPOT*, COPPER SPOT AND BROWN PATCH, apply to dry or moist foliage at the NORMAL or MEDIUM RATE when disease activity is noted or suspected, repeat at 2-3 week intervals. During periods of high day and night temperatures and humidity, treatment intervals may need to be shortened for best brown patch control.

TO CURE DOLLAR SPOT, COPPER SPOT AND BROWN PATCH, when symptoms indicate advanced stages, apply at the MEDIUM or HIGH RATE and follow with the NORMAL RATE preventive program.

*If dollar spot control is not effective after using this product as recommended, a thiophanate-methyl or benomyl-tolerant strain of fungi may be present. Consult your Andersons Golf Products Rep for recommendations of suitable Andersons Golf Products Fungicides to use promptly.

ON NEW SEEDINGS, apply at MEDIUM RATE just after sowing seed. After germination or at first sign of disease, apply to moist foliage and repeat at the minimum retreatment interval if evidence of disease persists.

DRY FOLIAGE APPLICATIONS should be made to prevent snow mold. For prevention or control of Pythium blight, prolonged contact with the foliage enhances activity.

ON GREENS AND FAIRWAYS, it is suggested to apply the product to moist foliage in the morning and evening, followed by a light syringing before mowing or allowing heavy play.

Do not apply in a brisk wind.

Maximum Use Rates			
Use sites	Maximum Single Rate	Maximum Annual Rate	Minimum Retreatment Interval
	lbs. product/1000 sq. ft	lbs. product/1000 sq. ft	
athletic fields	3.84	15.32	14 days
Tees, Greens, Aprons	11.49	30.70	14 days
Fairways Except Florida	7.67	7.67	14 days
Fairways Florida – only during Overseeding	3.84	3.84	14 days

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

6/7

Suggested Spreader Settings					
To provide proper distribution, calibrate spreader before application.					
XX lbs. treats XX,XXX sq. ft (X acre) at the 84 lbs. product/acre - NORMAL RATE (1.92 lbs./1,000 sq. ft.)					
XX lbs. treats XX,XXX sq. ft (X acre) at the 167 lbs. product/acre - MEDIUM RATE (3.84 lbs./1,000 sq. ft.)					
XX lbs. treats XX,XXX sq. ft (X acre) at the 251 lbs. product/acre - HIGH RATE (5.76 lbs./1,000 sq. ft.)*					
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			NORMAL RATE	MEDIUM RATE	HIGH RATE
Lb. active ingredient/acre (thiophanate-methyl, chloroneb)			1.36, 2.72	2.72, 5.45	4.09, 8.18
aa	X mph	Overlap wheels	X	X	X
bb	X mph	XX feet	X	X	X
cc	X mph	XX feet	X	X	X
dd	X mph	XX feet	X	X	X

Note to EPA: actual spreader models will vary depending on market demand and availability.

*Note: High rate is not for public turf or for fairways in Florida.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVred112305)

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537

SGN XXX
Net Weight XX lbs. (XX kg)
Covers Up To XX,XXX Sq. Ft.

7/7

Date Printed	09/24/08
Date Approved	
Supersedes	
Label Changes	RED
Filename	9198-204
Label Code	RVred112305