

9198-204

06/01/2011

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Chemical Safety and Pollution Prevention
 Office of Pesticide Programs
 Registration Division (7504P)
 1200 Pennsylvania Ave., N.W.
 Washington, DC 20460

EPA Reg. Number: **9198-204**
 Date of Issuance: **JUN 1 2011**

Term of Issuance:
 Unconditional

Name of Pesticide Product:
Andersons Golf Products Fungicide IX

NOTICE OF PESTICIDE:
 Registration
 Reregistration
 (under FIFRA, as amended)


Name and Address of Registrant (include ZIP Code):
The Andersons, Inc.
P.O. Box 119
Maumee, OH 43537

Mailed to:
 Debbie Ziehr

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA received a label amendment request submitted by email on May 26, 2011. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision for chloroneb have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Signature of Approving Official:

 Mary L. Waller, Product Manager (21)
 Fungicide Branch/Registration Division/OPP/OCSP (7504P)

Date:
 6/1/2011

Notice of Pesticide Reregistration
Andersons Golf Products Fungicide IX
EPA Reg. No. 9198-204
Page 2 of 2

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.

If you have any questions or comments regarding this letter, please contact Robert Westin at (703) 305-5721 or via e-mail at westin.robert@epa.gov.

Enclosure:

- Label stamped "Accepted"
- PRB Label Review dated 12/3/2007
- Acute Toxicity Review DP324310 dated 1/10/2006
- Product Chemistry Review DP346843 dated 11/27/2007
- Product Chemistry Review DP329122 dated 7/11/2006
- Product Chemistry Review DP326874 dated 2/22/2006
- Product Chemistry Review DP324309 dated 1/1/2006

Andersons™ Golf Products Fungicide IX

- Provides protection from and control of gray snow mold, *Pythium* blight, dollar spot, brown patch, copper spot and pink snow mold


ACTIVE INGREDIENTS:

Chloroneb, (1,4-Dichloro-2,5-dimethoxybenzene)	3.26%
Thiophanate-methyl,(dimethyl (1,2-phenylene) bis (iminocarbonothioyl) bis (carbamate))	1.63%

OTHER INGREDIENTS:	95.11%
Total	100.00%

U.S. Patent No. 4,028,464

EPA Reg. No. 9198-204
 EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
 Underlined letter is first letter used in run code on bag
 Product of U.S.A.



KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Caution, Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Loaders, applicators and other handlers must wear: Long sleeve shirt and long pants, shoes plus socks, and chemical resistant gloves made of any waterproof material for applicators using hand held equipment.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

4/7

Environmental Hazards: This product is toxic to aquatic organisms. Do not apply directly to water, or areas where surface water is present or to intertidal areas below mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

Apply this product only as specified on this label.

Gussets: [Note: gusset information is optional, depending on bag type]

RIGHT GUSSET

Andersons Golf Products Fungicide IX

LEFT GUSSET

Andersons Golf Products Fungicide IX

TOP GUSSET

Andersons Golf Products Fungicide IX

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For use only on golf course tees, greens, aprons, and spot treatment of fairways, as well as professional athletic turf (football, baseball fields, etc.).

General Precautions and Restrictions

Allow one week between the application of this and other control products. (This guideline can be relaxed where severe insect or disease attack requires immediate treatment).

When treating Pythium and brown patch for control on established turf, do not fertilize or water heavily during periods when disease is active.

Do not apply in a brisk wind.

Not for homeowner use. For use only by certified applicators or those under their immediate supervision.

Not for use on turf being grown for sale or other commercial use as sod.

Do not graze or feed clippings from treated areas to livestock.

Do not enter or allow others to enter until dusts have settled.

Application Instructions

For use on golf courses (tees, greens, aprons and spot treatment of fairways) and professional athletic turf where listed turf diseases attack turfgrasses. Do not exceed maximum application rates and retreatment intervals listed in the Maximum Use Rates table below.

TO PREVENT GRAY AND PINK SNOW MOLD / Fusarium patch (*microdochium nivale*), apply to dry foliage at the NORMAL or MEDIUM RATE prior to the first snow. Repeat in mid-Winter when turf is free of snow and again immediately after the final snow melts in the Spring. In areas where snow cover is present the entire Winter, apply at the HIGH RATE prior to the first snow and follow with a NORMAL RATE when the snow melts in the Spring, if needed.

5/7

TO PREVENT PYTHIUM BLIGHT (when weather conditions are favorable: high temperature and humidity, day and night), apply to moist foliage at the NORMAL or MEDIUM RATE and repeat at the minimum retreatment interval while weather conditions persist.

TO CONTROL ACTIVE PYTHIUM BLIGHT, apply to moist foliage at the MEDIUM RATE as soon as symptoms are observed and repeat as needed if weather conditions remain favorable. For severe attack, apply a HIGH RATE application to moist foliage and repeat at a NORMAL RATE as needed. If disease symptoms do not subside, use a second HIGH RATE application at minimum treatment interval.

TO PREVENT DOLLAR SPOT*, COPPER SPOT AND BROWN PATCH, apply to dry or moist foliage at the NORMAL or MEDIUM RATE when disease activity is noted or suspected, repeat at 2-3 week intervals. During periods of high day and night temperatures and humidity, treatment intervals may need to be shortened for best brown patch control.

TO CURE DOLLAR SPOT, COPPER SPOT AND BROWN PATCH, when symptoms indicate advanced stages, apply at the MEDIUM or HIGH RATE and follow with the NORMAL RATE preventive program.

* If dollar spot control is not effective after using this product as labeled, a thiophanate-methyl tolerant strain of fungi may be present. Consult your Andersons Golf Products Rep for recommendations of suitable Andersons Golf Products Fungicides to use promptly.

ON NEW SEEDINGS, apply at MEDIUM RATE just after sowing seed. After germination or at first sign of disease, apply to moist foliage and repeat at the minimum retreatment interval if evidence of disease persists.

MAKE DRY FOLIAGE APPLICATIONS to prevent snow mold. For prevention or control of Pythium blight, prolonged contact with the foliage enhances activity.

ON GREENS AND FAIRWAYS, it is suggested to apply the product to moist foliage in the morning and evening, followed by a light syringing before mowing or allowing heavy play.

Do not apply in a brisk wind.

Maximum Use Rates			
Use sites	Maximum Single Application Rate	Maximum Annual Application Rate	Minimum Retreatment Interval
	lbs. product/1000 sq. ft	lbs. product/1000 sq. ft	
Professional Athletic Fields	3.84	15.32	14 days
Tees, Greens, Aprons	11.49	30.70	14 days
Fairways Except Florida	7.67	7.67	14 days
Fairways Florida – only during Overseeding	3.84	3.84	14 days

Suggested Spreader Settings

To provide proper distribution, calibrate spreader before application.

XX lbs. treats XX,XXX sq. ft (X acre) at the 84 lbs. product/acre - NORMAL RATE (1.92 lbs./1,000 sq. ft.)

XX lbs. treats XX,XXX sq. ft (X acre) at the 167 lbs. product/acre - MEDIUM RATE (3.84 lbs./1,000 sq. ft.)

XX lbs. treats XX,XXX sq. ft (X acre) at the 251 lbs. product/acre - HIGH RATE (5.76 lbs./1,000 sq. ft.)*

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			NORMAL RATE	MEDIUM RATE	HIGH RATE
Lb. active ingredient/acre (thiophanate-methyl, chloroneb)			1.36, 2.72	2.72, 5.45	4.09, 8.18
aa	X mph	Overlap wheels	X	X	X
bb	X mph	XX feet	X	X	X
cc	X mph	XX feet	X	X	X
dd	X mph	XX feet	X	X	X

Note to EPA: actual spreader models will vary depending on market demand and availability.

*Note: High rate is not permitted for professional athletic fields and Florida fairways.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in clean, dry secure place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVred112305)

7/7

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
PO Box 119
Maumee, OH 43537

SGN XXX
Net Weight XX lbs. (XX kg)
Covers Up To XX,XXX Sq. Ft.

Date Printed	5/25/11
Date Approved	12/20/07
Supersedes	12/20/07
Label Changes	RED changes - letter 5/23/11
Filename	9198-204
Label Code	RVred052311

.....
.....
.....
.....
.....
.....
.....
.....
.....