

9198-205

8/31/2011

10/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Debbie Ziehr
The Andersons Lawn Fertilizer Division, Inc
PO Box 119
Maumee, OH 43537

AUG 31 2011

Subject: • Andersons Golf Products Turf Enhancer 2SC
EPA Reg No. 9198-205
Decision No. 453219
Submission date: July 13, 2011
Application for Pesticide Notification (PRN 98-10 and 2007-4)

Dear Ms Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRN) 98-10 and 2007-4. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and 2007-4 and finds that the action requested falls within the scope of PRN 98-10 and 2007-4.

The Agency acknowledges the updated Storage and Disposal section as well as the updated Warranty Disclaimer and Limitation of Liability statement.

The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have questions concerning this letter, please contact Dominic Schuler at (703) 347-0260 or via email at schuler.dominic@epa.gov.

Sincerely,

Tony Kish
Product Manager 22
Fungicide Branch
Registration (7504P)

2013

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-205	2. EPA Product Manager Giles-Parker	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Andersons Golf Products Turf Enhancer 2SC	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Label change per PR Notice 98-10: Revised warranty per EPA guidance. See cover letter for details

this notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 153.10 and 40 CFR 152.46 and not other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 50 - 1,000 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On label <input type="checkbox"/> On label accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input checked="" type="checkbox"/> Other Pocket		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-891-6671
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Administrator	
4. Typed Name Debbie Ziehr	5. Date 6/30/11	

30 of 13

Please read instructions on reverse before completing form.

Form Approved MB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-205	2. EPA Product Manager Giles-Parker	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Andersons Golf Products Turf Enhancer 2SC	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Label changes per PR Notice 2007-4.

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 50 - 1,000 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph Paper glued Stenciled		<input checked="" type="checkbox"/> Other Pocket	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-893-6671
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Administrator	
4. Typed Name Debbie Ziehr	5. Date 6/30/11	



The Andersons Inc.
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

Page 2

Per PR Notice 2007-4 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. A copy of the revised labeling is enclosed with the additions underlined and marked in blue.

The changes are as follows:

Previous Statement:

CONTAINER DISPOSAL: Metal Containers: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities. Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or if by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved State and local procedures.

Revised Statement:

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.


If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr
Regulatory Administrator
Phone: 419-891-6671
Fax: 419-891-2745
Email: debbie_ziehr@andersonsinc.com

Enclosures



Andersons Golf Products™ Turf Enhancer 2SC

- Reduction of vertical growth and mowing frequency on hybrid bermudagrass, bentgrass and perennial ryegrass fairways, tees and roughs, and on St. Augustinegrass and Kentucky bluegrass / perennial ryegrass turf areas
- Improved, extended fertilizer performance when used with a nitrogen fertilizer
- Suppression of *Poa annua*

Net Contents 64 oz. (1.89 liters)

NOTIFICATION

AUG 3 1 2011

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED. Avoid contact with skin, eyes or clothing.

FIRST AID

- | | |
|------------------------|---|
| If on skin or clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| If swallowed | Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| If in eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. |
| If inhaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. |

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Do not use on areas to be cultivated for food or food crops. Do not graze treated areas or harvest for forage or hay.

Personal Protective Equipment

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof material such as barrier laminate, or butyl, nitrile or neoprene rubber or polyethylene and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining personal protection equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash personal protection equipment separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to steep slopes near water or when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards: Do not use or store near heat or open flame.

ACTIVE INGREDIENT:

Paclobutrazol F	22.30%
-----------------------	--------

OTHER INGREDIENTS:	<u>77.70%</u>
---------------------------------	---------------

Total	100.00%
-------	---------

FCAS No. 76738-62-0

Contains 2 pounds active ingredient per gallon.

EPA Reg. No. 9198-205

EPA Est No. XXXX-XX-X

Made in UK; Packaged in U.S.A.

80413

Andersons Golf Products™ Turf Enhancer 2SC

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical resistant gloves made of any waterproof material such as barrier laminate or butyl, nitrile or neoprene rubber or polyethylene and shoes plus socks.

GENERAL INFORMATION

This product is a plant growth regulator for turfgrass that slows grass growth for up to 2 months after application. The frequency of mowing can be reduced by up to 50% during the period of effective retardation. Used alone, this product will not prevent seedhead production, and tank mixture for a spray program using an appropriate seedhead control agent (Embark®) is required in situations where seedhead visibility is a problem. Use of this product on fine turf should be accompanied by moderate-to-high fertility to maintain turfgrass appearance and reduce discoloration. Some grasses (e.g. *Poa annua*) can be more retarded than others leading to selective control after prolonged use.

This product provides:

- Slowed vertical growth and reduced mowing for 6 to 8 weeks on established hybrid bermudagrass, bentgrass and perennial ryegrass fairways, tees and roughs, and on St. Augustinegrass and Kentucky bluegrass / perennial ryegrass turf areas: use reduced rates on bentgrass and overseeded bermudagrass greens
- Improved and extended fertilizer performance for up to 12 weeks when combined or used in association with a nitrogen fertilizer while improving turfgrass quality versus fertilizer alone
- Reduce potential for scalping of all turfgrass areas
- Better ball playability on hybrid bermudagrass due to increased turf density and tighter knit turf area
- Suppression of *Poa annua* by reducing its growth and competitive ability

When to use

For growth suppression of warm season grasses: Use anytime established hybrid bermudagrass and St. Augustinegrass are green, actively growing and have recovered from dormancy (filled in fully following Winter).

For growth suppression of cool season grasses and *Poa annua* control: Apply in Spring after green-up and after turf has been mowed once or twice. Apply at least 1 month before onset of high air temperatures. In late Spring / early Fall, apply at least 1 month before anticipated first killing frost.

For color and quality enhancement of winter overseeded turf: Apply anytime after overseeded turf has successfully established itself. Do not apply after March 15th to avoid delay in bermudagrass green-up.

Moderate soil moisture conditions should be present before and after application to achieve the best regulating effect.

USE DIRECTIONS

Apply spray uniformly to turf. For best results, apply 0.25 inch of water within 24 hours after application to remove product from foliage and onto soil surface.

Apply with standard pressurized spray equipment with by-pass or mechanical agitation, using strainer screens of 50 or coarser mesh. Product should be added during filling of the tank. When tank is allowed to stand, vigorous agitation should be used to assure materials suspension before application.

Spray product to turf insufficient amount of water (minimum 1 gallon per 1,000 square feet = 43.5 gal / acre) to ensure uniform coverage. For best results, use 2-5 gallons of water per 1,000 square feet. A color agent or other marking device is suggested to avoid skipping and/or overlapping.

Spray Coverage Chart¹

<u>Rate of Active Ingredient per Acre</u>	<u>Fluid Ounces of Product per Acre</u>
0.10 lbs. ai/A	6.4 oz.
0.25 lbs. ai/A	16.0 oz.
0.50 lbs. ai/A	32.0 oz.
0.75 lbs. ai/A	48.0 oz.

¹Product should be mixed with minimum of 1 gal. water/1,000 sq. ft.; use 2-5 gals/1,000 sq. ft. for best results

Product Rates

<u>Warm Season Grasses</u>	<u>Cool Season* Grasses (except putting greens)</u>	<u>Bentgrass Putting Greens and Overseeded Bermudagrass</u>
0.50 lbs. ai/A (sandy soils) 0.75 lbs. ai/A (clay soils)	0.25 to 0.50 lbs. ai/A	0.10 to 0.25 lbs. ai/A

*Reduce rate by 50% if *Poa annua* is a significant portion of turfgrass population

Apply 0.5 – 0.9 lb.nitrogen/1,000 sq. ft. of a non-burning fertilizer (such as Andersons Golf Products™ granular or fluid fertilizers) with Turf Enhancer product application on warm and cool season grasses. On bentgrass greens and overseeded bermudagrass, apply 0.25 – 0.5 lb. nitrogen/1,000 sq. ft.

Results to Expect

When applied as directed, vertical growth of turf will be slowed within 3-10 days, resulting in reduced mowing frequency for a 6-8 week period. Following application, turf will gradually undergo increased greening and density, which may persist up to 12 weeks.

Following application of product, weed populations should not be any greater than on untreated turf, although weed visibility may be higher on regulated turf.

Growth and competitive ability of *Poa annua* will be reduced within 1-2 weeks after application; regulation will last 3-8 weeks. Shoot and leaf tissue will become discolored for 3-8 weeks following onset of growth regulation. With proper fertilization, desired turfgrasses will be stimulated to crowd out weakened *Poa annua*.

As density of treated fairways increases due to altered growth habit, ball playability may improve, causing ball to sit higher on turf. This result is most evident on hybrid bermudagrass.

Seedhead formation will not be prevented. Seedheads should be mowed off as they grow above turf cutting height to maintain a desirable looking turf.

Excessive irrigation and/or nitrogen fertilization may shorten period of growth regulation.

Regular response will vary somewhat according to turf variety. For St. Augustinegrass, Bitter Blue will be the most responsive and Floratam the least responsive.

Hybrid Bermudagrass

<u>CULTIVAR</u>	<u>SENSITIVITY/ ACTIVITY</u>	<u>PERIOD OF GROWTH REGULATION</u>	<u>PERIOD OF COLOR RESPONSE</u>
Tifway I, II	Medium/Good	5-6 weeks	6-8 weeks
Tifgreen	High/Excellent	6-8 weeks	8-10 weeks
Ormond	High/Excellent	6-8 weeks	8-10 weeks

St. Augustinegrass

<u>CULTIVAR</u>	<u>SENSITIVITY/ ACTIVITY</u>	<u>PERIOD OF GROWTH REGULATION</u>	<u>PERIOD OF COLOR RESPONSE</u>
Floratam, Floralawn	Low/Moderate	4-6 weeks	5-8 weeks
Floratine, Raleigh, Texas Common	Medium/Good	6-7 weeks	7-8 weeks
Bitter Blue, Seville	High/Excellent	7-8 weeks	8-10 weeks

11 of 13

Program Scheduling

If crabgrass or other annual grassy weeds have been a problem in the past, an application of the appropriate preemergence control product should be made before the use of this product. Space applications of this product and preemergent product (Goosegrass/Crabgrass Preventer) at least 4 weeks apart.

If a weed, disease or insect problem occurs after application of product, apply control product at recommended rate. This product is compatible with existing control products.

For Growth Regulation: A repeat application within the same growing season may be made, but no sooner than 8 weeks following initial application. No more than 3 applications should be made in any one calendar year.

For Color, Quality Enhancement: On bentgrass and overseeded bermuda putting greens, repeat applications can be made 4-6 weeks apart. No more than 4 applications should be made in any one calendar year at full label rate.

Do not apply to overseeded bermudagrass greens after March 15th to avoid delay of Spring green-up of bermudagrass

Do not aerify or topdress and drag greens with steel mats while turf is under growth regulation.

Do not seed within 6 weeks prior to or 2 weeks after application of this product.

If Embark® is used for *Poa annua* seedhead control, apply this product at least 14 days after the application of Embark.

GENERAL PRECAUTIONS

Not for use on bermudagrass putting greens except for winter overseeding enhancement uses.

Not for use on athletic fields under heavy traffic where maximum growth potential of turf is desired.

Not for use on shrubs, flowers, fruits, or vegetable plants; applications to turf areas under the tree will not affect or harm trees.

Do not use during periods of extreme dry or cold weather conditions, or during heavy insect or disease activity.

Do not apply product when soil is already saturated. Heavy rainfall or irrigation in these areas may cause the active ingredient to move laterally on steep slopes and collect in low areas. These areas may undergo more severe growth control for a longer period of time.

Do not use on areas containing greater than 70% *Poa annua*, since discoloration of *Poa annua* may be unacceptable.

Delay treatment of newly sodded or sprigged turf until grass has knitted down and rooted firmly.

Delay sprigging for at least 4 weeks and sodding at least 2 weeks after application is made.

Do not apply this product through any type of irrigation equipment.

Withhold application on large turf areas that have been thinned from winter damage, disease or insects until desired fill-in is achieved.

Do not use rates greater than those recommended, as they may cause undesirable turf growth control and may discolor areas temporarily.

Shake container thoroughly before use.

Broadleaf weeds are not significantly affected by this product. To control the growth of weeds, treat with an appropriate herbicide when weeds are actively growing. Carefully follow label directions.

Do not use on areas to be cultivated for food or food crops or to be resown with grasses within 2 years of treatment.

Do not graze treated areas or harvest for forage or hay.

Storage and Disposal

PROHIBITION: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

130413

LEGAL RIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Sold by
The Andersons Lawn Fertilizer Division, Inc.
PO Box 119
Maumee, OH 43537

{product code}

Embark® is a trademark of PBI/Gordon Corp.
Andersons Golf Products™ is a trademark of Andersons Inc.

Date Printed	7/1/11
Date Approved	9/24/02
Supersedes	(transfer from Scotts)
Label Changes	Amendment – name, first aid, rec for pro use delete, CAS, other, warranty
Filename	9198-205
Label Code	RVamd053002