

9198-210

11-5-2002

17

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-210	2. EPA Product Manager Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Andersons Golf Products Fungicide X	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION NOV 05 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Label change per PR Notice 98-10 : add statement to Environmental Hazards "This pesticide is toxic to invertebrates." Statement was inadvertently removed from a notification dated April 1, 2002. The statement is on the stamped approved label dated April 16, 2001. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 334-262-2766
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Dawn L. Walters</i>	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 10/22/02	

2/7

Andersons™ Golf Products Fungicide IX

Optional Front Panel Claims

- Prevents and controls brown patch, leaf spot, red leaf spot, pink snow mold, gray snow mold

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

NOTIFICATION
NOV 05 2002

Hazards to Humans and Domestic Animals: CAUTION, Harmful if absorbed through skin or inhaled. Avoid contact with eye, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt and long pants, socks and shoes and chemical-resistant gloves (such as Barrier Laminate, Butyl rubber, Nitrile rubber and Viton).

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.

Environmental Hazards: This chemical can contaminate surface water through aerial and ground applications. Under some conditions, it may also have a high potential for runoff into surface water application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow ground water, areas with infield canals or ditches that drain to surface water areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain surface water. **This pesticide is toxic to invertebrates.** Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate, or clean up spills. Do not contaminate water when disposing of equipment washwater or rinsate.

3/7

ACTIVE INGREDIENTS:

Iprodione*	1.30%
INERT INGREDIENTS:	<u>98.70%</u>
Total	100.00%

*CAS #36734-19-7

EPA Reg. No. 9198-210

EPA Est. 538-OH-1S, 9198-OH-1M

Underlined letter is first letter used in run code on bag

SGN 100

Treats Up To 22,000 Square Feet

Recommended for Use By Professional Turfgrass Managers

Net Weight XX.XX lbs. (XX.XX kg)

GUSSETS:

[Note: gusset information is optional, depending on bag type]

RIGHT GUSSET

Andersons Golf Products Fungicide X {product code}

LEFT GUSSET

Andersons Golf Products Fungicide X {product code}

TOP GUSSET

Andersons Golf Products Fungicide X {product code}

BOTTOM GUSSET

Andersons Golf Products Fungicide X {product code}

BACK PANEL:

ANDERSONS™ GOLF PRODUCTS FUNGICIDE X {product code}

Directions for Use


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use of this product at residential sites is prohibited.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Entry Restrictions

Do not enter or allow others to enter the treated area until dusts have settled.



4/7

This fungicide product prevents and controls the following turfgrass diseases.

- Brown patch
- Leaf spot (*Helminthosporium spp.*)
- Red leaf spot
- Pink snow mold (*Fusarium nivale*)
- Gray snow mold (*Typhula spp.*)

For use on fairways, putting greens and other turf areas consisting of Kentucky bluegrass, perennial ryegrass, fine fescue and bermudagrass, or where these mixtures predominate. Product may also be applied to St. Augustinegrass turf areas.

WHEN TO USE

Brown Patch and Red Leaf Spot

To prevent, apply at the NORMAL or HEAVY RATE (1.0 to 1.5 oz ai/1,000 sq ft) to moist or dry foliage when disease activity is anticipated and repeat at 2-week intervals. If heavy disease pressures are encountered, apply at the HEAVY RATE to moist or dry foliage. When diseases are brought under control, revert back to bi-weekly NORMAL RATE application intervals.

To control, apply to moist or dry foliage at the HEAVY RATE (1.5 oz ai/1000 sq ft) as soon as disease activity is noticed. Repeat at bi-weekly until disease is under control, then revert back to NORMAL or HEAVY RATE applications at bi-weekly.

Pink and Gray Snow Mold

To prevent, apply at the LIGHT or NORMAL RATE (0.5 to 1.0 oz ai/1000 sq ft) to moist or dry foliage when disease activity is anticipated. Repeat at 2 to 3 week intervals.

To control, apply to dry foliage at the NORMAL or HEAVY RATE (1.0 to 1.5 oz ai/1000 sq ft) when disease activity is first noticed. Repeat as needed at this rate at 2 to 3 week intervals. When disease activity is under control, revert to the LIGHT or NORMAL RATE (0.5 to 1.0 oz ai/1000 sq. ft) at 2 to 3 week intervals.

For suppression, apply to dry foliage at the NORMAL or HEAVY RATE (1.0 TO 1.5 oz ai/1000 sq ft) prior to the first snow. Repeat in mid-winter when turf is free of snow and again immediately after the final snow melts in the spring.

Not a season long (all winter) control for snow molds unless applied on a 2 to 3 week application program.

Leaf Spot

To prevent, apply to moist or dry foliage at the LIGHT RATE (0.5 oz ai/1000 sq ft) when disease activity is anticipated. Repeat if needed after 3 to 4 weeks.

To control, apply to moist foliage at the NORMAL to HEAVY RATE (1.0 to 1.5 oz ai/1000 sq ft) when disease activity is first noticed. Repeat as needed at intervals not closer than 2 weeks.

HOW TO USE

For LIGHT, NORMAL or HEAVY RATE applications (0.5, 1.0 or 1.5 oz ai/1000 sq ft), apply to moist or dry foliage for summer diseases. Applications need not be watered in. Apply to dry foliage for snow mold prevention/control.

Delay mowing for 24 hours after application to prevent particle pickup by mowers.

5/7

Expected time disease activity:

- Spring – leaf spot, pink snow mold (Fusarium patch), gray snow mold
- Summer – leaf spot and brown patch
- Fall – leaf spot and pink snow mold (Fusarium patch)
- Winter – pink snow mold (Fusarium patch), and gray snow mold.

Allow one week between the application of this and other control products. This guideline may be relaxed where a severe disease attack requires immediate treatment.

NOTE TO USER

Do not apply this product in a way that will contact workers or other persons, either directly or indirectly or through drift. Only protected handlers may be in the area during application.

Except for use on golf courses, if applying this product adjacent to a water body such as a lake, estuary, reservoir, river, permanent stream, marsh or natural pond, or commercial fish pond there must be at least a 25 foot vegetative buffer strip between the water body and the point of application.

For golf courses only, do not apply to turf cut higher than 1" on golf holes where water bodies are present.

Do not apply this product when the wind direction is toward aquatic areas.

May apply up to but no more than 24 pounds active ingredient (ai) annually. Do not apply more than 6 times per year.

Do not apply this product using a "belly grinder" or other handheld application equipment.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application.

- 52.86 lbs. (23.97 kg) treats 22,000 ft² at the LIGHT RATE
- 52.86 lbs. treats 11,000 ft² at the NORMAL RATE
- 52.86 lbs. treats 7,330 ft² at the HEAVY RATE

SPREADER SETTING

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	LIGHT RATE	NORMAL RATE	HEAVY RATE
Scotts Drop Type	X mph	Overlap wheels	X	X	X
Scotts Rotaries	X mph	XX feet	X	X	X
Lely Models (see below)	X mph	XX feet	X	X	X

Lely models WTR, WFR, HR and 1250. PTO at 450 rpm.

Note to EPA: actual spreader models may vary depending on market demand and availability

6/7

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot102202)

Visit us at our website at: andersonsgolfproducts.com

Manufactured for:

The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537

{product code}

©2002 T.A.I.

Andersons Golf Products is a trademark of The Andersons Agriservices, Inc.

Product of U.S.A.

Date Printed	10/22/02
Date Approved	Transfer
Supersedes	
Label Changes	Notification - add statement
Filename	9198-210
Label Code	RVnot102202



The Andersons, Inc.
P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

7/7

October 22, 2002

Ms. Mary Waller (PM21)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505C)
US Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460-0001

RE: Notification of Minor Label Change
SUBJECT: Andersons Golf Products Fungicide X
EPA Reg. No. 9198-210

Dear Ms. Waller,

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed. The change is underlined and marked in bold, yellow highlight for additions.

On a notification for this registration dated April 1, 2002, the following statement was inadvertently removed from the label:

This pesticide is toxic to invertebrates.

By this notification, we are adding the statement back to the label. It is on the most recently stamped approved label dated April 16, 2001. The statement is on the final printed label for this product.

Enclosed is a stamped, self-addressed card indicating the acceptance or rejection of this notification. Please complete the card and return via mail. It is already addressed and stamped and does not need to be mailed in an envelope.

If there are any questions or comments regarding this notification, please feel free to contact me. I apologize for this omission and any confusion it may have caused.

Sincerely,
The Andersons Lawn Fertilizer Division, Inc.

Dawn L. Walters
Dawn L. Walters
Regulatory Administrator
Phone 334-262-2766
Fax 334-265-5703
Email dawn_walters@andersonsinc.com

enclosures

