

(under FIFRA, as amended

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Program Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number. 9198-216

Date of issuance:

NOV 13 2003

Term of issuance:

Conditional

NOTICE OF PESTICIDE:

x Registration

Reregistration

Name of Pesticide Product:

The Andersons 0.058% Granular

Bifenthrin Insecticide

Name and Address of Registrant (include ZIP Code):

The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer P.O. Box 119 Maumee, OH 43537

On the basis of information furnished by the registrant, the above named posticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a posticide in accordance with the Act. The acceptance of any name in conthe registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), subject to the following terms:

- 1. You must submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of you product under FIFRA section 4.
- 2. You must submit or cite data to satisfy Guideline 830.1800 (Enforcement Analytical Method). We acknowledge receipt of data to fulfill this requirement. The submitted data (MRID# as yet unassigned) are being forwarded to the Product Chemistry Review Team for evaluation. We will notify you of the results of their review once it is completed.
- 3. You must submit data to satisfy product chemistry Guidelines 830.6317 (storage stability) and 830.6320 (corrosion characteristics). We understand that these data are currently under development and that you expect to submit the final reports in November, 2005.
- 4. You must submit two (2) copies of your final printed label before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

Signature of Approving Official:

Date:

NOV 13 2003

Staton, for George T. La Rocca

Page 2 EPA Reg. No. 9198-216

A stamped copy of the label is enclosed for your records. If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Enclosures

The Andersons 0.058% Granular Bifenthrin Insecticide

This product is designed to control a variety of insects on residential lawns.

For homeowner use only.

Active Ingredients

Bifenth	arin *	0.058%
Inert Ingredients		99.942%
Total		100.000%

Cis isomers 97% minimum, trans isomers 3% maximum US Patent No. 4,238,505

ACCEPTED

NOV 1 3 2003

KEEP OUT OF REACH OF CHILDREN

CAUTION

Under the Federal Insecticide, Fungicide, and Rodentidde Act, as amended, for the pesticide registered under RPA Reg. No. 9198-216

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

EPA Reg. No. 9198-216
EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u>, 9198-PA-001<u>P</u>
Underlined letter is first letter used in run code on bag

The Andersons 0.058% Granular Bifenthrin Insecticide

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

FIRST AID	
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.
	uct container or label with you when calling a poison control center or doctor or going
for treatment.	You may also contact 1-800-757-8951 for emergency medical treatment information.
	cian: This product is a pyrethroid. If large amounts have been ingested, milk cream
and other dige	estible fats and oils may increase absorption and so should be avoided.

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Not to be used on golf courses, sod farms, commercial greenhouses, nurseries, or grass grown for seed.

If product is watered in after application, do not allow children or pets to enter the area until dry.

9196-216 Page 3 of 5

This product can be used to control the following lawn insects:

Pest	Use Rate per 1,000 sq. ft.	
Chiggers Chinch bugs Sod webworms (Lawn Moth)		2 pounds
Annual Bluegrass Weevil (Hyperodes) (Adult) Armyworms Billibugs (Adult) Black Turfgrass Ataenius (Adult) Centipedes Crickets Leafhoppers	Mealybugs Millipedes Pavement Ants Pillbugs Red Ants Sowbugs Weevils	2 to 4 pounds
Ants Fire Ants Fleas Imported Fire Ants Mole Crickets Ticks		4 to 8 pounds

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

Comments:

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up to 0.25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. Irrigation should be performed prior to application if the soil is not moist. To mound drench, apply 2 cups of this product per mound. Then drench the mound with 1 to 2 gallons of water, with sufficient force to break the apex and allow the water and product to flow into the tunnels. Also treat a four foot diameter circle around each mound. For best results, apply in cool weather (65-80°). The early morning or late evening hours should suffice. Food utensils,



such as teaspoons and measuring cups, used for pesticide application must not be used for food purposes.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists. Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SPREADER DIRECTIONS

Broadcast spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will not appear on final printed label).

Spreader	2 lbs./1,000 sq. ft.	4 lbs./1,000 sq. ft.	6 lbs./1,000 sq. ft.	8 lbs./1,000 sq. ft.
aa	XX	XX	XX	XX
bb	XX	XX	XX	XX
cc	XX	XX	XX	XX

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.



IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Date Printed	10/8/03
Date Approved	
Supersedes	New
Label Changes	New
Filename	0.058 bif gran cons
Label Code	AP