	216	verse before comple		-2004	- Form Ar	proved	. OMB No.	2070-00	60. Approv	al expires 2-28	
Press i read Instructions on reverse before completing form. United States Environmental Protection Age Washington, DC 20460				,	-	Registr Amend Other	ation		ntifier Number		
		· · · · · · · · · · · · · · · · · · ·	Applicati	on for Pestic	ide - Sec	tion	1				
. Company/Product N	lumber		·····	1	Product Mar	nager		3. F	Proposed Cla	ssification	
9198-216							Restricted				
. Company/Product (I The Andersons 0.0589	,	lar Bifenthrin Insectic	ide	PM# 13							
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 Check if this is a new address				(b)(i), to: EPA	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling						
<i>ت</i>		· · · · · · · · · · · · · · · · · · ·		Section -							
Amendment - E	xplain b	elow.			1	id label	s in repson	se to •			
	•	nse to Agency letter	. dasad		Final printed labels in repsonse to Agency letter dated			<u> </u>	NOTIFICATION		
Notification - E					MAR 5 - 2004 Other - Explain below.						
. Material This Produc	et Will B	e Packaged In:		Section -	[1]					<u> </u>	
hild-Resistant Packag		Jnit Packaging		Water Soluble	Packaging		2. Type of	Conteine			
Yes		Yes		Yos				Motal			
No		No		No				_ Plastic Glass			
Certification mu submitted		f "Yes" Jnit Packaging wgt.	No. per container	lf "Yes" Package wgt	No. per containe	r		Other ((Specify)		
3. Location of Net Contents Information 4. Size(s) Retai			tail Container	nteiner 5. Location of Label Directions				······································			
Label Lontainer 5. Manner in Which Label is Affixed to Product Lithogra Peper g Stencile			graph glued iled	Other							
				Section - I	V						
Contact Point (Com	plete its	oms directly below f	or identificatio	on of individual to L	e contected,	if nece	essary, to p	rocess thi	s application	.,	
me awn L. Walters				Title Regulatory Adm	inistrator			Telephoi 334-262		ide Area Code)	
•	hat any k	ents I have mede on knowlinglly felse or w.		l all attachments th				•	6. Date A Receive (Sta		
. Signature 3. Title			3. Title						● ÷		
Dawn Rhalters			Regulatory Admini	ulatory Administrator				#±±6 # ÷;; #≠;;	老 ÷ 前。 戦争。		
م الم الم الم الم الم الم الم الم الم ال			2/11/04					₩ - 2 - 2 - 2 			
	-								# 1 × 3		

Front Panel

9198-216 Page 1 of 5

Ngiya da tato it

j,

، بې د <u>المانۍ بې د مېرو</u>شو.

 $\{ (a_{n}) \in \{ (a_{n}) \in \{ (a_{n}) \} \} \}$

. 1960 - S. 1 1960 - S. 19

요즘 바람이 아이는 것 같아.

1

The Andersons 0.058% Granular Bifenthrin Insecticide

This product is designed to control a variety of insects on residential lawns.

For homeowner use only.

Optional front panel claim: Controls a variety of lawn insects

Active Ingredients	
Bifenthrin *	
Inert Ingredients	<u>99.942%</u>
Total	
Cis isomers 97% minimum, trans isomers 3% maximum	

US Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

See State and the prove EPA Reg. No. 9198-216 EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A, 9198-PA-001P Underlined letter is first letter used in run code on bag

The Andersons 0.058% Granular Bifenthrin Insecticide

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.
for treatment.	uct container or label with you when calling a poison control center or doctor or going You may also contact 1-800-757-8951 for emergency medical treatment information.
	tian: This product is a pyrethroid. If large amounts have been ingested, milk cream stible fats and oils may increase absorption and so should be avoided.

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Not to be used on golf courses, sod farms, commercial greenhouses, nurseries, or grass grown for seed.

If product is watered in after application, do not allow children or pets to enter the area until dry,

Back Panel

This product can be used to control the following lawn insects:

	그는 그는 것이 없는 것이 없다.	and the second
Pest	an a	Use Rate per 1,000 sq. ft.
Chiggers		2 pounds
Chinch bugs Sod webworms (Lawn Moth)	an an ann an Artainn an Artainn an Artainn An artainn an Artainn a	
Annual Bluegrass Weevil (Hyperodes) (Adult) Armyworms	Mealybugs Millipedes	2 to 4 pounds
Billbugs (Adult) Black Turfgrass Ataenius (Adult)	Pavement Ants	
Centipedes Crickets	Red Ants Sowbugs	
Leafhoppers	Weevils	
Ants Fire Ants		4 to 8 pounds
Fleas Imported Fire Ants		
Mole Crickets		
Ticks		line and the second

्र महेल्ला संख्याले

A der Salet view.

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

Comments:

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up to 0.25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. Irrigation should be performed prior to application if the soil is not moist. To mound drench, apply 2 cups of this product per mound. Then drench the mound with 1 to 2 gallons of water, with sufficient force to break the apex and allow the water and product to flow into the tunnels. Also treat a four foot diameter circle around each mound. For best results, apply in cool weather (65-80°). The early morning or late evening hours should suffice. Food utensils, **Back Panel**

such as teaspoons and measuring cups, used for pesticide application must not be used for food purposes.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

where the first a gartala

医合疗道 编码公式

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists. Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SPREADER DIRECTIONS

Broadcast spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader orior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will not appear on final printed label).

Spreader	2 lbs./1,000 sq. ft.	4 lbs./1,000 sq. ft.	6 lbs./1,000 sq. ft.	8 lbs./1,000 sq. ft.
aa	XX	XX	1 XX - 11 2400	XX N
bb	XX	XX		XX
CC	XX	XX	XX	XX

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Back Panel

9198-216 Page 5 of 5

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP111303/RVnot021003)

Manufactured by: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Optional performance guarantee:

PERFORMANCE GUARANTEE: If, for any reason you are not satisfied with the results of this guality product, return the bag with proof of purchase for a full refund.

Date Printed	2/11/03	
Date Approved	11/13/03	
Supersedes	New	
Label Changes	Notification: front claim, optional guarantee	
Filename	9198-216	· · · ·
Label Code	AP111303/RVnot021003	



The Andersons, Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

dan kan de seland

 $\begin{array}{c} \sum\limits_{\substack{i=1,2,3\\j=1,3\\j=$

ห้สุดหมายสีมัตรไปสร้าง เป็นไปสามส์สัตร์ (1956)

1999年1月1日日 - 1999年日 - 1997年 - 1997年 - 1997年 1月1日 - 1997年 - 1

 $\begin{array}{l} \sum_{i=1}^{n-1} \left(\sum_{i=1}^{n-1} \sum_{j=1}^{n-1} \sum_{i=1}^{n-1} \sum_{j=1}^{n-1} \sum_{i=1}^{n-1} \sum_{j=1}^{n-1} \sum_{i=1}^{n-1} \sum_{j=1}^{n-1} \sum_{j=1}^{n-1} \sum_{i=1}^{n-1} \sum_{j=1}^{n-1} \sum_{j=1}^{n-1} \sum_{j=1}^{n-1} \sum_{j=1}^{n-1} \sum_{j=1}^{n-1} \sum_{j=1}^{n-1} \sum_{i=1}^{n-1} \sum_{j=1}^{n-1} \sum_{j=$

Appleters

All and the second s

 $\frac{30}{2} > \frac{1}{2} = \frac{1}{2} \frac{1}{2} = \frac{1}{2} \frac{1}{2} \frac{1}{2} = \frac{1}{2} \frac{1$

February 11, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505C) US Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, DC 20460-0001

 RE:
 Notification of Minor Label Change

 SUBJECT:
 The Andersons 0.058% Granular Bifenthrin Insecticide

 EPA Reg. No. 9198-216

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is also enclosed with the additions underlined and marked in blue.

We have made the following changes by notification:

1. Added optional front panel claim

Controls a variety of lawn insects

2. Added optional guarantee

PERFORMANCE GUARANTEE: If, for any reason you are not satisfied with the results of this quality product, return the bag with proof of purchase for a full refund.

Enclosed is a card indicating the acceptance or rejection of this notification. Please complete the card and return via mail.

If there are any questions or comments regarding this notification, please feel free to contact me.

Sincerely, The Andersons Lawn Fertilizer Division, Inc.

Dawn & Watters

Dawn L. Walters Regulatory Administrator Phone 334-262-2766 Fax 334-265-5703 Email dawn_walters@andersonsinc.com

enclosures