. 9198-216

5-15-2004

2.28.95

Please read instructions on	reverse before comple	sting form.		Form Ar	provec	I, OMB No.	2070-006	O. Approvel expires 2-28-9
O EDA		United States	_			Registr		OPP Identifier Number
\$EPA	Environmenta Washi	I l Protecti o ington, DC 200		1	1	Amend Other	ment	
		Application	on for Pes	ticide - Sec	<u> </u>			
1. Company/Product Number	0.7	* (ppilodei		EPA Product Ma		<u>• </u>	2 0.	oposed Classification
9198-216	51		i	Rocca	ı ıağaı		3.6	None Restricted
4. Company/Product (Name The Andersons 0.058% Gra		ide	PM 13					Notice Notice
5. Name and Address of Ap	plicant <i>(Include ZIP Co</i>	ode)	6.	Expedited Re	veiw.	In accord	ance with	FIFRA Section 3(c)(3)
The Andersons Lawn F		nc.	i i	•				mposition and labeling
d/b/a Free Flow Fertiliz PO Box 119	er		to:					
Maumee_OH 43537			-	A neg. no				
Check if this	s is a new address		Pr	oduct Name				
			Section	1 - II	. <u>.</u> .			
Amendment - Explain	n below.			Final printe	ed labe	ls in repsons	e to	
Resubmission in resp	ponse to Agency letter	dated		Agency let "Me Too"				NOTIFICATION
Notification - Explain	,		(Other - Exp				MAY 1 5 2004
Explanation: Use addition	nal naga(s) if nagassar	v (For section	n Land Section	. 11)				
Notification of Minor Label changes pe	- -	•		• ••••				
This notification is consistent with the product. I understand that it is a violal								
40 CFR 152.46, this product may be in							CONSISTENT WILL	and falling of 5 to 14 outcome 20-10 8110
			Section	- [[[
1. Material This Product Wil	li Be Packaged in:							
Child-Resistant Packaging	Unit Packaging		Water Solut	ole Packaging		2. Type of	Container	
Yes	Yes		Yes				Metal Plastic	
No	No		No.				Glass	
Certification must	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wg	No. per pt contains	ır		_ Paper _ Other (S	pecify)
be submitted						<u></u>		
3. Location of Net Contents	Information	4. Size(s) Ret	ail Container		5. Lo	cation of La		ns
	ontainer	<u></u>		<u></u>				
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenci	plued	Othe	·			
			Section	- IV				
1. Contact Point (Complete	items directly below f	or identificatio	n of individual	to be contacted,	if nec	essary, to pi	ocess this	applicațion.)
Name Dawn L. Walters	<u> </u>		Title Regulatory A	dministrator				No. (include Area Code)
Dawii E. Waiters				<u> </u>				
Loanifu that the otate	ments i have made on	Certifica	-	e thereto ere tou		rate and co	molete	6. Date Application Received
	iy knowlingliy falsa or i						£ 64	• (Gtamped)
2. Signature			3. Title				•••	
_			Regulatory Adı	ministrator		•	•••••	•
Dawn Kritaiturs								**** * *
4. Typed Name			5. Date				J	• 4 7 3 •
Dawn L. Walters			4/22/	04		•		• 9 3 P



2/7

The Andersons 0.058% Granular Bifenthrin Insecticide

NOTIFICATION

This product is designed to control a variety of insects on residential lawns.

MAY 1 5 2004

For homeowner use only.

Optional front panel claim:

- · Controls a variety of lawn insects
- For lawns
- Turf Insect Control
- Controls the following insects: ants, armyworms, billbugs (adult), ticks, chiggers, chinch bugs, crickets, fleas, millipedes, mole crickets, sod webworms (lawn moth) and many others as listed
- Contains Bifenthrin
- Kills bugs

Active Ingredients

 Bifenthrin *
 0.058%

 Inert Ingredients
 99.942%

 Total
 100.000%

Cis isomers 97% minimum, trans isomers 3% maximum US Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

EPA Reg. No. 9198-216
EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u>, 9198-PA-001<u>P</u>
Underlined letter is first letter used in run code on bag



The Andersons 0.058% Granular Bifenthrin Insecticide

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

FIRST AID	
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
if on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.
	uct container or label with you when calling a poison control center or doctor or going You may also contact 1-800-757-8951 for emergency medical treatment information.
Note to Physic	ian: This product is a pyrethroid. If large amounts have been ingested, milk cream stible fats and oils may increase absorption and so should be avoided.

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Not to be used on golf courses, sod farms, commercial greenhouses, nurseries, or grass growing for seed.

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland or drainage ditch. In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not seemer than two weeks after the first application.

4/1

If product is watered in after application, do not allow children or pets to enter the area until dry.

This product can be used to control the following lawn insects:

Pest		Use Rate per 1,000 sq. ft.
Chiggers Chinch bugs Sod webworms (Lawn Moth)		2 pounds
Annual Bluegrass Weevil (Hyperodes) (Adult) Armyworms Billbugs (Adult) Black Turfgrass Ataenius (Adult) Centipedes Crickets Leafhoppers	Mealybugs Millipedes Pavement Ants Pillbugs Red Ants Sowbugs Weevils	2 to 4 pounds
Ants Fire Ants Fleas Imported Fire Ants Mole Crickets Ticks		4 to 8 pounds

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

Comments:

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up to 0.25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. Irrigation should be performed prior to application if the soil is not moist. To mound drench, apply 2 cups of this product per mound. Then drench the mound with 1 to 2 gallons of water, with sufficient force to break the apex and allow the water and product to flow into the tunnels. Also treat a four foot diameter circle around each mound. For best results, apply in cool weather (65-80°). The early morning or late evening hours should suffice. Food utensils.

5/7

such as teaspoons and measuring cups, used for pesticide application must not be used for food purposes.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists. Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SPREADER DIRECTIONS

Broadcast spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will not appear on final printed label).

Spreader	2 lbs./1,000 sq. ft.	4 lbs./1,000 sq. ft.	6 lbs./1,000 sq. ft.	8 lbs./1,000 sq. ft.
aa	XX	XX	XX	XX
bb	XX	XX	XX	XX
CC	XX	XX	XX	XX

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store irr cool, dry place and avoid excess heat.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. ••
If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. place unused product down any indoor or outdoor drain.

Back Panel

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP111303/RVnot042204)

Manufactured by: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Optional performance quarantees:

PERFORMANCE GUARANTEE: If, for any reason you are not satisfied with the results of this quality product, return the bag with proof of purchase for a full refund.

If, for any reason, you are not completely satisfied with the results after applying this product, you are entitled to product replacement or your money back simply by presenting evidence of purchase to your local *(store name)*.

Optional program:

{brand} Year Round Lawn Care Program

Early Spring: Crabgrass Preventer plus Lawn Food

Late Spring: Lawn Food or Weed & Feed

Summer: Summer Lawn Food and/or Lawn Insect Control

Fall: Fall Lawn Food or Fall Weed & Feed

Visit our website at {address}

Date Printed	4/22/04	1035
Date Approved	11/13/03	हत क * च 'क ' के म ∧ '
Supersedes	New	4 8 1 m d
Label Changes	Notification: NY statement	
Filename	9198-216	
Label Code	AP111303/RVnot042204	•

6/1



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

April 22, 2004

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505C)
US Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460-0001

RE:

Notification of Minor Label Change

SUBJECT:

The Andersons 0.058% Granular Bifenthrin Insecticide

EPA Reg. No. 9198-216

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is also enclosed with the additions underlined and marked in blue.

We have made the following change by notification:

1. Added the following required statement for New York state:

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland or drainage ditch. In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Enclosed is a card indicating the acceptance or rejection of this notification. Please complete the card and return via mail. If there are any questions or comments regarding this notification, please feel free to contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Dawn Klinetur

Dawn L. Walters

Regulatory Administrator Phone 334-262-2766

Fax 334-265-5703

Email dawn_walters@andersonsinc.com

enclosures

