9198-216	3/14/2006 61) Page 137
Please read instructions on reverse before completing form. United State Environmental Protect Washington, DC	tion Agency Amena	
Applica	tion for Pesticide - Section I	
1. Company/Product Number 9198-216	2. EPA Product Manager LaRocca	3. Proposed Classification
4. Company/Product (Name) The Andersons 0.058% Granular Bifenthrin Insecticide	РМ# 13	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537	6. Expedited Reveiw. In accord (b)(i), my product is similar or ide to: EPA Reg. No	ntical in composition and labeling
	Product Name Section - II	
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For sec Notification of minor tabel change per PR Notice 98-10 : addition of optio This notification is consistent with the guidance of PR Notice 98-10 and tr made to the labeling or the confidential statement of formula of this produ further understand that if this notification is not consistent with the guidance violation of FIFRA and I may be subject to enforcement action and penalt	tion I and Section II.) nal marketing claims and deletion of production establishment re requirements of EPA's regulations at 40 CFR 156.10 and 40 ct. J understand that it is a violation of 18 U.S.C. Sec. 1001 to ce of PR Notice 98-10 and the requirements of 40 CFR 156.10	- see cover letter for details O CFR 152.46 and no other changes have been willfully make any false statement to EPA. 1
	Section - III	
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Yes Yes No No * Certification must be submitted If "Yes" No. per Unit Packaging wgt.	Yes No If "Yes" No. per Package wgt container	of Container Metal Plastic Glass Paper Other (Specify)
3. Location of Net Contents Information 4. Size(s) f Label Container	Retail Container 5. Location of L	
6. Manner in Which Label is Affixed to Product Pap	nograph Other noiled	
	Section - IV	
1. Contact Point <i>(Complete items directly below for identifice</i>	tion of individual to be contacted, if necessary, to p	process this application.)
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (include Area Code) 334-262-2760
Certifi i certify that the statements I have made on this form a I acknowledge that any knowlingity false or misleading s both under applicable law.	nd all attachments thereto are true, accurate and c	
2. Signeture Dawn Awalters	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 2/16/06	

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

Yellow - Applicant Copy



The Andersons, Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050 *

February 16, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505C) US Environmental Protection Agency Room 266A, Crystal Mall 2 1801 Bell Street Arlington, VA 22202-4501

RE: Notification of Minor Label Change

SUBJECT: The Andrsons 0.058% Granular Bifenthrin Insecticide EPA Reg. No. 9198-216

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed with the additions underlined and marked in blue and the deletions marked in red strikeout.

We have made changes as follows:


- 1. Added additional optional marketing claims to the first page. These claims have been previously approved on the labeling for our registration The Andersons Insect Killer Granules with 0.15% Bifenthrin, EPA Reg. No. 9198-226. The labeling for the subject registration is identical to registration 9198-226. The application rates are the same in terms of active ingredient per acre.
- 2. Deleted EPA establishment 9198-PA-001. This product will not be made at this establishment.

Please enclosed complete the card indicating the acceptance or rejection of this notification and return via mail. If there are any questions or comments regarding this notification, please contact me.

Sincerely, The Andersons Lawn Fertilizer Division, Inc.

Duwn HUA(thu Dawn L. Walters Regulatory Administrator Phone: 334-262-2766 Fax: 334-265-5703 Email: dawn_walters@andersonsinc.com

enclosures



The Andersons 0.058% Granular Bifenthrin Insecticide

This product is designed to control a variety of insects on residential lawns. For homeowner use only.

Optional front panel claims:

Controls a variety of lawn insects	For lawns
Turf Insect Control	 Controls the following insects: ants, armyworms, billbugs (adult), ticks, chiggers, chinch bugs, crickets, fleas, millipedes, mole crickets, sod webworms (lawn moth) and many others as listed
Contains Bifenthrin	Kills bugs
•Kills Above & Below the Surface.	Kills Over XX Insects
Kills Pests on Contact	•Use on Lawn, Ornamentals and Around Homes
•Fast Acting!	•Easy-To-Use Granules
•Kills Surface & sub-surface Insects,	•Kills Bugs Fast
ealso kills chinch bugs, cutworms & other listed Insects	Ready-to-Spread Granules
•Ready-to-Use	Ant, Flea, & Tick Killer
 Kills ants, fleas, ticks, cutworms, chinch bugs, mole crickets & other pests 	For Use Outdoors on Lawns, Gardens and Around Homes & Other Listed Use Sites
•Kills on Contact	•Kills ants, fleas, ticks & other listed insects
Kills Ants, Fleas, Brown Dog Ticks, Chinch Bugs, Armyworms	
•For use on lawns & as a barrier band treatment around house foundation	•Kills spiders (including black widows), cutworms, and other listed insects
 Also kills larvae of sod webworms, armyworms & cutworms 	•Kills invading insects above & below the ground
Effective Home BarrierTreatment	•Easy to use
Controls home invading pests	•Kills ants, fleas, ticks
 Controls surface and foliage feeding pests 	Protects lawns and gardens
<u>Multi Purpose</u>	•Kills Over XX Nuisance Pests Around Homes
Kills Bugs Fast and Lasts	Soil and Turf Insect Killer
Lawn Insect Killer Granules (Product Name)	

Active Ingredients

Bifenthrin *	0.058%
Inert Ingredients	<u>99.942%</u>
Total	100.000%

Cis isomers 97% minimum, trans isomers 3% maximum US Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

EPA Reg. No. 9198-216 EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u>,-9198-PA-001<u>P</u> Underlined letter is first letter used in run code on bag

471 9198-216 Page 2 of 5

The Andersons 0.058% Granular Bifenthrin Insecticide

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

FIRST AID	
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.
	uct container or label with you when calling a poison control center or doctor or going
	You may also contact 1-800-757-8951 for emergency medical treatment information.
	ian: This product is a pyrethroid. If large amounts have been ingested, milk cream
and other dige	stible fats and oils may increase absorption and so should be avoided.

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Not to be used on golf courses, sod farms, commercial greenhouses, nurseries, or grass grown for seed.

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland or drainage ditch. In New York State do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Back Panel

If product is watered in after application, do not allow children or pets to enter the area until dry.

Pest		Use Rate per 1,000 sq. ft.
Chiggers Chinch bugs Sod webworms (Lawn Moth)		2 pounds
Annual Bluegrass Weevil (Hyperodes) (Adult) Armyworms Billbugs (Adult) Black Turfgrass Ataenius (Adult) Centipedes Crickets Leafhoppers	Mealybugs Millipedes Pavement Ants Pillbugs Red Ants Sowbugs Weevils	2 to 4 pounds
Ants Fire Ants Fleas Imported Fire Ants Mole Crickets Ticks		4 to 8 pounds

This product can be used to control the following lawn insects:

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

Comments:

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up to 0.25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. Irrigation should be performed prior to application if the soil is not moist. To mound drench, apply 2 cups of this product per mound. Then drench the mound with 1 to 2 gallons of water, with sufficient force to break the apex and allow the water and product to flow into the tunnels. Also treat a four foot diameter circle around each mound. For bect results, apply in cool weather (65-80°). The early morning or late evening hours should suffice. Food utensils,

9198-216 Page 4 of 5

such as teaspoons and measuring cups, used for pesticide application must not be used for food purposes.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists. Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SPREADER DIRECTIONS

Broadcast spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this guality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

dependent on market of spreaders. Tuns note will not appear on final printed labely.				
Spreader	2 lbs./1,000 sq. ft.	4 lbs./1,000 sq. ft.	6 lbs./1,000 sq. ft.	8 lbs./1,000 sq. ft.
aa	XX	XX	XX	XX
bb	XX	XX	XX	XX
CC	XX	XX	XX	XX

Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will not appear on final printed (abol)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Back Panel

9198-216 Page 5 of 5

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot021606)

Manufactured by: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Optional performance guarantees:

PERFORMANCE GUARANTEE: If, for any reason you are not satisfied with the results of this quality product, return the bag with proof of purchase for a full refund.

If, for any reason, you are not completely satisfied with the results after applying this product, you are entitled to product replacement or your money back simply by presenting evidence of purchase to your local *(store name)*.

Optional program:

{brand} Year Round Lawn Care Program Early Spring: Crabgrass Preventer plus Lawn Food Late Spring: Lawn Food or Weed & Feed Summer: Summer Lawn Food and/or Lawn Insect Control Fall: Fall Lawn Food or Fall Weed & Feed

Visit our website at {address}

Date Printed	02/16/06	
Date Approved	11/13/03	
Supersedes	New	
Label Changes	Notification: optional marketing claims	
Filename	9198-216	
Label Code	RVnot021606	