9198-217 5- Please read instructions on reverse before completing form.	17-2004	1/-7
United State Environmental Protect Washington, DC	tion Agency Amendme	
Applica	tion for Pesticide - Section I	
1. Company/Product Number 9198-217	2. EPA Product Manager	3. Proposed Classification
4. Company/Product (Name)	LaRocca	None Restricted
The Andersons Fertilizer with 0.039% Bifenthrin Insecticide	13	
5. Name and Address of Applicant <i>(Include ZIP Code)</i> The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, <u>OH</u> 43537	6. Expedited Reveiw. In accordanc (b)(i), my product is similar or identica to: EPA Reg. No.	I in composition and labeling
Check if this is a new address	Product Name	
	Section - II	
Amendment - Explain below.	Final printed labels in repsonse to Agency latter dated	
Resubmission in response to Agency letter dated	"Me Too" Application. Other - Explain below.	MAY 1 5 2004
This notification is consistent with the provisions of PR Notices 98-10 and EPA regula product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enf	false statement to EPA. I further understand that if this notification is not consi	stent with the terms of PR Notices 98-10 and
1. Material This Product Will Be Packaged In:		
Child-Resistant Packaging Unit Packaging Yes Yes No No	No F	Aetal Tastic Slass
* Certification must be submitted		eper Other (Specify)
3. Location of Net Contents Information 4. Size(s) Label Container	Retail Container 5. Location of Label 1	Directions
6. Manner in Which Label is Affixed to Product	ographOther er glued noiled	
	Section - IV	
1. Contact Point (Complete items directly below for identifica	tion of individual to be contacted, if necessary, to proce	ss this application.)
Name Dawn L. Walters	· · · · · · · · · · · · · · · · · · ·	lephone No: (include Ares Code) 4-262-2766 கண
Certifi I certify that the statements I have made on this form a I acknowledge that any knowlingly false or misleading both under applicable law.	nd all attachments thereto are true, accurate and comple	
2. Signature	3. Title	
Dawn KWalters	Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 4/22.104	

Front Panel

9198-217 Page 1 of 5

The Andersons Fertilizer with 0.039%NOTIFICATIONBifenthrin InsecticideMAY 1 5 2004

This product is a unique combination of insecticide and fertilizer to control damaging insects while replenishing your lawn with essential nutrients. It is designed to control a variety of insects on residential lawns.

For homeowner use only.

Optional: For lawns Soil & Turf Insect Control Plus Fertilizer

Active Ingredients

Bifenthrin *	0.039%
Inert Ingredients	<u>99.961%</u>
Total	

Cis isomers 97% minimum, trans isomers 3% maximum US Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

EPA Reg. No. 9198-217 EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u>, 9198-PA-001<u>P</u> Underlined letter is first letter used in run code on bag

The Andersons Fertilizer with 0.039% Bifenthrin Insecticide

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

Guaranteed Analysis

Total Nitrogen (N)	XX%
Available Phosphate (P205)	
Soluble Potash (K ₂ 0)	
Plant nutrients derived from:	

For products being sold into states with metals regulations:

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com./

For products being sold into Kentucky that do not provide at least 1 lb. of nitrogen per application (mandatory fertilizer statement):

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing X pounds of nitrogen at the X lbs. per 1,000 square feet product application rate. Please consult with our local extension office for questions regarding a regular fertilizer program.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

FIRST AID	
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.
for treatment.	uct container or label with you when calling a poison control center or doing You may also contact 1-800-757-8951 for emergency medical treatment information
Note to Physic and other dige	ian: This product is a pyrethroid. If large amounts have been ingested, milk cream stible fats and oils may increase absorption and so should be avoided.
	ن ،

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Not to be used on golf courses, sod farms, commercial greenhouses, nurseries, or grass grown for seed.

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland or drainage ditch. In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

If product is watered in after application, do not allow children or pets to enter the area until dry.

This product can be used to control the following lawn insects:

Pest		Use Rate per 1,000 sq. ft.
Chiggers Chinch bugs Sod Webworms (Lawn Moth)		3 pounds
Annual Bluegrass Weevil (Hyperodes) (Adult) Armyworms Billbugs (Adult) Black Turfgrass Ataenius (Adult) Centipedes Crickets Leafhoppers	Mealybugs Millipedes Pavement Ants Pillbugs Red Ants Sowbugs Weevils	3 to 6 pounds
Ants Fire Ants Fleas Imported Fire Ants Mole Crickets Ticks		6 pounds

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

Comments:

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

ку 1

4 × × ↓ 4 × ↓ ↓ *

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State. Cooperative Extension Service for information on degree days and timing in your region.

Back Panel

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up to 0.25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. When mound drenching, a product such as The Andersons 0.058% Granular Bifenthrin Insecticide must be used. Irrigation should be performed prior to application if the soil is not moist. For best results, apply in cool weather. The early morning or late evening hours should suffice.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists.

Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SPREADER DIRECTIONS

Broadcast spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

Note: following will be a list of application spreaders and appropriate settings. This list will value dependent on market of spreaders. (this note will not appear on final printed Jabel).

Back Panel

Spreader	3 lbs./1,000 sq. ft.	6 lbs./1,000 sq. ft.
aa	XX	XX
bb	XX	XX
CC	XX	XX

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP111703/RVnot042204)

Manufactuered by: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

Date Printed	4/22/04		
Date Approved	11/17/03 Conditional		· · · · · · · · · · · · · · · · · · ·
Supersedes	New		· · · ·
Label Changes	Notification: NY statement		······
Filename	9198-217		•
Label Code	AP111703/RVnot042204		
		10 F	۵ : ه
			• · · · ·
		4	: · · · ·
		6	4 5
		4	
			K
			,



. 4

The Andersons, Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

April 22, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505C) US Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, DC 20460-0001

RE: Notification of Minor Label Change

SUBJECT: The Andersons Fertilizer with 0.039% Bifenthrin Insecticide EPA Reg. No. 9198-217

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is also enclosed with the additions underlined and marked in blue.

We have made the following change by notification:

1. Added the following required statement for New York state:

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland or drainage ditch. In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Enclosed is a card indicating the acceptance or rejection of this notification. Please complete the card and return via mail. If there are any questions or comments regarding this notification, please feel free to contact me.

Sincerely, The Andersons Lawn Fertilizer Division, Inc.

Dawn Sunctures

Dawn L. Walters Regulatory Administrator Phone 334-262-2766 Fax 334-265-5703 Email dawn_walters@andersonsinc.com

enciosures

