··· 9198	- '	21	Г		10) - 2	29-2	.004							1/9
			ر rironmenta	Jnited States	tior	_	jency	Form Ar		d. <u>ОМВ No. 2</u> Registra Amendn Other	tior	า	T	-	oires 2-28-9 ir Number
				Applicat	ion	n for	Pestic	ide - Sec	tion						
1. Company/Product Nu 9198-217	mber						2. EPA LaRo	Product Ma	nager				posed (Classifi	cation Restricted
4. Company/Product (Na The Andersons Fertilizer		0.039	% Bifenthrin Ins	ecticide			РМ# 13					ــــــ			
5. Name and Address of The Andersons Law d/b/a Free Flow Fer PO Box 119 Maumee, OH 4353	n Fe tilize 7	ertilizo r	er Division, Ir				(b)(i), to: EPA	my product Reg. No	is sin	. In accordar nilar or identi	cał i	n coi	mpositi	on and	
Check if	this i	is a ni	ew address					uct Name							
						Se	ction -	11							
Amendment - Exp	•			datad				Final prints Agency lef "Me Too"	tter da		to 				TION
Resubmission in Notification - Exp				Gated			L	 Other - Ex					001	29	2004
					• <u></u>	Sec	ction -	111	·						
1. Material This Product	Wall	Be Pa	ckeged In:		,					-,					
Child-Resistant Packagin	g	Unit i	Packaging		Water Soluble Packaging 2.			2. Type of C	2. Type of Container						
Yes			Yes		Yes				Motal Plastic						
No			Na				No				Gla				
* Certification must be submitted	•	lf "Ye Unit I	es" Packaging wgt.	No. per container		lf "Ye Packi				•	Paper Other (Specify)				
Lebel	1	nteine		4. Size(s) R	otail				ocation of Labe	f Label Directions abel					
3. Manner in Which Labe	<u> </u>		· · · · · · · · · · · · · · · · · · ·	Litho Pape Sten	ograp or glu cileo	ph ued i	<u> </u>	Othe	or						
							tion - I								
1. Contact Point (Comp	lete il	ems d	directly below f	or identificat	ion (of indi	ividual to l	be contacted,	if nec	essary, to pro	cess	this	applicati	on.)	
Name Dawn L. Walters				<u> </u>		tie egula	itory Adm	inistrator				hone 262-2		ciude A	(rea Code)
l certify that the st I acknowledge that both under applica	t any	know			d ali	attac							6. Date Pace		
Turo RUAL	LIJ					Title egulat	ory Admin	istrator		,			, , ,		
. Typed Name Dawn L. Walters					5.	Date	912	27/04					•		
A Form 8570-1 (Rev. 3	.941	Previc	ous editions are	obsolete					ite - Fl	PA File Conv. (lorial		Velle	. A.	nicent Conv

Front Panel

9198-217 Page 1 of 7

The Andersons Fertilizer with 0.039% Bifenthrin Insecticide

NOTIFICATION OCT 29 2004

This product is a unique combination of insecticide and fertilizer to control damaging insects while replenishing your lawn with essential nutrients. It is designed to control a variety of insects on residential lawns.

For homeowner use only.

14

2 .

Optional:
For lawns
Soil & Turf Insect Control Plus Fertilizer
Spring/summer application
Eliminates bugs while fertilizer your lawn
Controls the following ants, armyworms, billbugs (adult), ticks, chiggers, chinch bugs, crickets,
fleas, millipedes, mole crickets, sod webworms (lawn moths) & others as listed on label
Provides your lawn with controlled-release nitrogen for extended feeding
Apply with a broadcast or drop spreader
Green Thumb quality pledge

Active Ingredients

Bifenthrin *	0.039%
Inert Ingredients	<u>99.961%</u>
Total	100.000%
Cis isomers 97% minimum trans isomers 3% maximum	

US Patent No. 4,238,505

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

EPA Reg. No. 9198-217 EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u>, 9198-PA-001<u>P</u> Underlined letter is first letter used in run code on bag



2/9



The Andersons Fertilizer with 0.039% Bifenthrin Insecticide

Net Weight XX.XX lbs. (XX.XX kg) Covers XXXX Sq. Ft.

Guaranteed Analysis

Total Nitrogen (N)	XX%
Available Phosphate (P205)	
Soluble Potash (K ₂ 0)	
Plant nutrients derived from:	

For products being sold into states with metals regulations:

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com./

For products being sold into Kentucky that do not provide at least 1 lb. of nitrogen per application (mandatory fertilizer statement):

A lawn will typically utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing X pounds of nitrogen at the X lbs. per 1,000 square feet product application rate. Please consult with our local extension office for questions regarding a regular fertilizer program.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

FIRST AID	
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.
	luct container or label with you when calling a poison control center or doctor or going You may also contact 1-800-757-8951 for emergency medical treatment information.
Note to Physic	cian: This product is a pyrethroid. If large amounts have been ingested, milk cream estible fats and oils may increase absorption and so should be avoided.

.....

. !

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Not to be used on golf courses, sod farms, commercial greenhouses, nurseries, or grass grown for seed.

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland or drainage ditch. In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

If product is watered in after application, do not allow children or pets to enter the area until dry.

This product can be used to control the following lawn insects:

Pest		Use Rate per 1,000 sq. ft.
Chiggers Chinch bugs Sod Webworms (Lawn Moth)		3 pounds
Annual Bluegrass Weevil (Hyperodes) (Adult) Armyworms Billbugs (Adult) Black Turfgrass Ataenius (Adult) Centipedes Crickets Leafhoppers	Mealybugs Millipedes Pavement Ants Pillbugs Red Ants Sowbugs Weevils	3 to 6 pounds
Ants Fire Ants Fleas Imported Fire Ants Mole Crickets Ticks		6 pounds

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

Comments:

Armyworms, Cutworms, and Sod Webworms: For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

Annual Bluegrass Weevil: Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

Billbugs: Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

Back Panel

Black Turfgrass Ataenius: Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of Vanhoutte spiraea and the Horse chestnut. The July application should coincide with the blooming of Rose of Sharon.

Chinch Bugs: These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up to 0.25 inches immediately after application will result in quicker control.

Flea Larvae: These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

Imported Fire Ants: The best control will be reached by a combination of broadcast applications and mound drenching. When mound drenching, a product such as The Andersons 0.058% Granular Bifenthrin Insecticide must be used. Irrigation should be performed prior to application if the soil is not moist. For best results, apply in cool weather. The early morning or late evening hours should suffice.

Mole Cricket Adults: These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

Mole Cricket Nymphs: Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

Ticks: Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists.

Deer Ticks: These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

American Dog Ticks: These ticks tend to gather along paths or roadways where humans are likely to be found.

SPREADER DIRECTIONS

Broadcast spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread. Back Panel

Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will not appear on final printed label).

appendent on market of opredacio. (Into nete market appear on the						
Spreader	3 lbs./1,000 sq. ft.	6 lbs./1,000 sq. ft.				
aa	XX	XX				
bb	XX	XX				
CC	XX	XX				

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

DISPOSAL:

. . . .

•

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP111703/RVnot092704)

Manufactuered by: The Andersons Lawn Fertilizer Division d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

. . . .

٠

. . .

Back Panel

GreenThumb Lawn Care Program

The following represents the suggested application timing of the products listed in the Green Thumb Program. Abnormal climatic conditions can affect appropriate timing.

U.S. Climate Zones:



Contains slow release retrogen to extend teeding of the lawn.

GreenThumb Premium New Lawn Starter

•	Apply anytime balans weeking and laving and
	LINER SOC

- Apply anytime before seading and leying sod Apply anytime before seading and leying sod leying sod
- Formulated with high phosphate to encourage new grass to develop a strong root system
- Contains controlled-release nitrogen for extended feeding

GreenThumb Premium Winterizer Lawn Fertillzer

- Apply September mil October
- Apply September late October
- Apply September mid November
- Formulated for fall application to prepare your tart for winter.
- Contains slow release nitrogen to extend feeding of the lawn.

"Them is a registered trademark of Dow Agreticiences LLC Disochnes is a registered trademark of Netarn Americas Inc., Poland No. 5.200,953

9198-217 Page Grave 7

5 5 5 7 5 6 6 6 6

· · ·

1 ₹ • • - : k

3 * + 3 + - 7 + - 5 +

• · ə -

ر د د رو

••••

8/9

ۇ.م. ب بۇ

Back Panel

and a final state of a second

1

÷.,

ند : ۴

÷

Date Printed	9/27/04 notification		
Date Approved	111/117/03 Conditional		
Supersedes	New		
Label Changes Filename	Notification NY statement		
Label Code	AB/11703/RVnot092704		
		· .	
	·, · · ·		
	. •		
		· ·	
		-	
	1.1 · · · · · · · · · · · · · · · · · ·		
	· · · · · ·	· ·	
	· · · · · · · · · · · · · · · · · · ·	A	
• • •			
1		· · · · · · · · · · · · · · · · · · ·	
		· · · ·	
~			
x-:			
ਨ ਸਤੀਦਾ ਸ਼ਿੰਦ			
ें ८- इ.स. इ.स.			
			e c Lete Ge
14 14			+
10. 			· · · · ·
•			*
		* • •	3
		1 • • •	
		<u>.</u>	• ·
		· · · · ·	• •
		in a star and a star	-
		-	•
	Entropy Control of the second se		



The Andersons, Inc. P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

September 27, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs (7505C) US Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, DC 20460-0001

RE: Notification of Minor Label Change

SUBJECT: The Andersons Fertilizer with 0.039% Bifenthrin Insecticide EPA Reg. No. 9198-217

Per PR Notice 98-10 enclosed is an EPA Form 8570-1, an application notifying the Agency of a revision to the homeowner version of the labeling for the subject registration. One copy of the revised labeling is also enclosed with the additions underlined and marked in blue.

We have made the following change by notification:

- Added optional marketing statements: Spring/summer application Eliminates bugs while fertilizer your lawn Controls the following ants, armyworms, billbugs (adult), ticks, chiggers, chinch bugs, crickets, fleas, millipedes, mole crickets, sod webworms (lawn moths) & others as listed on label Provides your lawn with controlled-release nitrogen for extended feeding Apply with a broadcast or drop spreader Green Thumb quality pledge
- 2. Added optional marketing program as noted on page 6 of label

Enclosed is a card indicating the acceptance or rejection of this notification. Please complete the card and return via mail. If there are any questions or comments regarding this notification, please feel free to contact me.

	۲, ersons Lawn Fertilizer Division, Inc. مالاهلاسیه		ε ι ειτιτε ε ε ε
-		• • • •	,
Phone 3 Fax 3	nry Administrator 334-262-2766 334-265-5703	• • • • • • • • • • • • • • • • • • •	8 . 2 3
Email d	lawn_walters@andersonsinc.com	• • •	`
enclosur	es		•