



9198-226

4-12-2005

X  
7

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number: 9198-226	Date of Issuance: APR 12 2005												
		Term of Issuance: Conditional													
		Name of Pesticide Product: The Andersons Insect Killer Granulars with 0.15% Bifenthrin													
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)															
Name and Address of Registrant (include ZIP Code): The Andersons Lawn Fert. Div. Inc. d/b/a Free Flow Fert. PO Box 119 Maumee, OH 43537															
<b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.															
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.  Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.															
This product is <u>conditionally</u> registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:															
<ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.</li> <li>2. <b>Make the following labeling changes:</b> <ol style="list-style-type: none"> <li>a) Revise the EPA Registration Number to read "EPA Reg. No. 9198-226"</li> <li>b) The acute toxicity profile for "The Andersons GC 0.15% Granular Bifenthrin Insecticide" is as follows:</li> </ol> </li> </ol>															
<table> <tr> <td>Acute oral toxicity</td> <td>III</td> </tr> <tr> <td>Acute dermal toxicity</td> <td>IV</td> </tr> <tr> <td>Acute inhalation toxicity</td> <td>IV</td> </tr> <tr> <td>Primary eye irritation</td> <td>III</td> </tr> <tr> <td>Primary skin irritation</td> <td>IV</td> </tr> <tr> <td>Dermal sensitization</td> <td>Neg</td> </tr> </table>				Acute oral toxicity	III	Acute dermal toxicity	IV	Acute inhalation toxicity	IV	Primary eye irritation	III	Primary skin irritation	IV	Dermal sensitization	Neg
Acute oral toxicity	III														
Acute dermal toxicity	IV														
Acute inhalation toxicity	IV														
Primary eye irritation	III														
Primary skin irritation	IV														
Dermal sensitization	Neg														
Signature of Approving Official:  George T. LaRocca, Product Manager (13), IB/RD (7505C)		Date: Apr. 12, 2005													

Based on the acute toxicity for dermal and inhalation (toxicity category IV), you are not required to have an "*If on skin*" nor "*If inhaled*" first aid statement. You may delete the statements if you wish.

3. Submit an one year storage stability study for the proposed product under warehouse conditions along with a corrosion characteristics study. We recommended that observation be made at 0, 3, 6, 9 and 12 months intervals in the storage stability study.
4. Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

3/7

Front Panel

## The Andersons Insect Killer Granules with 0.15% Bifenthrin

This product is designed to control a variety of insects on residential lawns.

For homeowner use only.

### Optional front panel claim:

- Kills Above & Below the Surface.
- Kills Pests on Contact
- Fast Acting!
- Kills Surface & sub-surface Insects,
- also kills chinch bugs, cutworms & other listed Insects
- Ready-to-Use
- Kills ants, fleas, ticks, cutworms, chinch bugs, mole crickets & other pests
- Kills on Contact
- Kills Ants, Fleas, Brown Dog Ticks, Chinch Bugs, Armyworms
- For use on lawns & as a barrier band treatment around house foundation
- Also kills larvae of sod webworms, armyworms & cutworms
- Effective Home Barrier Treatment
- Controls home invading pests
- Controls surface and foliage feeding pests
- Multi Purpose
- Kills Bugs Fast and Lasts
- Lawn Insect Killer Granules (Product Name)
- Kills Over XX Insects
- Use on Lawn, Ornamentals and Around Homes
- Easy-To-Use Granules
- Kills Bugs Fast
- Ready-to-Spread Granules
- Ant, Flea, & Tick Killer
- For Use Outdoors on Lawns, Gardens and Around Homes & Other Listed Use Sites
- Kills ants, fleas, ticks & other listed insects
- Kills over XX types of insects including ants, fleas, chinch bugs
- Kills spiders (including black widows), cutworms, and other listed insects
- Kills invading insects above & below the ground
- Easy to use
- Kills ants, fleas, ticks
- Protects lawns and gardens
- Kills Over XX Nuisance Pests Around Homes
- Soil and Turf Insect Killer

### Active Ingredients

Bifenthrin \*..... 0.15%

Inert Ingredients..... 99.85%

Total ..... 100.00%

Cis isomers 97% minimum, trans isomers 3% maximum  
US Patent No. 4,238,505

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Weight XX.XX lbs. (XX.XX kg)  
Covers XXXX Sq. Ft.

EPA Reg. No. 9198-XXX

EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag

ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
APR 12 2005  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
9198-236

4/7

Back Panel

## The Andersons Insect Killer Granules with 0.15% Bifenthrin

Net Weight XX.XX lbs. (XX.XX kg)  
Covers XXXX Sq. Ft.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

FIRST AID	
If swallowed	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.	
Note to Physician: This product is a pyrethroid. If large amounts have been ingested, milk cream and other digestible fats and oils may increase absorption and so should be avoided.	

### READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Not to be used on golf courses, sod farms, commercial greenhouses, nurseries, or grass grown for seed.

In New York State, this product may not be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland or drainage ditch. In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

If product is watered in after application, do not allow children or pets to enter the area until dry.

This product can be used to control the following lawn insects:

Pest	Use Rate per 1,000 sq. ft.
Chiggers Chinch bugs Sod webworms (Lawn Moth)	0.7 pounds
Annual Bluegrass Weevil (Hyperodes) (Adult) Armyworms Billbugs (Adult) Black Turfgrass Ataenius (Adult) Centipedes Crickets Leafhoppers	Mealybugs Millipedes Pavement Ants Pillbugs Red Ants Sowbugs Weevils 0.7 to 1.5 pounds
Ants (including Carpenter, Red Harvester, Pavement, Odorous, Pyramid, Argentine, Pharoah and Foraging Fire Ants) Fire Ants Fleas Imported Fire Ants Mole Crickets Ticks	1.5 to 3.0 pounds

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

#### Comments:

**Armyworms, Cutworms, and Sod Webworms:** For best results, the treated area should be irrigated immediately after application with up to 0.1 inches of water to activate the insecticide.

**Annual Bluegrass Weevil:** Treatment should be made to control the adult weevils as they migrate from their overwintering sites and move into grass areas. Contact your State Cooperative Extension Service for more specific information.

**Billbugs:** Apply when adult billbugs are first observed during April and May. Consult your State Cooperative Extension Service for information on degree days and timing in your region.

**Black Turfgrass Ataenius:** Apply treatments during May and July to control both generations of adults. The May application should be made at the same time as the full bloom stage of *Vanhoutte spiraea* and the Horse chestnut. The July application should coincide with the blooming of *Rose of Sharon*.

**Chinch Bugs:** These bugs infest the base of the plant and are usually found in the thatch layer. Watering the treated area with up to 0.25 inches immediately after application will result in quicker control.

**Flea Larvae:** These larvae develop in the soil and shady areas. Irrigate the treated area with up to 0.5 inches of water immediately after application.

**Imported Fire Ants:** The best control will be reached by a combination of broadcast applications and mound drenching. Irrigation should be performed prior to application if the soil is not moist. To mound drench, apply 5/8 cup of this product per mound. Then drench the mound with 1 to 2

6/17

## Back Panel

gallons of water, with sufficient force to break the apex and allow the water and product to flow into the tunnels. Also treat a four foot diameter circle around each mound. For best results, apply in cool weather (65-80°). The early morning or late evening hours should suffice. Food utensils, such as teaspoons and measuring cups, used for pesticide application must not be used for food purposes.

**Mole Cricket Adults:** These adults can be difficult to control because of their extremely active stage in the early spring. Applications should be made as late in the day as possible and be watered up to 0.5 inches immediately after treatment. If the soil is not moist prior to application, it should be irrigated to ensure best control.

**Mole Cricket Nymphs:** Optimum control can be reached by treating young nymphs because they are more susceptible to the insecticide. Irrigate soil if it is not moist before application. Treatment should be made as late in the day as possible. Water the treated area with up to 0.5 inches directly after application.

**Ticks:** Do not make spot applications. Treat the entire area where ticks may occur. The higher application rate might be needed if heavy leaf litter or dense ground cover exists.

**Deer Ticks:** These ticks have a life cycle that ranges over a two year period and involves four life stages. Treatments should be applied in mid- to late-spring to control larvae and nymphs that are present on the soil.

**American Dog Ticks:** These ticks tend to gather along paths or roadways where humans are likely to be found.

### SPREADER DIRECTIONS

**Broadcast spreaders:** For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

**Drop Spreaders:** First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

**Important:** It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

*Note: following will be a list of application spreaders and appropriate settings. This list will vary dependent on market of spreaders. (this note will not appear on final printed label).*

Spreader	0.7 lbs./1,000 sq. ft.	1.5 lbs./1,000 sq. ft.	3.0 lbs./1,000 sq. ft.
aa	XX	XX	XX
bb	XX	XX	XX
cc	XX	XX	XX

17/17

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.  
PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.  
DISPOSAL:  
If empty: Do not reuse this container. Place in trash or offer for recycling if available.  
If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.  
Never place unused product down any indoor or outdoor drain.

**IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:**

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (APXXXXXX)

Manufactured by:  
The Andersons Lawn Fertilizer Division  
d/b/a Free Flow Fertilizer  
PO Box 119  
Maumee, OH 43537

Visit our website at {address}

---

Date Printed	1/3/05
Date Approved	
Supersedes	New
Label Changes	
Filename	0.15 bif consumer.doc
Label Code	APXXXXXX