-1/14



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

EPA Reg.	Date of Issuan
Number:	}

DEC 8 200k

NOTICE OF PESTICIDE:

x_Registration

Reregistration (under FIFRA, as amended)

Term of Issuance: conditional

Name of Pesticide Product:

9198-237

The Andersons Trifluralin 5G Herbicide

Name and Address of Registrant (include ZIP Code):

The Andersons Lawn Fertilizer Division, Inc.

d/b/a Free Flow Fertilizer

P.O. Box 119

Maumee, Ohio 43537

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) and (B) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label change:
 - a. Revise the EPA Registration Number to read: "EPA Reg. No. 9198-237."
 - b. Based on the acute toxicity profile for dermal sensitization (positive) a "Note to Physician" is required.
 - c. On page 2 of the label the "non-baring" phrase should be "non-bearing" (it's located immediately before the word "vineyards").

Joanne J. Miller

Signature of Approving Official:

Joanne I. Miller Product Manager 23 Herbicide Branch

Registration Division (7505P)

Date:

DEC 8 2006

EPA Form 8570-6

Page Number 2 EPA Reg. No. 9198-237

3. Submit one year Storage Stability (830.6317) and Corrosion Characteristics (830.6320) studies within one year of the date of this registration notice. The one year storage stability should be generated under warehouse conditions. It is also recommended that observations be made at 0, 3, 6, 9 and 12 month intervals. The corrosion characteristics study may be carried out concurrently. Submit the results electronically, if possible, along with the hard copy.

Submit one copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

The Andersons Trifluralin 5G Herbicide

Net Weight XX lbs. (XX kg) Not For Turf Use

A selective, preemergence herbicide for the control of certain annual grasses and broadleaf weeds in landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards, Container grown ornamentals, Nursery stock and Noncropland

 Active Ingredient:
 5.00%

 Other Ingredients
 95.00%

 Total
 100.00%

ACCEPTED with COMMENTS In EPA Letter Dated:

EPA Reg. No.9198-XXX EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-1A Underlined letter is first letter used in run code Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

9198-237

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

'f on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- · long-sleeved shirt and long pants
- socks and shoes

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions of Use carefully before applying.

Not for use on plants being grown for sale or commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

This product herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-baring vineyards. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 pounds per acre total of this product within a 12 month period.

This product does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate this product. Optimum weed control is obtained when this product is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, this product may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate this product within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of these product granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds controlled by this product when applied at 80 lb./acre (1.8 lb/1,000 sq. ft.)

Annual Grasses

Common Name

barley, hare

barnyardgrass (watergrass)

bluegrass, annual

brome

cheat

crabgrass

Scientific Name

Hordeum Leporinum

Echinochioa crus-galli

Poa annua

Bromus spp.

Bromus secalinus

Digitaria spp.

cupgrass, southwestern

fescue, rattail foxtail goosegrass junglerice lovegrass oat, wild

Eriochia gracilis Vulpia myuros Setania spp. Eleusine indica Echinochia colonum Eragrostis spp. Avena Fatua

panicum, fall Panicum dichotomiflorum

sandbur, field Cenchrus incertus signalgrass Brachiaria spp. sprangletop, Mexican Leptochioa univervia stink grass Eragrostis cilianensis Panicum capillare witchgrass

Annual Broadleaf Weeds

Common Name chickweed, common goosefoot, nettleleaf knotweed, prostrate

kochia

nettle, stinging pigweed purslane, common

lambsquarters, common

thistle, Russian

Scientific Name

Steliana media Chenopodium murate Polygonum aviculare

Kochia scoparia Chenopodium album

Urtica dioica Amaranthus spp. Portulaca oleracea Salsola iberica

In addition to the weeds controlled, following weeds will be partially controlled or suppressed at 80 lb./acre (1.8 lb/1,000 sq. ft.)

Common Name

carpetweed johnsongrass (from seed) panicum, Texas pulsey, Florida

Shattercane

Scientific Name

Mollugo verticillata Sorghum halepense Panicum texanum Richardia scabra Sorghum bicolor

Landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

This product is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in landscape ornamentals, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information", "General Precautions and Restrictions" and "Application Directions" sections of this label for general use precautions and information on application, application rates and weeds controlled.

GENERAL PRECAUTIONS AND RESTRICTIONS

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

To avoid possible injury, do not apply this product to:

- · cuttings that have been planted in post for the first time
- ground covers until they are established and well rooted

Do not apply this product to newly transplanted ornamentals, ground covers, flowers and non-bearing fruit and nut trees until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of this product to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply this product in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 pounds per acre total of this product within a 12 month period.

Users who wish to use this product on plant species not recommended on this label may determine suitability for such uses by making trial application of this product at a recommended rate to small number of plants. Prior to using this product on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. The user assumes responsibility for any plant damage or other liability resulting from the use of this product on plant species not recommended on this label.

APPLICATION DIRECTIONS

Apply this product using a drop, rotary-type or hand-held spreader designed to apply granular products. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur.

Application Techniques for applying this product

- When using a drop-type spreader, a splash board mounted under the hopper will provide even more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed. Apply at a rate of 1.8 lb./1,000 sq. ft. to match Example A.



Example A

• A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

This product May Be Used On the Following Established Plant Species

Trees

Scientific Name
Abies balsamea
Abies concolor
Abutilon hybridum

Common Name

Balsam fir
White fir
Albus-flowering maple
Luteus-flowering maple
Roseus-flowering maple
Tangerine-flowering maple
Vesuvius red-flowering maple
flame maple

Acer gimmala

Acer platanoides
Acer rubrum

Acer saccharinum Acer saccharum

Areacastrum romanzoffianum

Betula nigra Betula papyrifera Betula pendula

Brachychiton populneus

Bucida buceras
Castanea moltissima
Ceratonia siliqua
Cercis canadensis
Chamaecyparis obtusa

Chamaecyparis pisifera

Chamaedorea cataractarum Chamaedorea costaricana Chamaedorea elegans

Cornus florida

Cornus kousa Crataegus virdis

Cupaniopsis anacardioides

Cupressus glabra Elaeagnus angustifolia Eucalyptus camaidulensis

Eucalyptus cinerea

Eucalyptus microtheca Eucalyptus sideroxylon Ficus benjamina

Fraxinus americana Fraxinus udhei Ginko bilob

Gleditsia triacanthos

Heteromeles arbutiflora Illicium floridanum Juniperus virginiana Larix kaempferi

Liquidambar styraciflua Linodendron tulipifera Magnolia grandiflora

Malus spp. Morus alba Musa aluminata Nyssa sylvatica

Oxydendrum arboreum

Picea abies

Picea glauca conica Picea glauca Norway maple Red maple

Red sunset maple Silver maple Sugar maple Queen palm River birch Paper birch

European white birch

Bottle tree
Black olive

Chinese chestnut

Carob Redbud

Filicoides-fernspray cypress Gracilis-slender Hinoki cypress

Swara false cypress Squarrosa-moss cypress

Palm Palm Parlor palm

Cloud nine dogwood
Flowering dogwood
Dogwood, kousa
Green hawthorn
Carrot wood
Arizona cypress
Russian olive
Redgum eucalyptus
Mealy eucalyptus
Silver dollar eucalyptus

Coolibah tree Red ironbark Ficus Mini ficus White ash

Ginko-maidenhair tree

Honey locust

Shamel ash

Shademaster honey locust

Toyon

Florida anise-tree Eastern red cedar Japanese larch American sweet gum

Tuliptree

Southern mangnolia

Crabapple
white mulberry
Banana
Blackgum
Sourwood
Norway spruce

Pendula-weeping Norway spruce Repens-spreading Norway spruce

Dwarf Alberta spruce Owarf globe blue spruce Pinus aristata Pinus canariensis Pinus contorta Pinus eldarica Pinus leucodermis

Pinus mugo
Pinus nigra
Pinus radiata
Pinus resinosa
Pinus taeda
Pinus strobus
Pinus sylvestris

Pinus thunbergiana Platanus acerifolia Platanus occicentalis Platanus racemosa Podocarppus spp. Populus deltoides Prosopis chifensis Prunus vedoensis Pseudotsuga menziesil Quercus coccinea Quercus ilicifolia Quercus palustris Quercus phelfos Quercus rubra Quercus virginiana Robinia pseudoacacia

Salix spp.

Sequoiadendron giganteum

Swietenia mahogani Tabebuia caraiba Taxodium distichum Tsuga canadensis Ulmus parvifolia Washingtonia robusta

Scientific Name

Ornamental Shrubs:

Abelia grandiflora

Acacia abyssinica Acacia redolens Acalypha wikesiana Acer ginnala

Acer gillilala Acer palmatum

Agave americana
Astilbe chinensis
Athyrium nipponimcum
Baccharis pilularis
Berberis gladwynensil
Berberis mentorensis
Berberis thunbergil

Glauca-Colorado bluce spruce Hoopsil-Hoop's blue spruce Koster-Koster blue spruce

Bristlecone pine Canary island pine Shore pine, beach pine

Eldarica pine Bosnian pine

Purnilio-shrubby swiss mountain pine

Austrian black pine Monterey pine Red pine Lobiolly pine White pine

Columnar Scotch pine

Scotch pine

Japenese black pine London planetree American sycamore California sycamore

Podocarpus Cottonwood Chilean mesquite

Yoshino flowering cherry

Douglasfir Scarlet oak Bear oak Pin oak willow oak Red oak Live oak Black locust Willow

Giant sequoia
Mahogany
Yellow tab
Baldcypress
Eastern hemlock
Chinese palm
Mexican fan palm

Common Name

Edward Goucher abelia

Glossy abelia Abyssinica acacia Prostrate acacia Copper leaf Amur maple

Coral bark Japanese maple Dwarf Japanese maple

Century plant False spiraea

Japanese painted fern

Coyotebush

William Penn barberry

Mentor Barberry

Atropurea-redleaf Japanese barberry

Bougainvillea spp.

Buxus microphylla japonica
Buxus microphylla Koreana
Buxus sempervirens
Callistemon citrinus
Callistemon viminalis
Calluna vulgaris
Camellia sasanriqiua
Camellia japonica
Cassia artemisioides
Ceanothus spp.
Cephalotaxus drupacae
Cerastium tomentosum
Chamaecyparis obtusa spp.

Chamaecyparis pisifera Chrysalidocarpus lutescens Clethra ainifolia Cleyera Japonica Cornus aiba Cornus stolonifera

Cotinus coggygria Cotinus dammeri

Cotoneaster adpressus Cotoneaster apiculatus Cotoneaster congestus Cotoneaster dammeri Cotoneaster himalayan Cotoneaster horizontalis Cotoneaster zabelii Cycas revoluta Cytisus praecox Cytisus scoparius Daphne odora Deutzia spp. Dodonea viscosa Elaeagnus pungens Erica cinerea Erica x darleyensa Erica vagans Euonymus alatus Euonymus fortunei

Euonymus Japonica

Aurea-golden Japanese barberry Crimson pygmy barberry Rose glow barberry Barbara Karst California gold Pink pixie Scarlet O'Hara Temple fire Texas dawn

Japenese boxwood Korean boxwood Common boxwood Lemon bottlebrush Weeping bottlebrush Spring torch scotch heather

Sasanqua camellia Japanese camellia Feathery cassia Wild lilac

Plum yew Snow-in-summer Kosteri cypress

Nana-dwarf Hinoki cypress

Torulosa cypress Filifera-thread cypress

Areca palm Summersweet Japanese cleyera

Sibirica-Siberian dogwood Baileyi red osier dogwood Flaviramea-yellowing dogwood

Royal purple smoke tree Coral beauty smoke tree Eichhotz smoke tree Praecox-early cotoneaster Cranberry cotoneaster Pyrenees cotoneaster Bearberry cotoneaster Himalayan cotoneaster Rock cotoneaster Zabel cotoneaster

Sago palm

Hollandia-warminster broom

Lena-Scotch broom Fragrant Daphne

Deutzia

Hopseed bush Fruitland silver berry Purple bell heather

Mediterranean pink heather

Cornish heather
Winged euonymus
Canadale gold euonymus
Emerald'n gold euonymus
Sunspot euonymus
Wintercreeper euonymus

Silver king-euonymus

Euonymous kiautschovica

Feijoa sellowiana Forsythia spp.

Gardenia jasminoides

Gaultheria shallon

Gelsemium sempervirens

Genista pilosa

Hibiscus rosa-sinensis

Hibiscus syriacus

ilex spp.

Illicium annisatum

itea ilicifolia Ixora colinea Juniperus spp. Kalmia latifolia

Lagerstroemia indica Lantana spp.

Leucothoe axillaris Ligustrum spp. Livistona chinensis Lonicera periclymenum

Lonicera sempervirens

Mahonia bealei Mahonia repens Myrica cerifera Nandina domestica

Nerium oleander

Osmanthus fortunei Philadelphus spp. Phoenix roeloelenii Photinia fraseri Pieris japonica

Pieris janonica x forestii

Pinus mugo

Pittosporum tobira

Plumbago ariculata Plumbago capensis Variegated evergreen euonymus

Spreading euonymus Pineapple guava

Forsythia

August beauty gardenia

Gardenia

Radician gardenia Salal/lemon leaf Carolina jessamine

Woadwaxen

Ross Estey-hibiscus Rose of Sharon-heart Rose of Sharon-red bird Rose of Sharon-woodbridge

Holly

Mystery gardenia

Henry Garnet holly leaf sweetspire

Ixora
Juniper
Mountain laurel
Crape myrtle
Lantana

Coast Leucotheoe

Privet

Chinese fountain palm Flowering woodbine Serotina woodbine Trumpet honeysuckle Leather leaf Mahonia Creeping mahonia

Wax myrtle

Compata-dwarf heavenly bamboo Harbour dwarf-heavenly bamboo

Heavenly bamboo

Nana compacta-heavenly bamboo Nana purpurea-heavenly bamboo Woods dwarf heavenly bamboo

Hardy red oleander

Oleander

Ruby lace oleander Fortunes osmanthus

Mockorange Pigmy date palm Fraser's photinia Japanese andromeda

Mountain fire lily-of-the-valley Snowdrift lily-of-the-valley Templebells lily-of-the-valley Valley rose lily-of-the-valley Valley valentine lily-of-the-valley Forest flame lily-of-the-valley

Mugo-mugha pine
Green pittosporum

Japanese pittosporum Wheeler's dwarf pittosporum

Blue cape plumbago

Plumbago

Podocarpus macrophilus Polystichum polyblepharum Potentilla spp. Prunus caroliniana Prunus gladulosa Pyracantha spp. Rhaphiolepis indica

Rhaphiolepis ovata Rhododendron spp. Rhus lancea Rosa rugosa Rosmarinus officinalis Skimmia japonica Skimmia revesiana Spiraea Bumaida Spiraea japonica

Spiraea vanhouttil Syringa rothomagensis Syringa vulgaris Taxus cuspidata Tecomaria capensis Temstoemia gymnanthera Thuja occidentalis

Thuja orientalis

Veitchia merrilli Viburnum spp. Weigela spp. Xylosma congestum Yucca filamentosa

ad

Ground Covers:

Achillea tomentosa Agapanthus spp.

Scientific Name

Ammonphila breviligulata Arctotheca calendula Armeria maritima Asparagus densiflorus Campanula spp.

Carex spp.

Carpobrotus edulis

Ceratostigma plumbaginoides

Cistus spp. Coreopsis spp. Coronilia varia Yewpine Tassel fern Cinquefoil

Carolina laurel cherry

Dwarf pink flowering almond

Pyracantha

Charisma-Monruce rhaphiolepis Enchantress-Moness rhapiolepis

India hawthorn

Springtime-Monme rhaphiolepis

Roundleaf rhaphiolepis Azalea/rhododendron

Africa sumac Ramanas Rose Rosemary

Japanese Skimmia Reeve's skimmia

Anthony Waterer spiraea

Dolchia spiraea

Japanese alpine spiraea Shirobana spiraea Bridal wreath

Chinese lilac Common lilac

Upright Japanese yew Cape honeysuckle

American arborvitae
Emerald arborvitae
Globosa-giobe arborvitae
Little giant-dwarf arborvitae
Nigra-dark American arborvitae
Pyramidalis-pyramid arborvitae

Rheingold arborvitae Techny arborvitae

Aureus nana-dwarf golden arborvitae Minima glauca-dwarf arborvitae

Christmas palm Viburnum Weigela Xylosma Yucca

Common Name

Wooly yarrow Lily-of-the-nile Beechgrass Cape weed Thrift

Asparagus fern Beliflower

Variegated carex Largeleaf iceplant Dwarf plumbago

Rockrose Coreopsis Crown vetch Cortaderia seiloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosantemum floribundum Drosantheumum hispidum Festuca ovina glauca Fragaria chiloensis Gazania spp. Hakonechioa macroaureola Hedera canariensis Hedera helix Hemerocallis spp. Hemiaria glabra Hosta lancifoila Hypericum spp.

Jasminum nitidum Lampranthus spectabilis Liriope gigantea Liriope muscari

Liriope spicata Miscanthus sinensis Muehlenbeckia axillaris Myoporum laetum Ophiopogon japonicus

Osteospermum fruticosum Pachysandra terminalis Pennisetum alopecuroides Phalaris arundinacea picta Sedum spp. Teucrium chamaedrys Trachelospermum asiaticum Verbena spp. Veronica spp. Vinca spp.

Established Flowers:

Ageratum houstonianum Alyssum spp. Antirrhinum majus Arctotis spp. Artemisis stellerana Aster spp. Calendula officianalis Centaurea cyanus

Scientific Name Achillea spp. Centaurea gymnocarpa Chrysanthemum spp. Convolvulus spp. Coreopsis spp. Cosmos spp.

Parrpas grass Cotoneaster White iceplant Descampsia Trailing rosea iceplant Iceplant Blue fescue Strawberry beach Gazania Golden Hakonechioa Algerian Ivy English ivy Daylilly Rupturewort Albo-marginata hosta Aaronsbeard St. Johnswort Angelwing jasmine Trailing iceplant white lily turf Big blue lily turf Lilac beauty lily turf Magestic lily turf Silvery sunproof lily turf Variegated liriope lily turf Green/creeping lily turf Eulalia grass Creeping wirevine Myoporum Dwarf mondo grass Mondo grass Trailing African daisy Japanese spurge Fountain grass Ribbon grass Stonecrop (sedum) Germander Asalan jasmine Verbena Speedwell Periwinkle

Common Name

Yarrow Floss Flower Alvssum Snapdragon African daisey **Dusty miller** Aster (perennial) Calendula Cornflower Velvet centaurea Chrysanthemum Morningalory Coreopsis Cosmos

Dahlia spp. Dianthus spp. Dimorphotheca spp. Euphorbia marginata

Geum spp. Gaillardia spp. Gladiolus spp. Gypsophila paniculata Helianthus spp. Impatiens balsamina

Impatiens spp. Ixora spp. Lathyrus odoratus Limonium spp. Lobelia spp.

Lobularia maritima

Lupinus spp. Matthiola spp. Mirabilis jalapa Myosotis app. Nicotiana spp. Papaver spp.

Petunia hybrida Phiox spp.

Portulaca grandiflora Rosa spp.

Rudbeckia hirta Rudbeckia laciniata Salvia spp.

Scabiosa spp. Stachy's spp. Stokesia laevis Tagetes spp. Tropaeolum spp. Vinca spp.

Zinnea spp.

Dahlia Dianthus Marigold, cape

Snow-on-the-mountain

Geum Gaillardia Gladiolus Baby's breath Sunflower Balsam Impatiens хога Sweet pea Statice Lobelia

Sweet alyssum

Lupine Stock Four o'clock Forget-me-not Nicotiana

Poppy, California

Petunia Phiox Portulaca Rose

Blackeyed Susan Golden glow

Salvia

Pincushion flower Lamb's ears Stoke's aster Marigold Nasturtium Vinca Zinnia

Ornamental Bulbs

This product may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply this product to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. This product may also be applied following bulb emergence. For fall planted bulbs, apply this product again in late winter or early spring to weed-free soil surfaces.

Non-bearing fruit and Nut Trees and Non-bearing Vineyards¹

Common Name Common Name Almond Kiwi Apple Lemon **Apricot** Loganberry

Avocado Macadamia Nut Blackberry Nectarine Blueberry Olive Boysenberry Orange Cherry, sour Peach Cherry, sweet Pear Currant Pecan Dewberry Pistachio

Elderberry

Plum

Fig Filbert Gooseberry Pomegranate Prune

Grape, American Grape, European Raspberry Walnut, black Walnut, English

Grapefruit

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (APXXXXX)

Manufactured by: The Andersons Lawn Fertilizer Division PO Box 119 Maumee, OH 43537

'isit our website at www.AndersonsLawnProducts.com

The Andersons logo is a registered trademark of The Andersons Agriservices, Inc.; Professional Turf is a trademark of The Andersons Agriservices, Inc.

Date Printed:	8/17/06
Date Approved:	New
Supersedes:	New
Label Change:	
Filename:	5g trifluralin.doc
Label code	APXXXXX

¹ Non-bearing fruit and nut trees and non-bearing vineyards are defined as plants which will not bear fruit for at least one year after treatment