

9198-237

2-15-2008

1/16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Dawn L. Walters
Regulatory Administrator
The Andersons Lawn Fertilizer Division, Inc.
d/b/a Free Flow Fertilizer
PO Box 119
Maumee, OH 43537

FEB 15 2008

RE: Notification to Revise Warranty Statement
EPA Registration Number: 9198-237
Date of Submission: January 17, 2008

Dear Ms. Walters:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, January 17, 2008, for the product, The Andersons Weed & Grass Preventer with 5% Trammel Herbicide (Dispersible Granules). The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-237	2. EPA Product Manager Kraft	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Andersons Weed & Grass Preventer with 5% Trammel Herbicide (Dispersible Granules)	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

FEB 15 2008

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Label change per PR Notice 98-10: Revised warranty per EPA guidance. See cover letter for details.

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container		
3. Location of Net Contents Information		4. Size(s) Retail Container		5. Location of Label Directions	
<input type="checkbox"/> Label <input type="checkbox"/> Container				<input type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product					
<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dawn L. Walters	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-897-6790
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped) _____
2. Signature 	3. Title Regulatory Administrator	
4. Typed Name Dawn L. Walters	5. Date 1/17/08	

The Andersons Weed & Grass Preventer with 5% Trammel Herbicide (Dispersible Granules)

Net Weight XX lbs. (XX kg)
Not For Turf Use

A selective, preemergence herbicide for the control of certain annual grasses and broadleaf weeds in landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards, Container grown ornamentals, Nursery stock and Noncropland

Active Ingredient:	
Trifluralin	5.00%
Other Ingredients	95.00%
Total	100.00%

EPA Reg. No.9198-237
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-1A
Underlined letter is first letter used in run code

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- socks and shoes

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

NOTIFICATION
FEB 15 2008

4/16

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions of Use carefully before applying.

Not for use on plants being grown for sale or commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose of as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

This product herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 pounds per acre total of this product within a 12 month period.

This product does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate this product. Optimum weed control is obtained when this product is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, this product may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate this product within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of these product granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds controlled by this product when applied at 80 lb./acre (1.8 lb/1,000 sq. ft.)


Annual Grasses

Common Name

- barley, hare
- barnyardgrass (watergrass)
- bluegrass, annual
- brome
- cheat
- crabgrass

Scientific Name

- Hordeum Leporinum
- Echinochloa crus-galli
- Poa annua
- Bromus spp.
- Bromus secalinus
- Digitaria spp.



cupgrass, southwestern	Eriochia gracilis
fescue, rattail	Vulpia myuros
foxtail	Setaria spp.
goosegrass	Eleusine indica
junglerice	Echinochloa colonum
lovegrass	Eragrostis spp.
oat, wild	Avena Fatua
panicum, fall	Panicum dichotomiflorum
sandbur, field	Cenchrus incertus
signalgrass	Brachiaria spp.
sprangletop, Mexican	Leptochloa univervia
stink grass	Eragrostis cilianensis
witchgrass	Panicum capillare

Annual Broadleaf Weeds

Common Name	Scientific Name
chickweed, common	Stellaria media
goosefoot, nettleleaf	Chenopodium murale
knotweed, prostrate	Polygonum aviculare
kochia	Kochia scoparia
lambsquarters, common	Chenopodium album
nettle, stinging	Urtica dioica
pigweed	Amaranthus spp.
purslane, common	Portulaca oleracea
thistle, Russian	Salsola iberica

In addition to the weeds controlled, following weeds will be partially controlled or suppressed at 80 lb./acre (1.8 lb/1,000 sq. ft.)

Common Name	Scientific Name
carpetweed	Mollugo verticillata
johnsongrass (from seed)	Sorghum halepense
panicum, Texas	Panicum texanum
pulsey, Florida	Richardia scabra
Shattercane	Sorghum bicolor

Landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards.

This product is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in landscape ornamentals, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information", "General Precautions and Restrictions" and "Application Directions" sections of this label for general use precautions and information on application, application rates and weeds controlled.

GENERAL PRECAUTIONS AND RESTRICTIONS

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

To avoid possible injury, do not apply this product to:

- cuttings that have been planted in post for the first time
- ground covers until they are established and well rooted

Do not apply this product to newly transplanted ornamentals, ground covers, flowers and non-bearing fruit and nut trees until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of this product to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply this product in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 pounds per acre total of this product within a 12 month period.


Users who wish to use this product on plant species not recommended on this label may determine suitability for such uses by making trial application of this product at a recommended rate to small number of plants. Prior to using this product on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. **The user assumes responsibility for any plant damage or other liability resulting from the use of this product on plant species not recommended on this label.**

APPLICATION DIRECTIONS

Apply this product using a drop, rotary-type or hand-held spreader designed to apply granular products. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur.

Application Techniques for applying this product

- When using a drop-type spreader, a splash board mounted under the hopper will provide even more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed. Apply at a rate of 1.8 lb./1,000 sq. ft. to match Example A.



Example A

- A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

This product May Be Used On the Following Established Plant Species

Trees	<u>Scientific Name</u>	<u>Common Name</u>
	Abies balsamea	Balsam fir
	Abies concolor	White fir
	Abutilon hybridum	Albus-flowering maple
		Luteus-flowering maple
		Roseus-flowering maple
		Tangerine-flowering maple
		Vesuvius red-flowering maple
	Acer ginnala	flame maple

Acer platanoides
Acer rubrum

Acer saccharinum
Acer saccharum
Areacastrum romanzoffianum
Betula nigra
Betula papyrifera
Betula pendula
Brachychiton populneus
Bucida buceras
Castanea moltissima
Ceratonia siliqua
Cercis canadensis
Chamaecyparis obtusa

Chamaecyparis pisifera

Chamaedorea cataractarum
Chamaedorea costaricana
Chamaedorea elegans
Cornus florida

Cornus kousa
Crataegus virdis
Cupaniopsis anacardioides
Cupressus glabra
Elaeagnus angustifolia
Eucalyptus camaidulensis
Eucalyptus cinerea

Eucalyptus microtheca
Eucalyptus sideroxylon
Ficus benjamina

Fraxinus americana
Fraxinus udhei
Ginko bilob
Gleditsia triacanthos

Heteromeles arbutiflora
Illicium floridanum
Juniperus virginiana
Larix kaempferi
Liquidambar styraciflua
Linodendron tulipifera
Magnolia grandiflora
Malus spp.
Morus alba
Musa aluminata
Nyssa sylvatica
Oxydendrum arboreum
Picea abies

Picea glauca conica
Picea glauca

Norway maple
Red maple
Red sunset maple
Silver maple
Sugar maple
Queen palm
River birch
Paper birch
European white birch
Bottle tree
Black olive
Chinese chestnut
Carob
Redbud
Filicoides-fernspray cypress
Gracilis-slender Hinoki cypress
Swara false cypress
Squarrosa-moss cypress
Palm
Palm
Parlor palm
Cloud nine dogwood
Flowering dogwood
Dogwood, kousa
Green hawthorn
Carrot wood
Arizona cypress
Russian olive
Redgum eucalyptus
Mealy eucalyptus
Silver dollar eucalyptus
Coolibah tree
Red ironbark
Ficus
Mini ficus
White ash
Shamel ash
Ginko-maidenhair tree
Honey locust
Shademaster honey locust
Toyon
Florida anise-tree
Eastern red cedar
Japanese larch
American sweet gum
Tuliptree
Southern mangnolia
Crabapple
white mulberry
Banana
Blackgum
Sourwood
Norway spruce
Pendula-weeping Norway spruce
Repens-spreading Norway spruce
Dwarf Alberta spruce
Dwarf globe blue spruce

9/14

Pinus aristata
Pinus canariensis
Pinus contorta
Pinus eldarica
Pinus leucodermis
Pinus mugo
Pinus nigra
Pinus radiata
Pinus resinosa
Pinus taeda
Pinus strobus
Pinus sylvestris

Pinus thunbergiana
Platanus acerifolia
Platanus occidentalis
Platanus racemosa
Podocarpus spp.
Populus deltoides
Prosopis chifensis
Prunus yedoensis
Pseudotsuga menziesii
Quercus coccinea
Quercus ilicifolia
Quercus palustris
Quercus phellos
Quercus rubra
Quercus virginiana
Robinia pseudoacacia
Salix spp.
Sequoiadendron giganteum
Swietenia mahogany
Tabebuia caraiba
Taxodium distichum
Tsuga canadensis
Ulmus parvifolia
Washingtonia robusta

Glauca-Colorado blue spruce
Hoopsil-Hoop's blue spruce
Koster-Koster blue spruce
Bristlecone pine
Canary island pine
Shore pine, beach pine
Eldarica pine
Bosnian pine
Purnilio-shrubby swiss mountain pine
Austrian black pine
Monterey pine
Red pine
Lobiolly pine
White pine
Columnar Scotch pine
Scotch pine
Japenese black pine
London planetree
American sycamore
California sycamore
Podocarpus
Cottonwood
Chilean mesquite
Yoshino flowering cherry
Douglasfir
Scarlet oak
Bear oak
Pin oak
willow oak
Red oak
Live oak
Black locust
Willow
Giant sequoia
Mahogany
Yellow tab
Baldcypress
Eastern hemlock
Chinese palm
Mexican fan palm

**Ornamental
Shrubs:**

Scientific Name

Abelia grandiflora
Acacia abyssinica
Acacia redolens
Acalypha wikesiana
Acer ginnala
Acer palmatum
Agave americana
Astilbe chinensis
Athyrium nipponimcum
Baccharis pilularis
Berberis gladwynensis
Berberis mentorensis
Berberis thunbergii

Common Name

Edward Goucher abelia
Glossy abelia
Abyssinica acacia
Prostrate acacia
Copper leaf
Amur maple
Coral bark Japanese maple
Dwarf Japanese maple
Century plant
False spiraea
Japanese painted fern
Coyotebush
William Penn barberry
Mentor Barberry
Atropurea-redleaf Japanese barberry

Bougainvillea spp.

Buxus microphylla japonica
Buxus microphylla Koreana
Buxus sempervirens
Callistemon citrinus
Callistemon viminalis
Calluna vulgaris
Camellia sasanquifolia
Camellia japonica
Cassia artemisioides
Ceanothus spp.
Cephalotaxus drupacea
Cerastium tomentosum
Chamaecyparis obtusa spp.

Chamaecyparis pisifera
Chrysalidocarpus lutescens
Clethra alnifolia
Cleyera Japonica
Cornus aiba
Cornus stolonifera

Cotinus coggygria
Cotinus dammeri

Cotoneaster adpressus
Cotoneaster apiculatus
Cotoneaster congestus
Cotoneaster dammeri
Cotoneaster himalayan
Cotoneaster horizontalis
Cotoneaster zabelii
Cycas revoluta
Cytisus praecox
Cytisus scoparius
Daphne odora
Deutzia spp.
Dodonea viscosa
Elaeagnus pungens
Erica cinerea
Erica x darleyensis
Erica vagans
Euonymus alatus
Euonymus fortunei

Euonymus Japonica

Aurea-golden Japanese barberry
Crimson pygmy barberry
Rose glow barberry
Barbara Karst
California gold
Pink pixie
Scarlet O'Hara
Temple fire
Texas dawn
Japanese boxwood
Korean boxwood
Common boxwood
Lemon bottlebrush
Weeping bottlebrush
Spring torch scotch heather
Sasanqua camellia
Japanese camellia
Feathery cassia
Wild lilac
Plum yew
Snow-in-summer
Kosteri cypress
Nana-dwarf Hinoki cypress
Torulosa cypress
Filifera-thread cypress
Areca palm
Summersweet
Japanese cleyera
Sibirica-Siberian dogwood
Baileyi red osier dogwood
Flaviramea-yellowing dogwood
Royal purple smoke tree
Coral beauty smoke tree
Eichholtz smoke tree
Praecox-early cotoneaster
Cranberry cotoneaster
Pyrenees cotoneaster
Bearberry cotoneaster
Himalayan cotoneaster
Rock cotoneaster
Zabel cotoneaster
Sago palm
Hollandia-warminster broom
Lena-Scotch broom
Fragrant Daphne
Deutzia
Hopseed bush
Fruitland silver berry
Purple bell heather
Mediterranean pink heather
Cornish heather
Winged euonymus
Canadale gold euonymus
Emerald'n gold euonymus
Sunspot euonymus
Wintercreeper euonymus
Silver king-euonymus

Euonymus kiautschovica
Feijoa sellowiana
Forsythia spp.
Gardenia jasminoides

Gaultheria shallon
Gelsemium sempervirens
Genista pilosa
Hibiscus rosa-sinensis
Hibiscus syriacus

ilex spp.
Illicium annisatum
itea ilicifolia
Ixora colinea
Juniperus spp.
Kalmia latifolia
Lagerstroemia indica
Lantana spp.
Leucothoe axillaris
Ligustrum spp.
Livistona chinensis
Lonicera periclymenum

Lonicera sempervirens
Mahonia bealei
Mahonia repens
Myrica cerifera
Nandina domestica

Nerium oleander

Osmanthus fortunei
Philadelphus spp.
Phoenix roeloelenii
Photinia fraseri
Pieris japonica

Pieris japonica x forestii
Pinus mugo
Pittosporum tobira

Plumbago ariculata
Plumbago capensis

Variegated evergreen euonymus
Spreading euonymus
Pineapple guava
Forsythia
August beauty gardenia
Gardenia
Radician gardenia
Salal/lemon leaf
Carolina jessamine
Woadwaxen
Ross Estey-hibiscus
Rose of Sharon-heart
Rose of Sharon-red bird
Rose of Sharon-woodbridge
Holly
Mystery gardenia
Henry Garnet holly leaf sweetspire
Ixora
Juniper
Mountain laurel
Crape myrtle
Lantana
Coast Leucothoe
Privet
Chinese fountain palm
Flowering woodbine
Serotina woodbine
Trumpet honeysuckle
Leather leaf Mahonia
Creeping mahonia
Wax myrtle
Compacta-dwarf heavenly bamboo
Harbour dwarf-heavenly bamboo
Heavenly bamboo
Nana compacta-heavenly bamboo
Nana purpurea-heavenly bamboo
Woods dwarf heavenly bamboo
Hardy red oleander
Oleander
Ruby lace oleander
Fortunes osmanthus
Mockorange
Pigmy date palm
Fraser's photinia
Japanese andromeda
Mountain fire lily-of-the-valley
Snowdrift lily-of-the-valley
Templebells lily-of-the-valley
Valley rose lily-of-the-valley
Valley valentine lily-of-the-valley
Forest flame lily-of-the-valley
Mugo-mugha pine
Green pittosporum
Japanese pittosporum
Wheeler's dwarf pittosporum
Blue cape plumbago
Plumbago



Podocarpus macrophilus
Polystichum polyblepharum
Potentilla spp.
Prunus caroliniana
Prunus gladulosa
Pyracantha spp.
Raphiolepis indica

Raphiolepis ovata
Rhododendron spp.
Rhus lancea
Rosa rugosa
Rosmarinus officinalis
Skimmia japonica
Skimmia revesiana
Spiraea Bumaida
Spiraea japonica

Spiraea vanhouttil
Syringa rothomagensis
Syringa vulgaris
Taxus cuspidata
Tecomaria capensis
Temstoemia gymnanthera
Thuja occidentalis

Thuja orientalis

Veitchia merrilli
Viburnum spp.
Weigela spp.
Xylosma congestum
Yucca filamentosa

Yewpine
Tassel fern
Cinquefoil
Carolina laurel cherry
Dwarf pink flowering almond
Pyracantha
Charisma-Monruce raphiolepis
Enchantress-Moness raphiolepis
India hawthorn
Springtime-Monme raphiolepis
Roundleaf raphiolepis
Azalea/rhododendron
Africa sumac
Ramanas Rose
Rosemary
Japanese Skimmia
Reeve's skimmia
Anthony Waterer spiraea
Dolchia spiraea
Japanese alpine spiraea
Shirobana spiraea
Bridal wreath
Chinese lilac
Common lilac
Upright Japanese yew
Cape honeysuckle

American arborvitae
Emerald arborvitae
Globosa-globe arborvitae
Little giant-dwarf arborvitae
Nigra-dark American arborvitae
Pyramidalis-pyramid arborvitae
Rheingold arborvitae
Techny arborvitae
Aureus nana-dwarf golden arborvitae
Minima glauca-dwarf arborvitae
Christmas palm
Viburnum
Weigela
Xylosma
Yucca

**Ground
Covers:**

Scientific Name
Achillea tomentosa
Agapanthus spp.
Ammonphila breviligulata
Arctotheca calendula
Armeria maritima
Asparagus densiflorus
Campanula spp.
Carex spp.
Carpobrotus edulis
Ceratostigma plumbaginoides
Cistus spp.
Coreopsis spp.
Coronilia varia

Common Name

Woolly yarrow
Lily-of-the-nile
Beechgrass
Cape weed
Thrift
Asparagus fern
Bellflower
Variegated carex
Largeleaf iceplant
Dwarf plumbago
Rockrose
Coreopsis
Crown vetch

Cortaderia seiloana
Cotoneaster spp.
Delosperma alba
Descampsia caespitosa
Drosantheum floribundum
Drosantheum hispidum
Festuca ovina glauca
Fragaria chiloensis
Gazania spp.
Hakonechioa macroaureola
Hedera canariensis
Hedera helix
Hemerocallis spp.
Hemiaria glabra
Hosta lancifolia
Hypericum spp.

Jasminum nitidum
Lampranthus spectabilis
Liriope gigantea
Liriope muscari

Liriope spicata
Miscanthus sinensis
Muehlenbeckia axillaris
Myoporum laetum
Ophiopogon japonicus

Osteospermum fruticosum
Pachysandra terminalis
Pennisetum alopecuroides
Phalaris arundinacea picta
Sedum spp.
Teucrium chamaedrys
Trachelospermum asiaticum
Verbena spp.
Veronica spp.
Vinca spp.

Parrpas grass
Cotoneaster
White iceplant
Descampsia
Trailing rosea iceplant
Iceplant
Blue fescue
Strawberry beach
Gazania
Golden Hakonechioa
Algerian ivy
English ivy
Daylilly
Rupturewort
Albo-marginata hosta
Aaronsbeard
St. Johnswort
Angelwing jasmine
Trailing iceplant
white lily turf
Big blue lily turf
Lilac beauty lily turf
Magestic lily turf
Silvery sunproof lily turf
Variegated liriope lily turf
Green/creeping lily turf
Eulalia grass
Creeping wirevine
Myoporum
Dwarf mondo grass
Mondo grass
Trailing African daisy
Japanese spurge
Fountain grass
Ribbon grass
Stonecrop (sedum)
Germander
Asalan jasmine
Verbena
Speedwell
Periwinkle

**Established
Flowers:**

Scientific Name

Achillea spp.
Ageratum houstonianum
Alyssum spp.
Antirrhinum majus
Arctotis spp.
Artemisis stellerana
Aster spp.
Calendula officianalis
Centaurea cyanus
Centaurea gymnocarpa
Chrysanthemum spp.
Convolvulus spp.
Coreopsis spp.
Cosmos spp.

Common Name

Yarrow
Floss Flower
Alyssum
Snapdragon
African daisey
Dusty miller
Aster (perennial)
Calendula
Cornflower
Velvet centaurea
Chrysanthemum
Morningglory
Coreopsis
Cosmos

Dahlia spp.	Dahlia
Dianthus spp.	Dianthus
Dimorphotheca spp.	Marigold, cape
Euphorbia marginata	Snow-on-the-mountain
Geum spp.	Geum
Gaillardia spp.	Gaillardia
Gladiolus spp.	Gladiolus
Gypsophila paniculata	Baby's breath
Helianthus spp.	Sunflower
Impatiens balsamina	Balsam
Impatiens spp.	Impatiens
Ixora spp.	Ixora
Lathyrus odoratus	Sweet pea
Limonium spp.	Statice
Lobelia spp.	Lobelia
Lobularia maritima	Sweet alyssum
Lupinus spp.	Lupine
Matthiola spp.	Stock
Mirabilis jalapa	Four o'clock
Myosotis spp.	Forget-me-not
Nicotiana spp.	Nicotiana
Papaver spp.	Poppy, California
Petunia hybrida	Petunia
Phlox spp.	Phlox
Portulaca grandiflora	Portulaca
Rosa spp.	Rose
Rudbeckia hirta	Blackeyed Susan
Rudbeckia laciniata	Golden glow
Salvia spp.	Salvia
Scabiosa spp.	Pincushion flower
Stachys spp.	Lamb's ears
Stokesia laevis	Stoke's aster
Tagetes spp.	Marigold
Tropaeolum spp.	Nasturtium
Vinca spp.	Vinca
Zinnia spp.	Zinnia

Ornamental Bulbs

This product may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply this product to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. This product may also be applied following bulb emergence. For fall planted bulbs, apply this product again in late winter or early spring to weed-free soil surfaces.


Non-bearing fruit and Nut Trees and Non-bearing Vineyards¹

Common Name

- Almond
- Apple
- Apricot
- Avocado
- Blackberry
- Blueberry
- Boysenberry
- Cherry, sour
- Cherry, sweet

Common Name

- Kiwi
- Lemon
- Loganberry
- Macadamia Nut
- Nectarine
- Olive
- Orange
- Peach
- Pear





The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

January 17, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE: Notification of Minor Label Change
SUBJECT: The Andersons Weed & Grass Preventer with 5% Trammel Herbicide
(Dispersible Granules), EPA Reg. No. 9198-237

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. A copy of the revised labeling is enclosed with the additions underlined and marked in blue and deletions marked in red strikeout.

We are proposing to revise the warranty statement per Agency's Guidance on Warranty Statements, dated October 10, 2006.

Previous warranty:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

Revised warranty:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

If there are any questions or comments regarding this notification, please contact me.

Sincerely,
The Andersons Lawn Fertilizer Division, Inc.

Dawn L. Walters

Dawn L. Walters
Regulatory Administrator
Phone: 419-897-6790
Email: dawn_walters@andersonsinc.com

Enclosures

15/16

III. Fertilizer Grades:

Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅, and K₂O include the following:

16-0-9	22-4-11	26-4-4	30-4-4
19-6-8	23-3-7	26-4-6	32-3-3
22-3-3	25-3-3	28-0-3	32-4-8
22-3-6	25-4-8	29-3-4	24-4-8
22-3-17	26-3-6	30-3-3	

IV. Advertising claims which may be presented on the container label, advertisements and/or promotional brochures for subregistered products.

- This product is a premium grade herbicide & plant nutrient combination which controls a wide spectrum of broadleaf weeds while providing both fast and long lasting feeding action.
- Combination of 4 active ingredients enhances speed of herbicide activity.
- Superior cool season performance.
- Controls tough broadleaf weeds.