

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 7 2008

Ms. Clair Engelbert Product Registration The Andersons Lawn Fert. Div., Inc PO Box 119 Maumee, OH 43537

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request General Label Change

EPA Reg. No. 9198-237

Application Dated September 15, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 09/15/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P) &

Office of Pesticide Programs

Please read instructions on reverse before completing form.	Form Approved. OMB No. 2070-0060, Approval expires 2-28-95
United States Environmental Protection Washington, DC 204	Registration OPP Identifier Number On Agency Amendment
Application	on for Pesticide - Section I
1. Company/Product Number 9198-237	2. EPA Product Manager 3. Proposed Classification Miller None Restricted
4. Company/Product (Name) The Andersons Weed & Grass Preve 5% Trammel Herbicide (Dispersing G	enter with PM#
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fertilizer Division, Inc. d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537 Check if this is a new address	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOV 7 200/ Product Name
	Section - II
made to the labeling or the confidential statement of formula of this product.	requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in
	Section - III
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No No If "Yes" No, per	Water Soluble Packaging 2. Type of Container Yes No No If "Yes" No. per 2. Type of Container Metal Plastic Glass Paper
* Certification must be submitted Unit Packaging wgt. No. per Unit Packaging wgt.	Package wgt container Other (Specify)
3. Location of Net Contents Information 4. Size(s) Re Label Container	ptail Container 20-1000 lbs. State Container State Container Conta
	Section - IV
Contact Point (Complete items directly below for identification Name Clair Engelbert	ron of individual to be contacted, if negessary, to process this application.) Title Telephone Nດ. (ເກີດເພde Area Code) Product Development Technitian
Certificate I certify that the statements I have made on this form and I acknowledge that any knowlingly false or misleading state both under applicable law.	d all attachments thereto are true, eccurate and completed attachment may be punishable by fine or imprisonment or "(Stomped)
2. Signature Clein Engelle	3. Title Product Development Technitian
4. Typed Name Clair Engelbert	5. Date 09/15/08



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

September 15, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT: The Andersons Weed & Grass Preventer with 5% Trammel Herbicide (Dispersible Granules). EPA Reg No. 9198-237

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. One copy of the revised labeling is enclosed with editions underlined and marked in blue.

1. We have added the following optional marketing information to the label. This picture is used on products with contain dispersing fertilizer granules.





If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Clair Engelbert

Product Development Technician

Phone: 419-891-2780 Fax: 419-891-2745

Email: clair_engelbert@andersonsinc.com

Enclosures

The Andersons Weed & Grass Preventer with 5% Trammel Herbicide (Dispersible Granules)

Optional marketing information:
On DGPro®







NOTIFICATION

NOV 7 2007

Dispersing Granule Technology

Net Weight XX lbs. (XX kg) Not For Turf Use

A selective, preemergence herbicide for the control of certain annual grasses and broadleaf weeds in landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Nonbearing Vineyards, Container grown ornamentals, Nursery stock and Noncropland

Active Ingredient:

 Trifluralin
 5.00%

 Other Ingredients
 95.00%

 Total
 100.00%

EPA Reg. No.9198-237

EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-1A Underlined letter is first letter used in run code

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- socks and shoes

socks and shoes

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions of Use carefully before applying.

Not for use on plants being grown for sale or commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose of as waste

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

This product herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 pounds per acre total of this product within a 12 month period.

This product does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate this product. Optimum weed control is obtained when this product is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, this product may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate this product within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of these product granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

Weeds controlled by this product when applied at 80 lb./acre (1.8 lb/1,000 sq. ft.)

Annual Grasses

Common NameScientific Namebarley, hareHordeum Leporinumbarnyardgrass (watergrass)Echinochioa crus-galli

bluegrass, annual
brome
cheat
crabgrass
cupgrass, southwestern
fescue, rattail
foxtail

Poa annua
Bromus spp.
Bromus secalinus
Digitaria spp.
Eriochia gracilis
Vulpia myuros
Stania spp.

foxtail Setania spp.
goosegrass Eleusine indica
junglerice Echinochia colonum
lovegrass Eragrostis spp.
oat, wild Avena Fatua

panicum, fall Panicum dichotomiflorum

sandbur, field
Signalgrass
Sprangletop, Mexican
Stink grass
Witchgrass

Cenchrus incertus
Brachiaria spp.
Leptochioa univervia
Eragrostis cilianensis
Panicum capillare

Annual Broadleaf Weeds

Scientific Name Common Name Steliana media chickweed, common Chenopodium murate goosefoot, nettleleaf knotweed, prostrate Polygonum aviculare Kochia scoparia kochia Chenopodium album lambsquarters, common Urtica dioica nettle, stinging Amaranthus spp. pigweed Portulaca oleracea purslane, common Salsola iberica thistle, Russian

In addition to the weeds controlled, following weeds will be partially controlled or suppressed at 80 lb./acre (1.8 lb/1,000 sq. ft.)

Common NameScientific NamecarpetweedMollugo verticillatajohnsongrass (from seed)Sorghum halepensepanicum, TexasPanicum texanumpulsey, FloridaRichardia scabraShattercaneSorghum bicolor

Landscape Ornamentals, Ground Covers, Established Flowers, Ornamental Bulbs, Non-bearing Fruit and Nut Trees and Non-bearing Vineyards

This product is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in landscape ornamentals, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards. Apply this product before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information", "General Precautions and Restrictions" and "Application Directions" sections of this label for general use precautions and information on application, application rates and weeds controlled.

GENERAL PRECAUTIONS AND RESTRICTIONS

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

To avoid possible injury, do not apply this product to:

- cuttings that have been planted in post for the first time
- ground covers until they are established and well rooted

Do not apply this product to newly transplanted ornamentals, ground covers, flowers and non-bearing fruit and nut trees until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of this product to areas where gladioli corns less than one inch in diameter will be planted or injury may occur.

Do not apply this product in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of this product. Do not apply over 240 pounds per acre total of this product within a 12 month period.


Users who wish to use this product on plant species not recommended on this label may determine suitability for such uses by making trial application of this product at a recommended rate to small number of plants. Prior to using this product on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. The user assumes responsibility for any plant damage or other liability resulting from the use of this product on plant species not recommended on this label.

APPLICATION DIRECTIONS

Apply this product using a drop, rotary-type or hand-held spreader designed to apply granular products. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur.

Application Techniques for applying this product

- When using a drop-type spreader, a splash board mounted under the hopper will provide even more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed. Apply at a rate of 1.8 lb./1,000 sq. ft. to match Example A.



 A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid over-application.

This product May Be Used On the Following Established Plant Species

Trees

Scientific Name
Abies balsamea
Abies concolor
Abutilon hybridum

Acer gimmala Acer platanoides Acer rubrum

Acer saccharinum
Acer saccharum

Areacastrum romanzoffianum

Betula nigra Betula papyrifera Betula pendula

Brachychiton populneus

Bucida buceras Castanea moltissima Ceratonia siliqua Cercis canadensis Chamaecyparis obtusa

Chamaecyparis pisifera

Chamaedorea cataractarum Chamaedorea costaricana Chamaedorea elegans

Cornus florida

Cornus kousa Crataegus virdis

Cupaniopsis anacardioides

Cupressus glabra Elaeagnus angustifolia Eucalyptus camaidulensis Eucalyptus cinerea

Eucalyptus microtheca Eucalyptus sideroxylon Ficus benjamina

Fraxinus americana Fraxinus udhei Ginko bilob

Gleditsia triacanthos

Heteromeles arbutiflora Illicium floridanum Juniperus virginiana **Common Name**

Balsam fir White fir

Albus-flowering maple

Luteus-flowering maple Roseus-flowering maple Tangerine-flowering maple Vesuvius red-flowering maple

flame maple Norway maple Red maple

Red sunset maple

Silver maple Sugar maple Queen palm River birch Paper birch

European white birch

Bottle tree Black olive Chinese chestnut

Carob Redbud

Filicoides-fernspray cypress Gracilis-slender Hinoki cypress

Swara false cypress Squarrosa-moss cypress

Palm Palm Parlor palm

Cloud nine dogwood
Flowering dogwood
Dogwood, kousa
Green hawthorn
Carrot wood
Arizona cypress
Russian olive
Redgum eucalyptus
Mealy eucalyptus

Silver dollar eucalyptus Coolibah tree

Red ironbark Ficus Mini ficus White ash Shamel ash

Ginko-maidenhair tree

Honey locust

Shademaster honey locust

Toyon

Florida anise-tree Eastern red cedar

Larix kaempferi

Liquidambar styraciflua Linodendron tulipifera

Magnolia grandiflora

Malus spp. Morus alba Musa aluminata Nvssa svlvatica

Oxydendrum arboreum

Picea abies

Picea glauca conica

Picea glauca

Pinus aristata Pinus canariensis Pinus contorta Pinus eldarica Pinus leucodermis

Pinus mugo Pinus nigra Pinus radiata Pinus resinosa Pinus taeda Pinus strobus Pinus sylvestris

Pinus thunbergiana Platanus acerifolia Platanus occicentalis Platanus racemosa Podocarppus spp. Populus deltoides Prosopis chifensis Prunus yedoensis Pseudotsuga menziesil Quercus coccinea Quercus ilicifolia Quercus palustris Quercus phelfos Quercus rubra Quercus virginiana

Salix spp.

Sequoiadendron giganteum

Robinia pseudoacacia

Swietenia mahogani Tabebuia caraiba Taxodium distichum Tsuga canadensis Ulmus parvifolia Washingtonia robusta

Scientific Name

Abelia grandiflora

Japanese larch American sweet gum

Tuliptree

Southern mangnolia

Crabapple white mulberry Banana Blackgum Sourwood Norway spruce

Pendula-weeping Norway spruce Repens-spreading Norway spruce

Dwarf Alberta spruce Dwarf globe blue spruce Glauca-Colorado bluce spruce Hoopsil-Hoop's blue spruce Koster-Koster blue spruce

Bristlecone pine Canary island pine Shore pine, beach pine

Eldarica pine Bosnian pine

Purnilio-shrubby swiss mountain pine

Austrian black pine Monterey pine Red pine Lobiolly pine White pine

Columnar Scotch pine

Scotch pine

Japenese black pine London planetree American sycamore California sycamore

Podocarpus Cottonwood Chilean mesquite Yoshino flowering cherry

Douglasfir Scarlet oak Bear oak Pin oak willow oak Red oak Live oak Black locust Willow

Giant sequoia Mahogany Yellow tab Baldcypress Eastern hemlock Chinese palm Mexican fan palm

Common Name

Edward Goucher abelia

Ornamental Shrubs:

Abelia grandiflora

Acacia abyssinica Acacia redolens Acalypha wikesiana Acer ginnala Acer palmatum

Agave americana Astilbe chinensis Athyrium nipponimcum Baccharis pilularis Berberis gladwynensil Berberis mentorensis Berberis thunbergil

Bougainvillea spp.

Buxus microphylla japonica Buxus microphylla Koreana Buxus sempervirens Callistemon citrinus Callistemon viminalis Calluna vulgaris Camellia sasanriqiua Camellia japonica Cassia artemisioides Ceanothus spp. Cephalotaxus drupacae

Cerastium tomentosum Chamaecyparis obtusa spp.

Chamaecyparis pisifera Chrysalidocarpus lutescens Clethra ainifolia Cleyera Japonica

Cornus aiba Cornus stolonifera

Cotinus coggygria Cotinus dammeri

Cotoneaster adpressus Cotoneaster apiculatus Cotoneaster congestus Cotoneaster dammeri Cotoneaster himalayan Cotoneaster horizontalis Cotoneaster zabelii Cycas revoluta Edward Goucher abelia

Glossy abelia Abyssinica acacia Prostrate acacia Copper leaf Amur maple

Coral bark Japanese maple Dwarf Japanese maple

Century plant False spiraea

Japanese painted fern

Coyotebush

William Penn barberry

Mentor Barberry

Atropurea-redleaf Japanese barberry Aurea-golden Japanese barberry

Crimson pygmy barberry Rose glow barberry Barbara Karst California gold Pink pixie Scarlet O'Hara Temple fire Texas dawn

Japenese boxwood
Korean boxwood
Common boxwood
Lemon bottlebrush
Weeping bottlebrush
Spring torch scotch heather

Sasanqua camellia
Japanese camellia
Feathery cassia
Wild lilac

Wild lilac Plum yew Snow-in-summer Kosteri cypress

Nana-dwarf Hinoki cypress

Torulosa cypress Filifera-thread cypress

Areca palm Summersweet Japanese cleyera

Sibirica-Siberian dogwood Baileyi red osier dogwood Flaviramea-yellowing dogwood Royal purple smoke tree

Royal purple smoke tree
Coral beauty smoke tree
Eichhotz smoke tree
Praecox-early cotoneaster
Cranberry cotoneaster
Pyrenees cotoneaster
Bearberry cotoneaster
Himalayan cotoneaster
Rock cotoneaster
Zabel cotoneaster

Sago palm

Cytisus praecox
Cytisus scoparius
Daphne odora
Deutzia spp.
Dodonea viscosa
Elaeagnus pungens
Erica cinerea
Erica x darleyensa
Erica vagans
Euonymus alatus
Euonymus fortunei

Euonymus Japonica

Euonymous kiautschovica Feijoa sellowiana Forsythia spp. Gardenia jasminoides

Gaultheria shallon Gelsemium sempervirens Genista pilosa Hibiscus rosa-sinensis Hibiscus syriacus

ilex spp.
Illicium annisatum
itea ilicifolia
Ixora colinea
Juniperus spp.
Kalmia latifolia
Lagerstroemia indica
Lantana spp.
Leucothoe axillaris
Ligustrum spp.
Livistona chinensis
Lonicera periclymenum

Lonicera sempervirens Mahonia bealei Mahonia repens Myrica cerifera Nandina domestica

Nerium oleander

Osmanthus fortunei Philadelphus spp.

Hollandia-warminster broom

Lena-Scotch broom Fragrant Daphne

Deutzia

Hopseed bush Fruitland silver berry Purple bell heather

Mediterranean pink heather

Cornish heather
Winged euonymus
Canadale gold euonymus
Emerald'n gold euonymus
Sunspot euonymus
Wintercreeper euonymus
Silver king-euonymus

Variegated evergreen euonymus

Spreading euonymus Pineapple guava Forsythia

August beauty gardenia

Gardenia

Radician gardenia Salal/lemon leaf Carolina jessamine

Woadwaxen

Ross Estey-hibiscus Rose of Sharon-heart Rose of Sharon-red bird Rose of Sharon-woodbridge

Holly

Mystery gardenia

Henry Garnet holly leaf sweetspire

Ixora
Juniper
Mountain laurel
Crape myrtle
Lantana

Coast Leucotheoe

Privet

Chinese fountain palm Flowering woodbine Serotina woodbine Trumpet honeysuckle Leather leaf Mahonia Creeping mahonia

Wax myrtle

Compata-dwarf heavenly bamboo Harbour dwarf-heavenly bamboo

Heavenly bamboo

Nana compacta-heavenly bamboo Nana purpurea-heavenly bamboo Woods dwarf heavenly bamboo

Hardy red oleander

Oleander

Ruby lace oleander Fortunes osmanthus

Mockorange.

Phoenix roeloelenii Photinia fraseri Pieris japonica

Pieris janonica x forestii Pinus mugo Pittosporum tobira

Plumbago ariculata
Plumbago capensis
Podocarpus macrophilus
Polystichum polyblepharum
Potentilla spp.
Prunus caroliniana
Prunus gladulosa
Pyracantha spp.
Rhaphiolepis indica

Rhaphiolepis ovata Rhododendron spp. Rhus lancea Rosa rugosa Rosmarinus officinalis Skimmia japonica Skimmia revesiana Spiraea Bumaida Spiraea japonica

Spiraea vanhouttil Syringa rothomagensis Syringa vulgaris Taxus cuspidata Tecomaria capensis Temstoemia gymnanthera Thuja occidentalis

Thuia orientalis

Veitchia merrilli Viburnum spp. Weigela spp. Xylosma congestum Yucca filamentosa

Pigmy date palm Fraser's photinia Japanese andromeda Mountain fire lily-of-the-valley Snowdrift lily-of-the-valley Templebells lily-of-the-valley Valley rose lily-of-the-valley Valley valentine lily-of-the-valley Forest flame lily-of-the-valley Mugo-mugha pine Green pittosporum Japanese pittosporum Wheeler's dwarf pittosporum Blue cape plumbago Plumbago Yewpine Tassel fern Cinquefoil Carolina laurel cherry Dwarf pink flowering almond Pyracantha Charisma-Monruce rhaphiolepis Enchantress-Moness rhapiolepis India hawthorn Springtime-Monme rhaphiolepis Roundleaf rhaphiolepis Azalea/rhododendron Africa sumac Ramanas Rose Rosemary Japanese Skimmia Reeve's skimmia Anthony Waterer spiraea Dolchia spiraea Japanese alpine spiraea Shirobana spiraea Bridal wreath Chinese lilac Common lilac Upright Japanese yew Cape honeysuckle

American arborvitae
Emerald arborvitae
Globosa-giobe arborvitae
Little giant-dwarf arborvitae
Nigra-dark American arborvitae
Pyramidalis-pyramid arborvitae
Rheingold arborvitae
Techny arborvitae
Aureus nana-dwarf golden arborvitae
Minima glauca-dwarf arborvitae
Christmas palm
Viburnum
Weigela
Xylosma
Yucca

Ground Covers:

Scientific Name

Achillea tomentosa Agapanthus spp.

Ammonohila breviligulata Arctotheca calendula

Armeria maritima

Asparagus densiflorus

Campanula spp.

Carex spp.

Carpobrotus edulis

Ceratostigma plumbaginoides

Cistus spp. Coreopsis spp. Coronilia varia Cortaderia seiloana Cotoneaster spp. Delosperma alba

Descampsia caespitosa Drosantemum floribundum Drosantheumum hispidum

Festuca ovina glauca Fragaria chiloensis

Gazania spp.

Hakonechioa macroaureola

Hedera canariensis

Hedera helix Hemerocallis spp. Hemiaria glabra

Hosta lancifoila

Hypericum spp.

Jasminum nitidum Lampranthus spectabilis

Liriope gigantea Liriope muscari

Liriope spicata Miscanthus sinensis Muehlenbeckia axillaris Myoporum laetum Ophiopogon japonicus

Osteospermum fruticosum Pachysandra terminalis Pennisetum alopecuroides Phalaris arundinacea picta Sedum spp. Teucrium chamaedrys Trachelospermum asiaticum Verbena spp.

Veronica spp. Vinca spp.

Common Name

Wooly yarrow Lily-of-the-nile Beecharass Cape weed Thrift

Asparagus fern

Bellflower

Variegated carex Largeleaf iceplant Dwarf plumbago

Rockrose Coreopsis Crown vetch Parroas grass Cotoneaster White iceplant Descampsia

Trailing rosea iceplant

Iceplant Blue fescue Strawberry beach

Gazania

Golden Hakonechioa

Algerian lvy English ivy Daylilly Rupturewort

Albo-marginata hosta

Aaronsbeard St. Johnswort Angelwing jasmine Trailing iceplant white lily turf Big blue lily turf Lilac beauty lily turf Magestic lily turf

Silvery sunproof lily turf Variegated liriope lily turf Green/creeping lily turf

Eulalia grass Creeping wirevine Myoporum Dwarf mondo grass

Mondo grass Trailing African daisy

Japanese spurge Fountain grass Ribbon grass Stonecrop (sedum) Germander

Asalan jasmine Verbena Speedwell Periwinkle

Established Flowers:

Scientific Name

Achillea spp.

Ageratum houstonianum

Alyssum spp. Antirrhinum majus Arctotis spp.

Artemisis stellerana

Aster spp.

Calendula officianalis
Centaurea cyanus
Centaurea gymnocarpa
Chrysanthemum spp.
Convolvulus spp.
Coreopsis spp.
Cosmos spp.
Dahlia spp.
Dianthus spp.
Dimorphotheca spp.
Euphorbia marginata

Geum spp.
Gaillardia spp.
Gladiolus spp.

Gypsophila paniculata

Helianthus spp.
Impatiens balsamina
Impatiens spp.

Ixora spp.
Lathyrus odoratus
Limonium spp.
Lobelia spp.
Lobularia maritima
Lupinus spp.

Matthiola spp.
Mirabilis jalapa
Myosotis app.
Nicotiana spp.
Papaver spp.
Petunia hybrida
Phiox spp.

Portulaca grandiflora

Rosa spp. Rudbeckia hirta Rudbeckia laciniata

Salvia spp.
Scabiosa spp.
Stachy's spp.
Stokesia laevis
Tagetes spp.
Tropaeolum spp.
Vinca spp.
Zinnea spp.

Common Name

Yarrow Floss Flower Alyssum Snapdragon African daisey **Dusty miller** Aster (perennial) Calendula Cornflower Velvet centaurea Chrysanthemum Morningglory Coreopsis Cosmos Dahlia Dianthus Marigold, cape

Snow-on-the-mountain

Geum
Gaillardia
Gladiolus
Baby's breath
Sunflower
Balsam
Impatiens
Ixora
Sweet pea
Statice
Lobelia
Sweet alyssum

Lupine Stock Four o'clock Forget-me-not Nicotiana

Poppy, California

Petunia Phiox Portulaca Rose

Blackeyed Susan Golden glow

Salvia

Pincushion flower Lamb's ears Stoke's aster Marigold Nasturtium Vinca Zinnia

Ornamental Bulbs

This product may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply this product to the soil surface 2 to 4 weeks after planting, but prior to the

16

emergence of annual weeds. This product may also be applied following bulb emergence. For fall planted bulbs, apply this product again in late winter or early spring to weed-free soil surfaces.

Non-bearing fruit and Nut Trees and Non-bearing Vineyards¹

Common Name

Common Name

Almond Apple Apricot Avocado Blackberry Kiwi Lemon Loganberry Macadamia Nut Nectarine

Blueberry
Boysenberry
Cherry, sour
Cherry, sweet
Currant
Dewberry
Elderberry

Nectarine
Olive
Orange
Peach
Pear
Pecan
Pistachio
Plum

Fig Filbert Gooseberry Grape, American Grape, European Grapefruit Pomegranate Prune Raspberry Walnut, black Walnut, English

¹ Non-bearing fruit and nut trees and non-bearing vineyards are defined as plants which will not bear fruit for at least one year after treatment

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:


THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVnot050808)

Manufactured by:
The Andersons Lawn Fertilizer Division
PO Box 119
Maumee, OH 43537

Visit our website at www.AndersonsLawnProducts.com

The Andersons logo is a registered trademark of The Andersons Agriservices, Inc.; Professional Turf is a trademark of The Andersons Agriservices, Inc.

Optional marketing picture for products with dispersible granules:



Date Printed:	09/15/08
Date Approved:	12/8/06
Supersedes:	New
Label Change:	Notification – container
Filename:	9198-237.doc
Label code	RVnot050808

NOTIFICATION

NOV 7 2007