



PLEASE NOTE

**This image contains more than one label
approved for this product on this date.**

9198-242

1/28/2010

b74



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Debbie Ziehr
Product Registration
The Andersons Lawn Fert. Div., Inc
PO Box 119
Maumee, OH 43537

JAN 28 2010

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "The Andersons Turf Products Fertilizer with
0.125% Dimension Turf Herbicide 20-0-5"
EPA Reg. No. 9198-242
Application Dated November 6, 2009

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 11/06/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

204



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-242	2. EPA Product Manager Miller	3. Proposed Classification ☐ None ☐ Restricted
4. Company/Product (Name) The Andersons Fertilizer with 0.125% Dithiopyr Herbicide	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. P.O. Box 119 Maumee, OH 43537 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____	NOTIFICATION JAN 28 2010
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.	
☒ Notification - Explain below.	☐ Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 20-0-5

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging ☐ Yes ☒ No	Unit Packaging ☐ Yes ☒ No	Water Soluble Packaging ☐ Yes ☒ No	☐ Metal ☒ Plastic ☐ Glass ☒ Paper ☐ Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information ☐ Label ☒ Container		4. Size(s) Retail Container 15 - 50 lbs.		5. Location of Label Directions ☒ On Label	
6. Manner in Which Label is Affixed to Product		☒ Lithograph ☒ Paper glued ☐ Stenciled			
		☒ Other Pocket			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Debbie Ziehr		Title Regulatory Administrator	
		Telephone No. (include Area Code) 419-891-6671	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Regulatory Administrator	
4. Typed Name Debbie Ziehr		5. Date 11/6/09	



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

30f4

November 6, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: NOTIFICATION - Additional Brand Name

**RE: The Andersons Fertilizer with 0.125% Dithiopyr Herbicide
EPA Reg. No. 9198-242**

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand name is:

The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 20-0-5

One copy of the draft label is enclosed.

If there are any questions regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr
Regulatory Administrator
Phone #419-891-6671
Fax #419-891-2745
Email: Debbie_ziehr@andersonsinc.com

Enclosure

The Andersons® Turf Products

Fertilizer with 0.125% Dimension® Turf Herbicide 20-0-5

For fertilization and season-long control of crabgrass and control or suppression of listed annual grasses and broadleaf weeds in established lawns and ornamental turfs, including golf course fairways, roughs and tee boxes.

GUARANTEED ANALYSIS

Total Nitrogen (N) 20.00%
20.00% U.S. Nitrogen
Soluble Phosphorus (P-20) 5.00%

..... 2.42%
..... 2.92

ACTIVE INGREDIENT:
Dimethypr (CAS No. 97896-46-6) 0.125%
OTHER INGREDIENTS: 99.875%
TOTAL 100.000%

EPA Reg. No. 9198-242
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001
Underlined letter is first letter used in run code on bag.

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8881 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with caution when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect organisms in adjacent aquatic area. Do not apply directly to water, or to areas where surface water is present, or to wetland areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Read the entire label before using this product. Use only according to label instructions.

Not for use on turf being grown for sale or other commercial use as seed, or for commercial seed production, or for research purposes.

New York Use Restrictions: In New York State this product may only be used by professional applicators and at no more than 9.2 pounds per 1,000 square feet (0.5 pound active ingredient per acre) per year, and is prohibited from use in Nassau and Suffolk Counties.

TURF USE

This fertilizer product contains a herbicide which provides season-long control of crabgrass and control or suppression of other annual grasses and broadleaf weeds in established lawns and ornamental turfs, including golf course fairways, roughs and tee boxes. This product will not harm nearby established ornamentals when used according to label directions.

Use Precautions for Turf

This product may be used on seeded, sodded, or sprigged lawns and ornamental turfs that are well-established. The grass must have developed a good root system and a uniform stand, and have received at least two mowings following its seeding, sodding, or sprigging before it can receive its first application of this product. Use of this product on lawns and ornamental turfs that are not well-established, or on those that have been weakened by weather, pest, disease, chemical, or mechanical-related stress, may increase the chances for turf injury.

This product should only be applied to turfgrass species listed on this label. The following turfgrass species are tolerant to this product when used as directed.

Cool Season Grasses

Bentgrass, creeping* (*Agrostis palustris*)
Bluegrass, Kentucky (*Poa pratensis*)
Fescue, fine* (*Festuca rubra*)
Fescue, tall (*Festuca arundinacea*)
Poa, perennial (*Poa annua*)

Warm Season Grasses

Bahia grass (*Paspalum notatum*)
Bermudagrass (*Cynodon dactylon*)
Bouteloua* (*Bouteloua dactyloides*)
Carpetgrass (*Axonopus affinis*)
Centipedegrass (*Eriochloa cypripedifolia*)
Cynopogon* (*Pennisetum clandestinum*)
St. Augustine grass (*Stenotaphrum secundatum*)
Zoysia grass (*Zoysia japonica*)

* Use of this product on certain varieties of creeping grasses, such as "Cohasset," "Carmen," "Seaside," and "Washington" may result in undesirable turfgrass injury. Not all varieties of creeping grasses have been tested. DO NOT apply this product to Colonial bentgrass (*Agrostis canina*) varieties.

* Use of this product on certain varieties of fine fescue may result in undesirable turf injury. The following fine fescue varieties have been found to be sensitive to this product: "Mentor," "Banner," "Beau," "Bigan," "CFC," "Egret," "TFC-88," "Highgate," "Maj," "Jamestown," "Kolor," "Majestic," "May," "Pavane," "Tamaris," "Targis," "Vladimir," and "Walden." Not all varieties of fine fescue have been tested.

** DO NOT use this product on seeding bahia grass in the spring of the first year of establishment until the turfgrass is fully green and has established new roots.

NOTE: It is not possible to evaluate all the turfgrass varieties for tolerance to this product. It is recommended that use of this product be made on a trial basis initially to determine its safety under local use conditions and turf management practices before making widespread use.

Precautions for Reseeding, Overseeding or Sprigging

Reseeding, overseeding, or sprigging of treated areas within 10 weeks after a single application of this product or within 18 weeks after a split application program (totaling 9.2 lbs./1,000 sq. ft. (0.5 lb. active ingredient per acre) or more may violate the establishment of desirable turfgrasses. When reseeding or overseeding, proper cultural practices such as soil cultivation, irrigation and fertilization should be followed. For best overseeding results, use mechanical or power seeding equipment (all seeders) designed to give good seed to soil contact.

Precautions for Control of Crabgrass

The early postemergence crabgrass control described below is limited. Postemergence applications are only effective on crabgrass if applied prior to the 3-leaf stage of growth or first tiller. For best results, cultural practices that disturb the soil, such as core, spike, or hydro-seeding, and verticuring, should be done before application of this product. DO NOT apply this product until the grass has recovered from these cultural practices.

Other Use Precautions

Do not use shovels from treated turf for mulching around vegetables or fruit trees. Keep people and pets of treated areas until dust has settled. Do not graze livestock or feed large cut from areas treated with this product.

APPLICATION DIRECTIONS FOR TURF

For Fair Improved Control:
For best results, apply this product within a few days after mowing and delay mowing again for a few days after the application. Improved performance may be achieved if application is followed by 1/2 inch of rainfall or irrigation. Efficacy may result if rainfall or irrigation is not received within 30 days after application. Use of split (half rate) applications spaced 5-10 weeks apart may provide improved weed control.

Maximum Use Rates for Turfgrass

Do not apply more than 9.2 lbs./1,000 sq. ft. per application and no more than 27.6 lbs./1,000 sq. ft. per year. In New York State this product may only be used by professional applicators and at no more than 9.2 pounds per 1,000 square feet (0.5 pound active ingredient per acre) per year, and is prohibited from use in Nassau and Suffolk Counties.

CONTROL OF CRABGRASS

Preemergence and Early Postemergence Control
This product provides "preemergence" control of crabgrass (including the large, smooth, and southern species) when applied prior to the emergence of crabgrass from the ground in established lawns and ornamental turfs.

It can also provide "early postemergence" control of crabgrass during the early stages of crabgrass growth if applied prior to the 3-leaf stage of growth or first tiller. This stage of growth generally corresponds to the time when you can first easily see the crabgrass plants in the lawn or turf. Thus, the practical benefit of this product's additional, early postemergence activity is that (compared to strictly preemergence crabgrass products) it can give the user a 24 week longer period of time to make applications and still control crabgrass.

Application Frequency and Timing

This product may be applied as a single application, as a split application, or as a sequential application for crabgrass control in the spring, summer, or fall, as described below.

Spring Applications

For single applications made in the spring or early summer, this product should be applied at the appropriate rate corresponding to one of the control programs listed in Table 1. The specific rate will be dependent on the user's location, soil, turfgrass mowing height, and whether the use is considered to be preemergence or early postemergence at the time of use application. The duration of residual weed control provided by this product is directly related to the total rate applied, but will vary somewhat depending on weather, weed pressure, turfgrass competitiveness, and the user's location within a region.

Use Program 1 for preemergence control at sites where the turfgrass is cut high (e.g., homeowner lawns). This program provides 3-5 months of preemergence crabgrass control. This program should not be used for early postemergence crabgrass control.

Use Program 2 for preemergence control at sites where (a) turfgrass is cut low (e.g., golf fairways), and (b) turfgrass maintenance or weed control has been conducted during the previous year. This program provides 4-6 months of preemergence crabgrass control. This program may also be used for early postemergence crabgrass control up to the 3-leaf stage or first tiller at sites where turfgrass is cut high (e.g., homeowner lawns).

Use Program 3 for preemergence control at sites where (a) turfgrass is cut low (e.g., golf fairways) and (b) turf maintenance or weed control has not been conducted during the previous year. This program provides 4-6 months of preemergence crabgrass control. This program may also be used for early postemergence crabgrass control up to the 3-leaf stage or first tiller at sites where turfgrass is cut low (e.g., golf fairways).

Subsequent, sequential pre- and/or postemergence applications should be made where longer periods of control are desired.

Table 1: Recommended Application Use Rates

Region	Application Rate	Program 1	Program 2	Program 3
All states except NY	lb/acre lb/1,000 sq. ft. lb/acre	152 3.5 0.19	200 4.6 0.25	304 7.0 0.38
Transition	lb/acre lb/1,000 sq. ft. lb/acre	200 4.6 0.25	304 7.0 0.38	400 9.2 0.5
South	lb/acre lb/1,000 sq. ft. lb/acre	304 7.0 0.38	200 + 200 4.6 + 4.6 0.25 + 0.25	304 + 304 7.0 + 7.0 0.38 + 0.38
Coastal South	lb/acre lb/1,000 sq. ft. lb/acre	200 + 200 4.6 + 4.6 0.25 + 0.25	304 + 304 7.0 + 7.0 0.38 + 0.38	304 + 304 7.0 + 7.0 0.38 + 0.38
West	lb/acre lb/1,000 sq. ft. lb/acre	152 + 200 3.5 + 4.6 0.19 + 0.25	200 + 304 4.6 + 7.0 0.25 + 0.38	200 + 200 4.6 + 4.6 0.25 + 0.25

* May require split or sequential applications for full control. Split applications may be made 5-10 weeks apart.

Regions include areas listed below

All States: All states, except NY, and parts of states not included in transition, south, coastal south or west.
Transition: DE, KS, KY, MO, MI, NJ, VA, southeastern PA, southern areas of IL, IN, OH, coastal areas of CT, NY & RI.
South: AL, AR, GA, LA, MS, NC, NM, OK, SC, TN, TX.
Coastal South: HI, FL, & southern coastal areas of AL, GA, LA, MS, NC, SC, & TX.
West: AZ, CA & NV. In this climatically diverse region, use the higher rates in local areas with longer crabgrass seasons.

Adjust your fertilization program to account for the fertilizer applied as part of this product.

Split or Sequential Applications

Split or sequential applications may improve weed control or provide extended weed control in areas with long growing seasons. Where split fertilizer applications are recommended, the rates in Table 1 may be split across two applications made 5-10 weeks apart and prior to crabgrass emergence. Where longer periods of control are needed, sequential applications may be made in the late summer or fall following a spring application or in the spring following a fall application. Do not exceed the "Maximum Use Rates" section and rate restrictions for the state of New York.

Fall Applications

This product can also be applied in the late summer or early fall (late August through November) at the "Program 3" use rates listed in Table 1 to provide control of crabgrass through the early part of the next spring. The fall application should be followed by an appropriate spring application to provide season-long control of crabgrass.

CONTROL OF OTHER WEED GRASSES AND BROADLEAF WEEDS

Spring Applications: Used as directed for crabgrass control in the spring, this product will also control (at the "Program 3" rates) or suppress (at the "Program 2" rates) the following weeds when applied prior to their emergence:

Grasses
Bentgrass
Bermudagrass
Bluegrass, annual
Brome
Crabgrass, large
Crabgrass, smooth
Crabgrass, Southern
Crowfootgrass
Dallisgrass (seedling)
Eleusine indica
Festuca, green
Festuca, yellow
Kikuyugrass
Oats, wild
Poa, annual & perennial
Sambur
Styragrass

Broadleaf Weeds

Bitterweed
Capweed
Chickweed
Geranium, Carolina
Horn
Knotweed, prostrate
Lespedeza, common
Marestail
Medic, black
Mustard
Oxalis, buttercup
Pineappleweed
Ragwort, redroot
Ranunculus
Spurge, prostrate
Spurge, spotted
Woodsoot, creeping
Woodsoot, yellow
Suppression only

Fall applications: Used as directed for preemergence crabgrass control in late summer or early fall, this product will also control (at the "Program 3" rates) or suppress (at the "Program 2" rates) the following weeds when applied prior to their emergence:

Hardenberg
Echinochloa crus-galli
Poa annua
Bromus sp.
Digitaria sanguinalis
Digitaria adscendens
Digitaria stramonium
Dactyloctenium aegyptium
Paspalum dilatatum
Eleusine indica
Sclaria vernalis
Sclaria latifolia
Pennisetum clandestinum
Avena fatua
Lolium sp.
Convolvulus sp.
Sporobolus indicus

Bluegrass, annual
Bitterweed
Capweed
Chickweed
Geranium, Carolina
Pineappleweed
Shepherdspurse

Poa annua
Lolium sp.
Lolium sp.
Cerastium arvense
Alopecurus pratensis
Alopecurus pratensis
Cirsium discolor

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. PESTICIDE STORAGE: Keep container closed and away from food, feedstuffs, and domestic waste supplies. PESTICIDE DISPOSAL: All pesticide containers are toxic. Improper disposal of toxic pesticides is a violation of state law. If this waste cannot be disposed of by use as directed, contact your state pesticide or environmental control agency or the nearest Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available, then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State or local authorities, by burning. If burned, stay out of smoke.

APPLICATION EQUIPMENT AND INSTRUCTIONS

Apply this product with drop or rotary type spreaders designed to apply granular herbicides. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions for adjusting the spreader settings such that the spreader delivers the appropriate application rate recommended above. Apply this product uniformly over the lawn or ornamental turf area. Avoid streaking, skips, or overlaps during application. Check equipment frequently to ensure equipment is functioning properly and applying uniform distribution of granules.

Recent research has shown that well-maintained turf is an effective environmental buffer that prevents pollutants from entering our natural water bodies. To help protect these natural resources, please avoid applying product to sidewalks, driveways, roadways, and other impervious surfaces which are adjacent to storm drains. Sweep any misplaced granules back onto the area you are treating immediately after application, since storm drains often empty directly to nearby waterways.

SUGGESTED SPREADER SETTINGS						
These suggested spreader settings are not intended to replace calibration.						
Please calibrate your spreader before applying product.						
50 lbs. treats 14,400 sq. ft. (0.25 acre) at the 152 lb. production rate - LIGHT RATE (0.5 lb./1,000 Sq. Ft.)						
50 lbs. treats 10,800 sq. ft. (0.25 acre) at the 200 lb. production rate - MEDIUM RATE (0.6 lb./1,000 Sq. Ft.)						
50 lbs. treats 7,200 sq. ft. (0.16 acre) at the 304 lb. production rate - HIGH RATE (0.9 lb./1,000 Sq. Ft.)						
50 lbs. treats 5,400 sq. ft. (0.12 acre) at the 400 lb. production rate - HEAVY RATE (0.9 lb./1,000 Sq. Ft.)						
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS			
			LIGHT RATE 0.15 lbs./ft. M/A	LOW RATE 0.25 lbs./ft. M/A	MEDIUM RATE 0.36 lbs./ft. M/A	HIGH RATE 0.54 lbs./ft. M/A
Andersons AzaPro 2000, SR 2000 (cone 3)	3 mph	11 feet	L 1/4	M 1/4	P 1/4	R 3/4
Scots R 8, R 8A (cone 3)	3 mph	11 feet	K 1/4	L 1/4	N 3/4	Q
Lesco 02000 (pattern 0.25)	3 mph	10 feet	G 1/4	H 1/4	J 3/4	
Lesco 705596 (pattern 0.25)	3 mph	10 feet	15 1/2	18 1/2	23 1/2	25 1/2
Lely Modes VFR, WFR HR, 1250 (PTO at 450 rpm) Pattern III-B	4.5 mph	36 feet	5 3/4	6 1/2	8 1/2	10
Vroom (B3 series)	4.5 mph	36 feet	28	34	42	50

These spreader settings were established using standard equipment available from the spreader manufacturer at a width and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATION OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE OR COUNTRY TO COUNTRY.

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P.O. Box 119
Maumee, OH 43537

SGN 215
Net Wt. 50 Lbs. (22.68 kg)



APT205DM50
K9 (APTBKPMBRNB)

4064

NEXT

LABEL

9198-242

1/28/2010

1074



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JAN 28 2010

Mrs. Debbie Ziehr
Regulatory Administrator
The Andersons Lawn Fert. Div., Inc.
d/b/a Free Flow Fert.
P.O. Box 119
Maumee, OH 43537

RE: Notification to Change Additional Brand Names to:

The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 18-0-5

The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 13-0-5

EPA Registration Number: 9198-242

Date of Submission: December 11, 2009

Dear Mrs. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, December 11, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2094

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9198-242	2. EPA Product Manager Miller	3. Proposed Classification ☐ None ☐ Restricted
4. Company/Product (Name) The Andersons Fertilizer with 0.125% Dithiopyr Herbicide	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The Andersons Lawn Fert. Div., Inc. d/b/a Free Flow Fert. P.O. Box 119 Maumee, OH 43537 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____	NOTIFICATION JAN 25 2010
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.	
☒ Notification - Explain below.	☐ Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 18-0-5
The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 13-0-5

This notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 98-10 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III**1. Material This Product Will Be Packaged In:**

Child-Resistant Packaging ☐ Yes ☒ No	Unit Packaging ☐ Yes ☒ No	Water Soluble Packaging ☐ Yes ☒ No	2. Type of Container ☐ Metal ☒ Plastic ☐ Glass ☒ Paper ☐ Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information ☐ Label ☒ Container	4. Size(s) Retail Container 50 lbs. - 2,000 lbs.	5. Location of Label Directions ☒ On Label
6. Manner in Which Label is Affixed to Product ☒ Lithograph Paper, glued ☒ Stenciled		☒ Other Pocket

Section - IV**1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)**

Name Debbie Ziehr	Title Regulatory Administrator	Telephone No. (Include Area Code) 419-891-6671
----------------------	-----------------------------------	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received
(Stamped)

2. Signature 	3. Title Regulatory Administrator
4. Typed Name Debbie Ziehr	5. Date 12/11/09

304



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

December 11, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs - (7504P)
U. S. Environment Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: NOTIFICATION - Additional Brand Name

RE: The Andersons Fertilizer with 0.125% Dithiopyr Herbicide
EPA Reg. No. 9198-242

Per PR Notice 98-10, enclosed is an EPA Form 8570-1, an application notifying the Agency that we wish to market additional products under the subject basic registration. The additional brand name is:

The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 18-0-5

The Andersons Turf Products Fertilizer with 0.125% Dimension Turf Herbicide 13-0-5

One copy of the draft label is enclosed.

If there are any questions regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Debbie Ziehr
Regulatory Administrator
Phone #419-891-6671
Fax #419-891-2745
Email: Debbie_ziehr@andersonsinc.com

Enclosure

